



SEK 18 male low profile solder and press-in



General information

| | | | |
|-------------------------------------|--|---|------------------|
| Design | IEC 60603-13 | | |
| No. of contacts | 6,10,14,16,20,26,30,34,40,50,60,64 | | |
| Contact spacing | 2,54 mm x 2,54 mm | | |
| Test voltage Ur.ms | 1 kV | | |
| Working voltage | 500 V for pollution degree 1 | | |
| Working current acc. to IEC 60512-2 | See derating diagram | | |
| Contact resistance | max. 20mOhm | | |
| Insulation resistance | min. 10 ⁹ Ohm | | |
| Temperature range | -55°C ... +125°C (solder) -55°C ... +105°C (press-in) | | |
| Termination technology | solder, press-in | | |
| Clearance & creepage distance | min. 0,5 mm clearance min. 0,56 creepage | | |
| Insertion and withdrawal forces | 6-pole max. 12N for PL1-2 / 18N for PL3 | ; 30-pole max. 60N for PL1-2 / 90N for PL3 | |
| | 10-pole max. 20N for PL1-2 / 30N for PL3 | ; 34-poles max. 68N for PL1-2 / 102N for PL3 | |
| | 14-pole max. 28N for PL1-2 / 42 for PL3 | ; 40-poles max. 80N for PL1-2 / 120N for PL3 | |
| | 16-pole max. 32N for PL1-2 / 48N for PL3 | ; 50-poles max. 100N for PL1-2 / 150N for PL3 | |
| | 20-pole max. 40N for PL1-2 / 60N for PL3 | ; 60-poles max. 120N for PL1-2 / 180N for PL3 | |
| | 26-pole max. 52N for PL1-2 / 78N for PL3 | ; 64-poles max. 128N for PL1-2 / 192N for PL3 | |
| Mating cycles | S4 surface treatment | Au over PdNi (min. 0,76 µm) | |
| | PL 1 acc. to IEC 60603-13 | 500 mating cycles | 10 days gas test |
| | PL 2 acc. to IEC 60603-13 | 250 mating cycles | 4 days gas test |
| PL 3 acc. to IEC 60603-13 | 50 mating cycles | No gas test | |
| UL file | E 102079 | | |
| RoHS - compliant | Yes | | |
| Leadfree | Yes | | |
| Hot plugging | No | | |

Insulator material

| | | | |
|---------------------------------|--|--|--|
| Material | PBT (thermoplastics, glass fiber reinforcement 30%) | | |
| Color | black (RAL 7001) or grey (RAL 7032) for solder grey (RAL 7053) for press-in | | |
| UL classification | UL94-V0 | | |
| Material group acc. IEC 60664-1 | IIIa (175 < CTI < 400) | | |
| NF F 16-101 classification | I3,F3 | | |

Contact material

| | | | |
|------------------------------|---|--|--|
| Contact material | Copper alloy | | |
| Plating termination zone | Sn over Ni for solder, Ni for press-in | | |
| Plating contact sliding side | Au or Au over PdNi (according to performance level) | | |

Derating diagram acc to IEC 60512-2 (Current carrying capacity)

The current carrying capacity is limited by maximum temperature of materials for inserts and contacts including terminals. The current capacity-curve is valid for continuous, not interrupted current-loaded contacts of connectors when simultaneous power on all contacts is given without exceeding the maximum temperature. Control and test procedures according to DIN IEC 60512.

- 1) Temperature rise
- 2) Derating
- 3) Derating curve at I max x 0.8(IEC 60512-2)



Recommended configuration of plated through holes for press-in termination

In addition to the hot-air-level (HAL), other PCB surfaces are getting more important. Due to their different properties - such as mechanical strength and coefficient of friction - we recommend the following configuration of PCB through holes.



| | | |
|---|----------------|----------------|
| Tin plated PCB (HAL) acc. to EN 60352-5 | Drilled hole Ø | 1,15-0,03 mm |
| | Cu | min. 25 µm |
| | Sn | max. 15 µm |
| Chemical tin plated PCB | plated hole Ø | 0,94 - 1,09 mm |
| | Drilled hole Ø | 1,15-0,03 mm |
| | Cu | min. 25 µm |
| Gold /Nickel plated PCB | Sn | min. 0,8µm |
| | plated hole Ø | 1,00 - 1,10 mm |
| | Drilled hole Ø | 1,15-0,03 mm |
| | Cu | min. 25 µm |
| | Ni | 3 - 7 µm |
| Silver plated PCB | Au | 0,05 - 0,12 µm |
| | plated hole Ø | 1,00 - 1,10 mm |
| | Drilled hole Ø | 1,15-0,03 mm |
| | Cu | min. 25 µm |
| Copper plated PCB (OSP) | Ag | 0,1 - 0,3 µm |
| | plated hole Ø | 1,00 - 1,10 mm |
| | Drilled hole Ø | 1,15-0,03 mm |
| | Cu | min. 25 µm |
| | plated hole Ø | 1,00 - 1,10 mm |

Assembly instructions

It is highly recommended to use HARTING press-in tools to ensure a reliable press-in process. Please refer to the catalogue for tools, machines and further information about the press-in process.

Soldering instructions

The connectors should be protected when being soldered in a dip, flow or film soldering baths. Otherwise, they might become contaminated as a result of soldering operations or deformed as a result of overheating.

- (1) For prototypes and short runs protect the connectors with an industrial adhesive tape, e.g. Tesaband 4331 (www.tesa.de). Cover the underside of the connector moulding and the adjacent parts of the pcb as well as the open sides of the connector. This will prevent heat and gases of the soldering apparatus from damaging the connector. About 140 + 5 mm of the tape should suffice.
- (2) For large series a jig is recommended. Its protective cover with a fast action mechanical locking device shields the connectors from gas and heat generated by the soldering apparatus. As an additional protection a foil can be used for covering the parts that should not be soldered.

Packaging material (only for plastic tray)

| | |
|-----------------|---|
| Material | Polystyrol |
| Color | Yellow |
| Standardization | acc. to DIN EN / IEC 61340-5-1 and ANSI / ESD S541-2003 |

- Safe protection for electronic components against electrostatic charges

Cross section of solder terminations



| | | | | | | | |
|--------------------------|---------------------|---|--------------|-----------------|---------------------|---|------|
| | All rights reserved | Created by | Inspected by | Standardisation | Date | State | Ref. |
| Department EC PD - DE | STORCK | LEHNERT | HOFFMANN | 2016-09-05 | Final Release | Sub. DS 09181100001 / 500000101780 / 2016-07-25 | |
| HARTING Electronics GmbH | | Title | | | Doc-Key / ECM-Nr. | | |
| D-32339 Espelkamp | | SEK 18 male low profile solder and press-in | | | 100554984/UGD/001/F | | |
| | | Type | Number | Rev. | | Page | |
| | | DS | 09181100001 | F | | 1/1 | |

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

HARTING:

[09185106321](#) [09185607321](#) [09185645919](#) [09185065322](#) [09185067323](#) [09185067324](#) [09185105322](#)
[09185105324](#) [09185106322](#) [09185106323](#) [09185106329](#) [09185106803](#) [09185107324](#) [09185145323](#) [09185146322](#)
[09185146324](#) [09185146803](#) [09185147324](#) [09185147329](#) [09185165322](#) [09185165323](#) [09185165329](#)
[09185166322](#) [09185166803](#) [09185166813](#) [09185167322](#) [09185167323](#) [09185167324](#) [09185205323](#) [09185206322](#)
[09185206323](#) [09185206329](#) [09185207322](#) [09185207323](#) [09185207324](#) [09185207329](#) [09185265323](#)
[09185265324](#) [09185265329](#) [09185266322](#) [09185266323](#) [09185266329](#) [09185267324](#) [09185345322](#) [09185345324](#)
[09185346322](#) [09185346323](#) [09185347324](#) [09185347329](#) [09185405329](#) [09185406322](#) [09185407322](#)
[09185407329](#) [09185505322](#) [09185506323](#) [09185506324](#) [09185507322](#) [09185507329](#) [09185507803](#) [09185509002](#)
[09185605323](#) [09185605324](#) [09185605329](#) [09185606322](#) [09185606324](#) [09185606329](#) [09185645323](#)
[09185646329](#) [09185647322](#) [09185647323](#) [09185647324](#) [09185066324](#) [09185106324](#) [09185266324](#) [09185067321](#)
[09185105321](#) [09185107321](#) [09185206321](#) [09185266321](#) [09185406321](#) [09185407321](#) [09185505321](#)
[09185506321](#) [09185507324](#) [09185407323](#) [09185146329](#) [09185065324](#) [09185107323](#) [09185166329](#) [09185146323](#)
[09185646323](#) [09185066323](#) [09185607324](#) [09185346329](#) [09185069002](#) [09185349002](#) [09185065329](#)
[09185105323](#) [09185147323](#) [09185166323](#)

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9