



ENVIRONMENTALLY FRIENDLY THERMALLY CONDUCTIVE GREASE

Tgrease™ 2500 is a silicone-free thermal grease for use in high performance CPU's and GPU's. With a high thermal conductivity of 3.8 W/mK, Tgrease™ 2500 thoroughly wets out thermal surfaces to create very low thermal resistance.

Tgrease™ 2500 eliminates the migration issues of siliconebased grease to create superior reliability. Tgrease™ 2500 is ideal for situations where automatic dispensing and screen-printing are required.

Tgrease™ 2500 is non-toxic and environmentally safe. Tgrease™ 2500 is available in 1kg (pint container), 3kg (quart container), and 10kg (gallon container) or custom packaged in syringes for automated applications.

APPLICATIONS

- High performance CPU's and GPU's
- Chipsets
- Graphic processing chips
- Custom ASICs

PROPERTIES	
Color	White
Density	3.42 g/cc
Viscosity Brookfield Viscometer	2,500,000cP TF spindle at 2rpm (helipath) and 23°C
Temperature Range	-55°C to 150°C
Outgassing (TML)	0.91%
Outgassing (CVCM)	0.15%
UL Flammability Rating	94 V0
Thermal Conductivity	3.8 W/mK
Thermal Resistance @ 10 psi	0.023°C-in²/W (0.15 C-cm²/W)
@ 50 psi	0.020°C-in²/W (0.13 C-cm²/W)
Volume Resistivity	3.5 x 10¹² Ohm-cm
Dielectric Constant @ 1KHz/1MHz	5.7 / 5.6

global solutions: local support™

Americas: +1.800.843.4556

Europe: +49.8031.2460.0


Asia: +86.755.2714.1166

CLV-customerservice@lairdtech.com


www.lairdtech.com/thermal

Tgrease™ 2500 Series Thermal Grease


T-grease 2500 Reliability
Thermal Bake @125°C




T-grease 2500 Reliability
Thermal Cycle -55°C to 125°C



T-grease 2500 Average
Thermal Resistance vs. Pressure



T-grease 2500 Bondline Average
Thickness vs. Pressure



THR-DS-Tgrease-1500 0710

Any information furnished by Laird Technologies, Inc. and its agents is believed to be accurate and reliable. All specifications are subject to change without notice. Responsibility for the use and application of Laird Technologies materials rests with the end user, since Laird Technologies and its agents cannot be aware of all potential uses. Laird Technologies makes no warranties as to the fitness, merchantability or suitability of any Laird Technologies materials or products for any specific or general uses. Laird Technologies shall not be liable for incidental or consequential damages of any kind. All Laird Technologies products are sold pursuant to the Laird Technologies Terms and Conditions of sale in effect from time to time, a copy of which will be furnished upon request. © Copyright 2010 Laird Technologies, Inc. All Rights Reserved. Laird, Laird Technologies, the Laird Technologies Logo, and other marks are trade marks or registered trade marks of Laird Technologies, Inc. or an affiliate company thereof. Other product or service names may be the property of third parties. Nothing herein provides a license under any Laird Technologies or any third party intellectual property rights. A14265-00 Rev.E 03/29/07.

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9