

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20







© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	25JUN2015	DL	CW




NOTES:
1. TECHNICAL CHARACTERISTICS:
BODY MATERIAL: DIE CAST ALUMINIUM ALLOY
SURFACE TREATMENT: POWDER-COATED, GRAY
OPERATION TEMPERATURE: -40-+125°C
DEGREE OF PROTECTION: IP65 (MATED)

注释:
1. 技术参数:
主体材料: 铝合金
表面处理: 粉末喷涂, 灰色
工作温度: -40-+125°C
防护等级: IP65(配合)

TI660103121-000	TYPE I	H10B-SDRH-LB-PG21	PG21	-
TI660103125-000		H10B-SDRH-LB-M25	M25	-
TI660103129-000		H10B-SDRH-LB-PG29	PG29	-
TI660103132-000		H10B-SDRH-LB-M32	M32	-
TI660103221-000		H10B-SDRH-LB-2PG21	PG21	PG21
TI660103225-000		H10B-SDRH-LB-2M25	M25	M25
TI660103229-000		H10B-SDRH-LB-2PG29	PG29	PG29
TI660103232-000		H10B-SDRH-LB-2M32	M32	M32
ASSEMBLY PART NUMBER	TYPE	ASSEMBLY PART DESCRIPTION	IG1	IG2

TYPE I: HIGH BODY + STEEL LOCKING + PLASTIC PROTECTION COVER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DAVID LI 25JUN2015	TE TE Connectivity							
		CHK CHRIS WANG 25JUN2015								
DIMENSIONS: mm		APVD XU XIANG 25JUN2015	NAME H10B-SDRH-LB-PG/M							
		PRODUCT SPEC 108-137013								
		APPLICATION SPEC 114-137013								
		SIZE A3	CAGE CODE -	DRAWING NO C-TI66010XXXX000		RESTRICTED TO -				
		MATERIAL TBD		FINISH -		SCALE 1:2		SHEET 1	OF 2	REV A

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20


© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



TI660I03321-000	TYPE 2	H10B-SDRHM-LB-PG2I	PG2I	-
TI660I03329-000		H10B-SDRHM-LB-PG29	PG29	-
TI660I03332-000		H10B-SDRHM-LB-M32	M32	-
TI660I03421-000		H10B-SDRHM-LB-2PG2I	PG2I	PG2I
TI660I03429-000		H10B-SDRHM-LB-2PG29	PG29	PG29
TI660I03432-000		H10B-SDRHM-LB-2M32	M32	M32
ASSEMBLY PART NUMBER	TYPE	ASSEMBLY PART DESCRIPTION	IG1	IG2








TE Connectivity

NAME
H10B-SDRHM-LB-PG/M

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	-	©-TI660I0XXXX000	-

DWN	DAVID LI	25JUN2015
CHK	CHRIS WANG	25JUN2015
APVD	XU XIANG	25JUN2015
PRODUCT SPEC	108-137013	
APPLICATION SPEC	114-137013	
WEIGHT	-	
CUSTOMER DRAWING		

THIS DRAWING IS A CONTROLLED DOCUMENT.		
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	
	0 PLC	±-
	1 PLC	±-
	2 PLC	±-
	3 PLC	±-
	4 PLC	±-
MATERIAL TBD	ANGLES	±-
	FINISH	-
-	-	-



TYPE 2: HIGH BODY + STEEL LOCKING + METAL PROTECTION COVER
OTHER SPEC REFER TO TYPE 1

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9