

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [63806-0900](#)
Status: **Active**
Description: Mini-Mac™ Applicator Rear Feed

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	T9999
Function	Crimp
Geographic Area	Global
Level of Automation	Automatic, Semi-Automatic
More Detailed Tech Information	applicationtooling@molex.com
Product Name	Mini-Mac™
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Applicator
UPC	884982367289

Material Info

Reference - Drawing Numbers

Application Tooling Documents	ATS-638060900, TM-638800000, TM-638800000SP, TM-640160065, TM-640160065CN, TM-640160065DE, TM-640160065FR, TM-640160065IT, TM-640160065JP, TM-640160065KR, TM-640160065MY, TM-640160065PL, TM-640160065RU, TM-640160065SK, TM-640160065SP, TM-640160065TH, TM-640160065TW, TM-640160065VN
-------------------------------	---




image - Reference only

EU RoHS	China RoHS
----------------	-------------------

Compliance Status

Not Reviewed

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

T9999Series

Use With

Quick Disconnect Safelock Female 14-18 and 18 Doubles AWG 94506 , 94512 , 94513

Application Tooling	FAQ
Description	Product #

Quick Disconnect, High Reliability Terminal (HRT), Female for (1.00-2.50mm ²) 10-18 AWG Wire, Accepts 6.30 x 0.81mm Tab	0945120201
Quick Disconnect, Safelock Female for (1.00-2.50mm ²) 10-18 AWG Wire, Accepts 6.35 x 0.81mm Tab, Tin	0945060201

Quick Disconnect, Female for (0.50-1.00mm ²) 10-24 AWG Wire, Accepts 6.35 x 0.81mm Tab, Unplated	0945130200
Quick Disconnect, Female for (0.50-1.00mm ²) 10-24 AWG Wire, Accepts 6.35 x 0.81mm Tab, Tin	0945130201
Quick Disconnect, High Reliability Terminal (HRT), Female for (1.00-2.50mm ²) 10-18 AWG Wire, Accepts 6.30 x 0.81mm Tab , Unplated	0945120200
Quick Disconnect, High Reliability Terminal (HRT), Female for (1.00-2.50mm ²) 10-18 AWG Wire, Accepts 6.30 x 0.81mm Tab	0945120211

This document was generated on 04/25/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9