



LOC		DIST		REVISIONS					
DW				P	LTR	DESCRIPTION	DATE	DWN	APVD
					A	RELEASED	25NOV2011	T.K	H.K
					A1	REVISED (ECR-12-003980)	01MAR2012	T.K	H.K


2129364-1, 1-2129364-1; AS SHOWN

- 1 MATERIAL:
HOUSING: THERMO-PLASTIC(UL94V-0,BLACK).
CONTACT: COPPER ALLOY.
SHELL: STAINLESS STEEL.
BRACKET: STAINLESS STEEL.
2 FINISH:
CONTACT: ALL OVER 2um MIN. Ni UNDER PLATING.
0.254um MIN. Au PLATING ON CONTACT AREA.
1~3um Tin PLATING ON TINE AREA.
SHELL: ALL OVER 1.3um MIN. Ni UNDER PLATING (FOR 2129364-1, -2).
ALL OVER 0.5um MIN. BLACK-Ni UNDER PLATING (FOR 1-2129364-1).
3 DATE CODE




BLACK-Ni		1-2129364-1
Ni		2129364-1
FINISH		PART NUMBER
1	BRACKET	④
1	SHELL	③
40	CONTACT	②
1	HOUSING	①
Q'TY	NAME	ITEM

WITH BRACKET



VIEW A

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN T. KUO	25NOV2011		TE Connectivity			
		CHK V. PENG	25NOV2011					
		APVD H. KODAMA	25NOV2011					
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME				
		0 PLC 1 PLC 2 PLC 3 PLC 4 PLC ANGLES ± ± ± ± ± ± ±0.25 ±3°		PRODUCT SPEC 108-99033		RECEPTACLE ASSY, 0.6mm PITCH CHAMP DOCKING CONNECTOR, 40POS -		
		APPLICATION SPEC -						
		WEIGHT 1.08g						
MATERIAL 		FINISH 		SIZE A3		CAGE CODE 00779	DRAWING NO C-2129364	RESTRICTED TO -
CUSTOMER DRAWING				SCALE 5:1		SHEET 1 OF 6		REV A1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR


DESCRIPTION

DATE


DWN

APVD

SEE SHEET 1




WITHOUT BRACKET




1	SHELL	③
40	CONTACT	②
1	HOUSING	①
Q'TY	NAME	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN -		 TE Connectivity	
DIMENSIONS: mm		CHK -			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD -			
0 PLC ±0.25		PRODUCT SPEC -			
1 PLC ±0.25		APPLICATION SPEC -		NAME RECEPTACLE ASSY, 0.6mm PITCH CHAMP DOCKING CONNECTOR, 40POS	
2 PLC ±0.25		WEIGHT 0.83g		SIZE A3	
3 PLC ±0.25		CUSTOMER DRAWING		CAGE CODE 00779	
4 PLC ±0.25		SCALE 5:1		DRAWING NO C-2129364	
ANGLES ±		SHEET 2 OF 6		RESTRICTED TO -	
FINISH -		REV A1			

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	APVD
DW		-	-	SEE SHEET 1	-	-




VIEW A
2129364-2 IS SAME AS 2129364-1



MATING CONDITION
SCALE 10:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN CHK APVD PRODUCT SPEC APPLICATION SPEC WEIGHT		TE TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME RECEPTACLE ASSY, 0.6mm PITCH CHAMP DOCKING CONNECTOR, 40POS	
		0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± ±0.25 ±3°			
MATERIAL		FINISH		SIZE	
				CAGE CODE	
				DRAWING NO	
				RESTRICTED TO	
				A300779C-2129364	
CUSTOMER DRAWING				SCALE	
				5:1	
				SHEET	
				3 OF 6	
				REV	
				A1	

2129364-2 IS SAME AS 2129364-1



LOC		DIST		REVISIONS					
DW				P	LTR	DESCRIPTION	DATE	DWN	APVD
					-	SEE SHEET 1	-	-	-

D

C

B


A

D



C

B

A



6. PACKING MATERIAL:
CARRY TAPE: PS; COLOR: BLACK.
COVER TAPE: PET; COLOR: CLEAR.
PEELING STRENGTH OF COVER TAPE: 0.2N~1.2N



1-2129364-1	600	3	1800
2129364-1	600	3	1800
P/N	PCS/TAPE	REELS/CARTON	TOTAL QUANTITY

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	-	TE TE Connectivity	
		CHK	-		
DIMENSIONS: mm		APVD	-	NAME RECEPTACLE ASSY, 0.6mm PITCH CHAMP DOCKING CONNECTOR, 40POS	
		PRODUCT SPEC	-		
		APPLICATION SPEC	-	SIZE A300779	
		WEIGHT	-		
MATERIAL		FINISH	-	CAGE CODE C-2129364	
		CUSTOMER DRAWING		SCALE FREE	SHEET 5 OF 6
				REV A1	

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC
DW

DIST
-

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

PE BAG

REEL

SHIPPING CARTON
(352X349X228)

TE

TE Connectivity

RECEPTACLE ASSY, 0.6mm PITCH
CHAMP DOCKING CONNECTOR, 40POS

SIZE
A300779

CAGE CODE

DRAWING NO
C-2129364

RESTRICTED TO





CUSTOMER DRAWING

SCALE
FREE

SHEET
6

OF
6

REV
A1



AROUND THE OUTER PERIPHERY IN A TURN.
WEEDING THE COVER TAPE

PEELING ANGLE: 165°~180°


TAPE

PULL OUT DIRECTION

WITH PRODUCT
CHARGE

WITHOUT
CHARGE
(264mm)


WITHOUT CHARGE
(408mm)



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm



TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±
2 PLC ±0.5
3 PLC ±3°
4 PLC ±
ANGLES ±
FINISH -

MATERIAL

DWN	-
CHK	-
APVD	-
PRODUCT SPEC	-
APPLICATION SPEC	-
WEIGHT	-

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9