


PART NUMBER

10106263-D006001LF



spec ref		*		dr		Peng-Bing Fu		2012/02/22		projection		MM		size		A3		scale		3:2			
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		Rainbow Zhan		2015/09/21						ecn no		ELX-DG-21977-1		rel level		Released			
chr				Fancy Zhang		2015/09/25																	
appr				Pei-Ming Zheng		2015/09/25																	
ASME Y14.5										product family		PwrBlade+											
surface				linear				title		13HP + 24S		dwg no		10106263-D006001		rev		C					
ASME Y14.5																				0.X		±0.5	
																				0.XX		±0.25	



Copyright FCI.

A

B

C

D


A

B

C

D

PRODUCT NO.	ROW S	HIGH POWER													SIGNAL						E2	
		E1	P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11	P12	P13	1	2	3	4	5		6
10106263-D006001LF	D C B A		HE	HE	HE	HE	HE	HE	HE	HE	HE	HE	HE	HE	HE	LD	LD	SD	SD	LD	LD	
																SC	LC	SC	SC	SC	SC	
																SB	LB	SB	LB	LB	LB	
																SA	SA	SA	SA	SA	SA	



CODE	DESCRIPTION
HA	METAL HOLD DOWN
HE	STD HIGH POWER CONTACT (3.05)
LB	LMFB SIGNAL CONTACT, ROW B (3.05)
LC	LMFB SIGNAL CONTACT, ROW C (3.05)
LD	LMFB SIGNAL CONTACT, ROW D (3.05)
SA	STD SIGNAL CONTACT, ROW A (3.05)
SB	STD SIGNAL CONTACT, ROW B (3.05)
SC	STD SIGNAL CONTACT, ROW C (3.05)
SD	STD SIGNAL CONTACT, ROW D (3.05)

dr	Peng-Bing Fu	2012/02/22	projection	MM	size	A3	scale	3:2				
eng	Rainbow Zhan	2015/09/21			ecn no				ELX-DG-21977-1			
chr	Fancy Zhang	2015/09/25			rel level					Released		
appr	Pei-Ming Zheng	2015/09/25			product family					PwrBlade+		
			title			13HP + 24S			dwg no	10106263-D006001	rev	C
RA PRESS-FIT HEADER												
www.fci.com		cat. no.		Product - Customer Drw					sheet 2 of 3			

A

B

C

D

A


B


C

D

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.
-  9) A  SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.



dr	Peng-Bing Fu	2012/02/22	projection 	MM 	size	A3	scale	3:2	
eng	Rainbow Zhan	2015/09/21			ecn no	ELX-DG-21977-1			
chr	Fancy Zhang	2015/09/25							
appr	Pei-Ming Zheng	2015/09/25			product family	PwrBlade+		rel level	Released
 13HP + 24S RA PRESS-FIT HEADER			dwg no		10106263-D006001		rev	C	
www.fci.com			cat. no.		Product - Customer Drw			sheet 3 of 3	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9