

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

-,-



COPYRIGHT - By -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

B1

REVISED (ECR-11-017441)

22AUG2011

S.Y

H.K

2023523-1: AS SHOWN

P1 MARK


NOTE:

- ① MATERIAL: ① HOUSING: HIGH TEMP. THERMOPLASTIC (LCP),
WITH G/F, UL 94V-0, COLOR: BLACK.
② CONTACT: COPPER ALLOY.
③ PICK-AND-PLACE TAPE : POLYIMIDE FILM.

- ② FINISH: AU 0.762um [30u"] MIN. AT THE CONTACT AREA.
MATT TIN 2.54um[100u"] MIN. AT THE SOLDER TAIL AREA.
NI 1.27 [50u"] MIN. UNDER PLATED OVERALL.



- ③ REFLOW SOLDER CAPABLE TO 260°C PER TE TEST SPEC.
109-201, CONDITION B.

4. NO ACCUMULATIVE TOLERANCES.



TE LOGO

DATE CODE



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN S. YANG 20JAN2010

CHK M. CHAO 20JAN2010

APVD H. KODAMA 20JAN2010

PRODUCT SPEC

108-99023


APPLICATION SPEC

WEIGHT 0.7 g

CUSTOMER DRAWING

DIMENSIONS:

mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:

- 8 PLC ±
1 PLC ± ±0.25
2 PLC ± ±3
3 PLC ± ±
4 PLC ± ±
ANGLES ± ±
FINISH ②

MATERIAL ①



TE Connectivity

NAME

AMPMODU 2.00mm PITCH DUAL ROW
REC. SMT-TYPE CONN.

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C-2023523

SCALE

8:1

SHEET

1 OF 3

REV

B1

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

- , - .



COPYRIGHT - By -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

DW

P

LTR


DESCRIPTION

DATE

DWN

APVD


SEE SHEET 1



RECOMMENDED PCB LAYOUT
TOLERANCE ± 0.05

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm



TOLERANCES UNLESS
OTHERWISE SPECIFIED:

8 PLC $\pm$ -
1 PLC $\pm$ - 0.25
2 PLC $\pm$ - $\pm 3^\circ$
3 PLC $\pm$ -
4 PLC $\pm$ -
ANGLES $\pm$ -
FINISH

MATERIAL

FINISH

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING



TE Connectivity

NAME

AMPMODU 2.00mm PITCH DUAL ROW
REC. SMT-TYPE CONN.

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

2023523

SCALE

6:1

SHEET

2 OF 3

REV

B1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION
ALL RIGHTS RESERVED.



LOC	DIST	REVISIONS				
DW		P	LTR	DESCRIPTION	DATE	DWN APVD
				SEE SHEET 1		

D


C

B




A



B-B



A-A



7.35	2.8	4000	1000	4
KG/GROSS WEIGHT	KG/NET WEIGHT	PCS/BOX	PCS/ REEL	REEL/ SHIPPING BOX

THIS DRAWING IS A CONTROLLED DOCUMENT.		STE TE Connectivity			
DIMENSIONS: mm		NAME AMPMODU 2.00mm PITCH DUAL ROW REC. SMT-TYPE CONN.			
TOLERANCES UNLESS OTHERWISE SPECIFIED: 8 PLC ± 0.25 1 PLC ± 0.25 2 PLC ± 0.25 3 PLC ± 0.25 4 PLC ± 0.25 ANGLES ± 3° FINISH ±		SIZE A3			
MATERIAL PS		CAGE CODE 00779			
		DRAWING NO 2023523			
		RESTRICTED TO			
		CUSTOMER DRAWING			
		SCALE FREE			
		SHEET 3 OF 3			
		REV B1			

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9