




LOC		DIST		REVISIONS					
AA		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
					F I	ECR-12-003298	13FEB2012	JJ	AC
					G	ECO-15-006810	29DEC2015	LL	SH




1. MATERIAL:
- HOUSING - PBT POLYESTER, BLACK, UL 94V-0
- TERMINALS - 0.33 THICK PHOS BRONZE PLATED WITH 1.27um MINIMUM THICK HARD GOLD IN LOCALIZED AREA AND 2um MINIMUM THICK MATTE TIN IN ACTION PIN COMPLIANT PIN TERMINAL AREA OVER 1.27um MINIMUM THICK NICKEL UNDERPLATE
- SHIELD - 0.25 THICK COPPER ALLOY PLATED WITH 2.03um MINIMUM BRIGHT TIN OVER 1.27um MINIMUM NICKEL
- GROUNDING CLIP - 2.03 um MIN MATTE TIN OVER COPPER, PRE-PLATED COPPER ALLOY
- LED - DIFUSED EPOXY LENS 2.29 um SILVER OVER NICKEL PRE-PLATED CARBON STEEL LEADS
- ACTION PIN - COMPLIANT PIN CONTACTS 0.3 THICK BRASS PLATED WITH 2um MINIMUM MATTE TIN OVER 1.27um MINIMUM NICKEL UNDERPLAT.
2. JACK CAVITY CONFORMS TO FCC RULES AND REGULATIONS, PART 68 SUBPART F.
- 3 DRILLED HOLE DIA = 1.020±0.025
COPPER THICKNESS = 0.025±0.075
TIN-LEAD THICKNESS = .008
- 4 DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
- 5 DATE CODE LOCATED ON REAR OF PART APPROXIMATELY AS SHOWN
- 6 CONTACTS ARE NOT INTENDED TO BE ALIGNED WITH EACH OTHER
- 7 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI
- 8 ONLY FOR 6368168-7, -8
CONTACT AREA LUBRICATED WITH BELLCORE APPROVED LUBRICANT TECHNICAL REFERENCE GR-1217-CORE ISSUE 1, NOVEMBER 1995.

6368168-1 SHOWN
SHEET 1




RECOMMENDED PANEL CUT-OUT



PC BOARD LAYOUT
(COMPONENT SIDE)



SHIELD WITH NO LED CUTOUTS AND
STANDARD PANEL GROUNDS



8	N/A	N/A	N/A	N/A	NO	WITHOUT LED PORTS	6368168-8
	GREEN	GREEN	GREEN	GREEN	NO	WITH LED PORTS	6368168-7
8	GREEN	GREEN	YELLOW	YELLOW	YES	WITH LED PORTS	6368168-6
	GREEN	GREEN	GREEN	GREEN	YES	WITH LED PORTS	6368168-5
7	YELLOW	YELLOW	GREEN	GREEN	YES	WITH LED PORTS	6368168-4
	N/A	N/A	N/A	N/A	YES	WITHOUT LED PORTS	6368168-2
8	N/A	N/A	N/A	N/A	NO	WITHOUT LED PORTS	6368168-1
	LED #4	LED #3	LED #2	LED #1	GROUNDING CLIP	SHIELD STYLE	PART NUMBER



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN A. FERNANDEZ CHK J. WESTMAN APVD S. FLICKINGER	28 JUL 2005 28 JUL 2005 28 JUL 2005	NAME STACKED MODULAR JACK ASSEMBLY, 2X1, 8 POSITION, SHIELDED PANEL GROUND, OFFSET, CAT 5	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC 108-1854 APPLICATION SPEC 114-2160	
MATERIAL SEE NOTE 1		FINISH SEE NOTE 1		WEIGHT -	
CUSTOMER DRAWING		SCALE 3:1		SHEET 1 OF 2	
				REV G	

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AA	00	-	-	SEE SHEET 1	-	-	-



6368168-6 SHOWN
SHEET 2

SHIELD WITH LED CUTOUTS AND
STANDARD PANEL GROUNDS



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN A. FERNANDEZ-DOCK 28 JUL 2005	 TE Connectivity			
DIMENSIONS:		CHK J. WESTMAN 28 JUL 2005				
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD S. FLICKINGER 28 JUL 2005	NAME	STACKED MODULAR JACK ASSEMBLY, 2X1, 8 POSITION, SHIELDED PANEL GROUND, OFFSET, CAT 5		
	0 PLC ±	PRODUCT SPEC	SIZE	CAGE CODE	DRAWING NO	
	1 PLC ±	108-1854				
	2 PLC ±0.1	APPLICATION SPEC				
	3 PLC ±0.13	114-2160				
	4 PLC ±	WEIGHT				
MATERIAL	FINISH	ANGLES	A1	00779	C6368168	
						CUSTOMER DRAWING
SEE NOTE 1	SEE NOTE 1		3:1	2	OF 2	G

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9