



THIS DRAWING IS UNPUBLISHED.


RELEASED FOR PUBLICATION

© COPYRIGHT — By —

ALL RIGHTS RESERVED.






EXPLODED VIEW OF 284064-4



284065-3 AS SHOWN

5 MODULES AND KEYS TO BE GLUED IN PLACE.



RECOMMENDED PC BOARD LAYOUT

LOC	DIST	REVISIONS					
—	—	P	LTR	DESCRIPTION	DATE	DWN	APVD
			C4	REVISED PER ECO-12-007714	25APR12	KH	MS

1

MATERIALS AND FINISH:
HOUSING: PA 6-6, UL94V-0, COLOR GREEN.
TERMINAL: COPPER ALLOY, TIN PLATED.

2

SUITABLE FOR 1.6-2.4mm PC BOARD THK.

3

NON CUMULATIVE TOLERANCE.

4

P/N FROM 28465-3 TO 2-284065-5 ARE OBTAINED BY ASSEMBLING DIFFERENT
MONOLITHIC MODULES CHOOSEN AMONG: 284065-2 AND 284065-3, IN ORDER
TO REALIZE THE DESIRED NO. OF WAYS.

5	108.72	111.26	21	3-284065-3
5	78.24	80.78	15	3-284065-2
5	83.32	85.86	16	3-284065-1
5	123.96	126.50	24	3-284065-0
5	123.96	126.50	24	2-284065-9
5	93.48	96.02	18	2-284065-8
5	83.32	85.86	16	2-284065-7
5	63.00	65.54	12	2-284065-6
	129.92	132.46	25	2-284065-5
	123.96	126.50	24	2-284065-4
	118.88	121.42	23	2-284065-3
	113.80	116.34	22	2-284065-2
	108.72	111.26	21	2-284065-1
	103.64	106.18	20	2-284065-0
	98.56	101.10	19	1-284065-9
	93.48	96.02	18	1-284065-8
	88.40	90.94	17	1-284065-7
	83.32	85.86	16	1-284065-6
	78.24	80.78	15	1-284065-5
	73.16	74.50	14	1-284065-4
	68.08	70.62	13	1-284065-3
	63.00	65.54	12	1-284065-2
	57.92	60.46	11	1-284065-1
	52.84	55.38	10	1-284065-0
	47.76	50.30	9	284065-9
	42.68	45.22	8	284065-8
	37.60	40.14	7	284065-7
	32.52	35.06	6	284065-6
	27.44	29.98	5	284065-5
	22.36	24.90	4	284065-4
	17.28	19.82	3	284065-3
	12.2	14.74	2	284065-2
	DIM"A"	DIM"B"	N*OF TOTAL POS.	PART NUMBER

CUSTOMENT.

DWN
S SCHLEGEL
CHK
C RICHARD
APVD
C RICHARD
PRODUCT SPEC
—
APPLICATION SPEC
—
WEIGHT
—

07MAR2008
3/7/08
3/7/08

UNLESS SPECIFIED:

5

± 2'

NAME
TERMINAL BLOCK, MULTIPLE HEADER, 180 DEGREE
CLOSED ENDS, 5.08mm PITCH

SIZE
A3

CAGE CODE
00779

DRAWING NO
C-284065

RESTRICTED TO
—

CUSTOMER DRAWING

SCALE
NTS

SHEET
1 OF 4

REV
C4


4

3


2

1


LOC	DIST	REVISIONS				
—	—	P	LTR	DESCRIPTION	DATE	APVD
		—	—	SEE SHEET 1	—	—




2-284065-6




2-284065-9




2-284065-7




2-284065-8

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S SCHLEGEL	07MAR2008	 TE Connectivity		
		CHK C RICHARD	3/7/08			
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD C RICHARD	3/7/08	NAME		
	0 PLC ± -	PRODUCT SPEC	TERMINAL BLOCK, MULTIPLE HEADER, 180 DEGREE			
	1 PLC ± 0.3	—	CLOSED ENDS, 5.08mm PITCH			
	2 PLC ± 0.25	APPLICATION SPEC				
	3 PLC ± -	—	SIZE	CAGE CODE	DRAWING NO	
	4 PLC ± -	—	A300779		C-284065	
MATERIAL	FINISH	WEIGHT	—		RESTRICTED TO	
—	—	CUSTOMER DRAWING		SCALE	NTS	
				SHEET	2 OF 4	
				REV	C4	

LOC	DIST	REVISIONS				
—	—	P	LTR	DESCRIPTION	DATE	APVD
		—	—	SEE SHEET 1	—	—



3-284065-0



3-284065-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S SCHLEGEL	07MAR2008	 TE Connectivity		
		CHK C RICHARD	3/7/08			
		APVD C RICHARD	3/7/08	NAME TERMINAL BLOCK, MULTIPLE HEADER, 180 DEGREE CLOSED ENDS, 5.08mm PITCH		
		PRODUCT SPEC —				
		APPLICATION SPEC —				
		WEIGHT —		SIZE A3	CAGE CODE 00779	DRAWING NO C-284065
		CUSTOMER DRAWING		SCALE NTS	SHEET 3 OF 4	REV C4

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9