

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	F1	ECR-14-001887	12FEB2014	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2151400-1


FOR REPLACEMENT PARTS FOR APPLICATOR 1385243
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1385243

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GOPALAKRISHNA HV		 TE Connectivity			
DIMENSIONS:		CHK RAGHAVENDRA					
		APVD RAGHAVENDRA		NAME SIDE FEED HDM APPLICATOR			
		PRODUCT SPEC					
		APPLICATION SPEC					
MATERIAL		WEIGHT		SIZE A3	CAGE CODE	DRAWING NO C- 1385243	RESTRICTED TO
FINISH		CUSTOMER DRAWING		SCALE		SHEET 1 OF 2	REV F1

THIS DRAWING IS UNPUBLISHED.
RELEASED FOR PUBLICATION
BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

PART NUMBER	REV	FIRST USED
1385243-1	F	122500-1
1385243-2	F	565435-5
1385243-3	F	354500-1



TERMINAL NAME: JUMBO PV RECEPTAL R/A FOR .040/1.02 PIN					
1448272-1	957233	CRIMP DATA (NON-AMP TERMINAL-CUST SPEC)			
PAD LTR	CRIMP HEIGHT	WIRE SIZE			
A	.047 ±.001 [1.19 ±.05mm]	18			
B	.043 ±.001 [1.09 ±.05mm]	20			
C	NOT	USED			
D	NOT	USED			
CRIMP	SIZE	TYPE		RANGE	
WIRE	.070 [1.78mm]	F		18-20	
INSUL	.110 [2.79mm]	0		.042-.103	
WIRE STRIP LENGTH	TERM APPL SPEC	FEED	APPL INSTRUCTION	SET UP GAGE	LAYOUT
.148-.168	NONE	.600	408-8040	458637-1	L2520

LOC	DIST	REVISIONS			
A	66	P LTR	DESCRIPTION	DATE	OWN APVD
F	ECR-07-016881			7-2007	MY GB

-1	LEADMAKER	MECH POST FEED
-2	BENCH MODEL K	MECH PRE FEED
-3	BENCH MODEL G	MECH PRE FEED


1	1	1	-	22594-8	NUT, HEX(1/2-20)	70
1	1	1	-	240628-1	PLATE, ADJUSTMENT	69
1	1	1	-	240626-1	SHAFT, PIVOT	68
1	1	1	-	240633-1	BUSHING	67
1	1	1	-	455680-1	LEVER, INTERMEDIATE	66
1	1	1	-	240629-1	BLOCK, PIVOT	65
1	1	1	-	240632-2	SCREW, ADJ FEED ROD	64
1	1	1	-	240659-3	PIN, CAM ROLLER	63
1	1	1	-	240658-1	ROLLER, CAM	62
1	1	1	-	454398-2	ROD, FEED	61
1	1	1	-	454178-1	GUIDE, FEED ROD	60
1	1	1	-	454220-1	CAP, RAM	59
1	1	1	-	454485-8	HOUSING	58
1	1	1	-	458537-2	PAWL, FEED	57
1	1	1	-	240624-1	PIN, FEED FINGER	56
1	1	1	-	691499-1	SPRING, FEED FINGER	55
1	1	1	-	690541-1	HOLDER, FEED FINGER	54
1	1	1	-	455679-2	LEVER, TERMINAL FEED ARM	53
1	1	1	-	690602-6	CAM, PRE-FEED 1 5/8 ST	52
1	1	1	-	690602-5	CAM, PRE-FEED 1 1/8 ST	51
1	1	1	-	690501-4	CAM, POST-FEED 1 5/8 ST	50
1	1	1	-	690191-1	PLUG, NYLON	49
1	1	1	-	455673-4	RAM	48
1	1	1	-	690125-1	WASHER, LAMINATED	47
1	1	1	-	690124-1	WASHER, RAM	46
1	1	1	-	690686-1	BOLT, CRIMPER(5/16x1.00)	45
1	1	1	-	23241-6	BALL, STEEL	44
1	1	1	-	690170-1	SPRING, COMPRESSION	43
1	1	1	-	690142-1	DISC, INSULATION	42
1	1	1	-	354777-1	WIRE DISC, PLASTIC	41
1	1	1	-	22480-5	WASHER, SPRING	40
1	1	1	-	690212-1	POST, RAM	39
1	1	1	-	1583361-1	PLATE, BASE	38
1	1	1	-	690432-3	SCREW, ADJUSTMENT	37
1	1	1	-	455689-1	BLOCK, STRIP GUIDE ADJ	36
1	1	1	-	3-455671-9	PLATE, STRIP GUIDE	35
2	2	2	-	1-22284-0	SPRING, DRAG	34
1	1	1	-	690546-1	LEVER, DRAG RELEASE	33
1	1	1	-	240792-1	DRAG, TERMINAL	32
1	1	1	-	6-690504-6	GUIDE, STRIP (REAR)	31
1	1	1	-	690438-1	GUIDE, STRIP (FRONT)	30
1	1	1	-	1-458230-0	STRIPPER	29
1	1	1	-	4-22284-9	SPRING, FEED RETURN	28
1	1	1	-	455888-1	SPACER, FRONT SHEAR DEP	27
1	1	1	-	1-455889-4	DEPRESSOR, SHEAR (FRONT)	26
1	1	1	-	318563-1	GUARD, CHIP, FRONT	25
1	1	1	-	1424352-1	BLOCK, SHEAR	24
1	1	1	-	6-22279-4	SPRING, SHEAR	23
1	1	1	-	690461-1	STOP, SHEAR	22
1	1	1	-	468798-1	HOLDER, SHEAR (FRONT)	21
1	1	1	-	462006-3	SHEAR, FLOAT (FRONT)	20
1	1	1	-	1424351-1	ANVIL	19
1	1	1	-	1-853714-3	PLATE, REAR SHEAR	18
1	1	1	-	1-853720-0	BLADE, SLUG	17
1	1	1	-	455888-1	SPACER	16
1	1	1	-	1-238011-0	SPACER, BLOCK CRIMPER	15
1	1	1	-	6-683454-4	CRIMPER, INSULATION	14
1	1	1	-	455888-3	SPACER, CRIMPER	13
1	1	1	-	1424354-1	CRIMPER, WIRE	12

2	2	2	-	2-354779-6	PIN, WIRE DISC (.3120)B	129
2	2	2	-	1-354779-8	PIN, WIRE DISC (.3080)A	128
1	1	1	-	986950-1	WASHER, FLAT PRECISION	127
1	1	1	-	217238-1	GENERAL INSTRUCTION PACKAGE	126
1	1	1	-	4088040	SF APPL INST 408-8040	125
1	1	1	-	3-21028-7	PIN, SLT SPR(Ø.093x.75)ST GDE PL	124
1	1	1	-	1-21030-1	PIN, DOWEL(Ø.187x.50)LEVER	123
1	1	1	-	1-21030-6	PIN, DOWEL(Ø.187x1.25)HOUSING	122
1	1	1	-	21045-3	RING, RET "C"(Ø.187)FD FING PIN	121
1	1	1	-	21024-5	WASHER, LOCK(#10)ADJ BLOCK	120
1	1	1	-	21024-5	WASHER, LOCK(#10)ADJ PLATE	119
1	1	1	-	21024-5	WASHER, LOCK(#10)FEED GDE ROD	118
2	2	2	-	21024-2	WASHER, LOCK(#4)FRONT STP GUIDE	117
1	1	1	-	5-21028-1	PIN, SLT SPR(Ø.125x.50)ADJ ROD	116
2	2	2	-	21024-4	WASHER, LOCK(#8)STRIPPER	115
1	1	1	-	21899-4	WASHER, FLAT(Ø5/16)SCREW ADJ	114
1	1	1	-	21018-5	NUT, HEX(NO.6)HOLDDOWN	113
1	1	1	-	21068-5	NUT, HEX(6-32)FEED ADJ	112
1	1	1	-	21009-2	SCR, SKT SET(1/4-20x.25 LW)RAM	111
2	2	2	-	21017-2	SCR, DRIVE(#2x.19)ID PLATE	110
1	1	1	-	6-23715-5	SCR, PAN HD(6-32x1.50)FEED ADJ	109
1	1	1	-	461264-1	PLATE, IDENTIFICATION	108
2	2	2	-	5-21006-6	SCR, SET(10-32x.75)DRAG	107
1	1	1	-	22733-8	SCR, BHC(8-32x.38 LW)ANVIL	106
1	1	1	-	2-21002-9	SCR, BHC(10-32x.75)CAP	105
1	1	1	-	2-22733-8	SCR, BHC(1/4-20x.62)HOUSING	104
1	1	1	-	2-21002-7	SCR, BHC(10-32x.50)SG ADJ BLOCK	103
4	4	4	-	2-21002-2	SCR, BHC(8-32x.50)TERM H DWN	102
1	1	1	-	1-21002-7	SCR, BHC(6-32x.38)CAM	101
1	1	1	-	2-22603-0	SCR, HEX HD(8-32x.31)FEED FINGER	100
1	1	1	-	2-21000-8	SCR, SHC(8-32x.62)SHEAR	99
1	1	1	-	2-21000-7	SCR, SHC(8-32x.50)STRIPPER	98
1	1	1	-	3-21000-7	SCR, SHC(10-32x.75)FEED ROD GD	97
1	1	1	-	3-21000-6	SCR, SHC(10-32x.62)FD ADJ BLK	96
1	1	1	-	3-21000-4	SCR, SHC(10-32x.38)SG ADJ BL	95
1	1	1	-	3-21000-4	SCR, SHC(10-32x.38)PIVOT BLK	94
-1	-1	-1	-	455749-1	GUARD, WINDOW	93
REF	-	-	-	679532-1	INSERT, GUARD	92
1	1	1	-	690603-1	SPRING, ASSIST	91
1	1	1	-	23030-1	SCR, SHC(6-32x.25 SL)INS DISC	90
1	1	1	-	458109-1	WASHER, SPECIAL	89
1	1	1	-	690517-1	SPACER	88
-3	-2	-1	U/M	PART NO	DESCRIPTION	ITEM NO
PARTS LIST						
QTY REQD PER ASSY						

POST FEED 1 5/8 STROKE	PRE FEED 1 1/8 STROKE	PRE FEED 1 5/8 STROKE
(REF) 44 91 2	(REF) 44 91 2	(REF) 44 91 2
ROTATED 180°	ROTATED 180°	ROTATED 180°

- RECOMMENDED SPARE PARTS.
- GREASE LIGHTLY.
- GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN A BENCH MACHINE.
- LUBRICATE DAILY USING NO. 20 MACHINE OIL.

5. ITEMS WITH QTY OF REF SPECIFIED (EXCEPT ITEMS 78 AND 79) ARE USED ON ITEM 46.



Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9