

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

62100-5110

Status:

Active

Description:

Backplane Insertion Tool for Signal Contact Insertion



image - Reference only

Series

EU RoHS

China RoHS

Compliance Status

Not Reviewed

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

General

Product Family	Application Tooling
Series	T9999
Comments	See Tooling Specification (PDF) Above
Function	Insertion
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Product Name	N/A
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Handtool
UPC	800756778679

Material Info

Reference - Drawing Numbers

Application Tooling Documents	ATS-621005110, TM-622018699, TM-622022099
-------------------------------	---

Search Parts in this Series

T9999Series

Use With

GbX I-Trac™ Backplane [75705](#) , [76015](#) , [76035](#)

Application Tooling Description	FAQ Product #
GbX I-Trac™ Vertical Header Module, 1.85mm by 3.70mm Pitch, Unguided, Dual End Wall, 11 Rows, 5 Columns, 110 Circuits, Mating Pin Length 4.70mm	0757051523
GbX I-Trac™ Vertical Header Module, 1.85mm by 3.70mm Pitch, Unguided, Left End Wall, 11 Rows, 6 Columns, 132 Circuits, Mating	0757051613

	Pin Length 4.70mm, Orientation Key A GbX I-Trac™ Vertical0757051622 Header Module, 1.85mm by 3.70mm Pitch, Unguided, Dual End Wall, 11 Rows, 6 Columns, 132 Circuits, Mating Pin Length 3.90mm, Orientation Key B GbX I-Trac™ Vertical0757051635 Header Module, 1.85mm by 3.70mm Pitch, Unguided, Right End Wall, 11 Rows, 6 Columns, 132 Circuits, Mating Pin Length 4.70mm and 5.70mm GbX I-Trac™ Vertical0757051803 Header Module, 1.85mm by 3.70mm Pitch, Unguided, Open Ends, 11 Rows, 8 Columns, 176 Circuits, Mating Pin Length 4.70mm GbX I-Trac™ Vertical0757051822 Header Module, 1.85mm by 3.70mm Pitch, Unguided, Dual End Walls, 11 Rows, 8 Columns, 176 Circuits, Mating Pin Length 3.90mm GbX I-Trac™ Vertical0757053605 Header Module, 1.85mm by 3.70mm Pitch, Left Guide, Right Open, 11 Rows, 8 Columns, 176 Circuits, Mating Pin Length 4.70mm and 5.70mm GbX I-Trac™ Vertical0757055803 Header Module, 1.85mm by 3.70mm Pitch, Right Guide, Left Open, 11 Rows, 8 Columns, 176 Circuits, Mating Pin Length 4.70mm GbX I-Trac™0757059602 Vertical Header Module, 1.85mm by 3.70mm Pitch, Right Guide, Left Endwall, 11 Rows, 5 Columns, 110 Circuits, Staggered Mating Pin Length 3.90mm, Lead-Free GbX I-Trac™0760157105 Vertical Header
--	--

Module, 1.85mm
by 3.70mm Pitch,
Left Guide, Right
Endwall, 7 Rows,
10 Columns, 140
Circuits, Staggered
Mating Pin Length
4.70mm & 5.70mm
GbX I-Trac™ Vertical0760353804
Header Module,
1.85mm by 3.70mm
Pitch, Left Guide,
Right Open, 15
Rows, 8 Columns,
240 Circuits, Mating
Pin Length 5.70mm
GbX I-Trac™ Vertical0757051605
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,
Open Ends, 11
Rows, 6 Columns,
132 Circuits, Mating
Pin Length 5.70mm
& 4.70mm Staggered
Pins
GbX I-Trac™ Vertical0757053804
Header Module,
1.85mm by 3.70mm
Pitch, Left Guide,
Right Open, 11
Rows, 8 Columns,
176 Circuits, Mating
Pin Length 5.70mm
GbX I-Trac™ Vertical0757053814
Header Module,
1.85mm by 3.70mm
Pitch, Left Guide,
Right Open, 11
Rows, 8 Columns,
176 Circuits, Key
Orientation A, Mating
Pin Length 5.70mm
GbX I-Trac™ Vertical0757053824
Header Module,
1.85mm by 3.70mm
Pitch, Left Guide,
Right Open, 11
Rows, 8 Columns,
176 Circuits, Key
Orientation B, Mating
Pin Length 5.70mm
GbX I-Trac™ Vertical0757053834
Header Module,
1.85mm by 3.70mm
Pitch, Left Guide,
Right Open, 11
Rows, 8 Columns,
176 Circuits, Key
Orientation C, Mating
Pin Length 5.70mm
GbX I-Trac™ Vertical0757055103
Header Module,
1.85mm by 3.70mm
Pitch, Right Guide,

	Left Open, 11 Rows, 10 Columns, 200 Circuits, Mating Pin Length 4.70mm GbX I-Trac™ Vertical0757055104 Header Module, 1.85mm by 3.70mm Pitch, Right Guide, Left Open, 11 Rows, 10 Columns, 200 Circuits, Mating Pin Length 5.70mm GbX I-Trac™ Vertical0757055503 Header Module, 1.85mm by 3.70mm Pitch, Right Guide, Left Open, 11 Rows, 5 Columns, 110 Circuits, Mating Pin Length 4.70mm GbX I-Trac™ Vertical0757055504 Header Module, 1.85mm by 3.70mm Pitch, Right Guide, Left Open, 11 Rows, 5 Columns, 110 Circuits, Mating Pin Length 5.70mm GbX I-Trac™ Vertical0757055602 Header Module, 1.85mm by 3.70mm Pitch, Right Guide, Left Open, 11 Rows, 6 Columns, 132 Circuits, Mating Pin Length 3.90mm GbX I-Trac™ Vertical0757055603 Header Module, 1.85mm by 3.70mm Pitch, Right Guide, Left Open, 11 Rows, 6 Columns, 132 Circuits, Mating Pin Length 4.70mm GbX I-Trac™ Vertical0757055604 Header Module, 1.85mm by 3.70mm Pitch, Right Guide, Left Open, 11 Rows, 6 Columns, 132 Circuits, Mating Pin Length 5.70mm GbX I-Trac™ Vertical0757055605 Header Module, 1.85mm by 3.70mm Pitch, Right Guide, Left Open, 11 Rows, 6 Columns, 132 Circuits, Staggered Mating Pin Length 4.70mm & 5.70mm GbX I-Trac™ Vertical0757051103 Header Module, 1.85mm by 3.70mm Pitch, Unguided,	
--	---	--

Open Ends, 11
Rows, 10 Columns,
220 Circuits, Mating
Pin Length 4.70mm
GbX I-Trac™ Vertical0757051104
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,
Open Ends, 11
Rows, 10 Columns,
220 Circuits, Mating
Pin Length 5.70mm
GbX I-Trac™ Vertical0757051113
Header Module,
1.85mm by 3.70mm
Pitch, Unguided, Left
End Wall, 11 Rows,
10 Columns, 220
Circuits, Mating Pin
Length 4.70mm
GbX I-Trac™ Vertical0757051115
Header Module,
1.85mm by 3.70mm
Pitch, Unguided, Left
End Wall, 11 Rows,
10 Columns, 220
Circuits, Staggered
Mating Pin Length
4.70mm & 5.70mm
GbX I-Trac™ Vertical0757051123
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,
Dual End Wall, 11
Rows, 10 Columns,
220 Circuits, Mating
Pin Length 4.70mm
GbX I-Trac™ Vertical0757051124
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,
Dual End Walls, 11
Rows, 10 Columns,
220 Circuits, Mating
Pin Length 5.70mm
GbX I-Trac™ Vertical0757051133
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,
Right End Wall, 11
Rows, 10 Columns,
220 Circuits, Mating
Pin Length 4.70mm
GbX I-Trac™ Vertical0757051503
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,
Open Ends, 11
Rows, 5 Columns,
110 Circuits, Mating
Pin Length 4.70mm
GbX I-Trac™ Vertical0757051504
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,

	Open Ends, 11 Rows, 5 Columns, 110 Circuits, Mating Pin Length 5.70mm GbX I-Trac™ 0757051505 Vertical Header Module, 1.85mm by 3.70mm Pitch, Unguided, Open Ends, 11 Rows, 5 Columns, 110 Circuits, Staggered Mating Pin Length 4.70mm & 5.70mm, Lead-Free GbX I-Trac™ Vertical0757051513 Header Module, 1.85mm by 3.70mm Pitch, Unguided, Left End Wall, 11 Rows, 5 Columns, 110 Circuits, Mating Pin Length 4.70mm GbX I-Trac™ 0757051525 Vertical Header Module, 1.85mm by 3.70mm Pitch, Unguided, Dual End Walls, 11 Rows, 10 Columns, 220 Circuits, Staggered Mating Pin Length 4.70mm & 5.70mm GbX I-Trac™ Vertical0757051533 Header Module, 1.85mm by 3.70mm Pitch, Unguided, Right End Wall, 11 Rows, 5 Columns, 110 Circuits, Mating Pin Length 4.70mm GbX I-Trac™ Vertical0757051602 Header Module, 1.85mm by 3.70mm Pitch, Unguided, Open Ends, 11 Rows, 6 Columns, 132 Circuits, Mating Pin Length 3.90mm GbX I-Trac™ Vertical0757051603 Header Module, 1.85mm by 3.70mm Pitch, Unguided, Open Ends, 11 Rows, 6 Columns, 132 Circuits, Mating Pin Length 4.70mm GbX I-Trac™ Vertical0757051604 Header Module, 1.85mm by 3.70mm Pitch, Unguided, Open Ends, 11 Rows, 6 Columns, 132 Circuits, Mating Pin Length 5.70mm
--	---

	GbX I-Trac™ Vertical0757051614 Header Module, 1.85mm by 3.70mm Pitch, Unguided, Left End Wall, 11 Rows, 6 Columns, 132 Circuits, Mating Pin Length 5.70mm, Orientation Key A
	GbX I-Trac™ Vertical0757051615 Header Module, 1.85mm by 3.70mm Pitch, Unguided, Left End Wall, 11 Rows, 6 Columns, 132 Circuits, Mating Pin Length 5.70mm & 4.70mm Staggered Pins
	GbX I-Trac™ Vertical0757051623 Header Module, 1.85mm by 3.70mm Pitch, Unguided, Dual End Wall, 11 Rows, 6 Columns, 132 Circuits, Mating Pin Length 4.70mm, Orientation Key B
	GbX I-Trac™ Vertical0757051624 Header Module, 1.85mm by 3.70mm Pitch, Unguided, Dual End Walls, 11 Rows, 6 Columns, 132 Circuits, Mating Pin Length 5.70mm, Orientation Key B
	GbX I-Trac™ 0757051625 Vertical Header Module, 1.85mm by 3.70mm Pitch, Unguided, Dual End Walls, 11 Rows, 6 Columns, 132 Circuits, Staggered Mating Pin Length 4.70mm & 5.70mm,
	GbX I-Trac™ Vertical0757051633 Header Module, 1.85mm by 3.70mm Pitch, Unguided, Right End Wall, 11 Rows, 6 Columns, 132 Circuits, Mating Pin Length 4.70mm
	GbX I-Trac™ Vertical0757051634 Header Module, 1.85mm by 3.70mm Pitch, Unguided, Right End Wall, 11 Rows, 6 Columns, 132 Circuits, Mating Pin Length 5.70mm
	GbX I-Trac™ Vertical0757051804 Header Module,

1.85mm by 3.70mm
Pitch, Unguided,
Open Ends, 11
Rows, 8 Columns,
176 Circuits, Mating
Pin Length 5.70mm
GbX I-Trac™ Vertical0757051813
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,
Left End Wall, 11
Rows, 8 Columns,
176 Circuits, Mating
Pin Length 5.70mm,
Orientation Key A
GbX I-Trac™ Vertical0757051823
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,
Dual End Walls, 11
Rows, 8 Columns,
176 Circuits, Mating
Pin Length 4.70mm

This document was generated on 05/17/2013
PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9