





LOC		DIST		REVISIONS				
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		E2		ADDED NEW DASH NUMBER 2-5	03MAY2012	CZ	SZ	
		E3		REVISED	16FEB2013	ML	SZ	
		E4		ADD NEW DASH NUMBER 2-6	09MAY2014	CZ	SZ	



- 1 "AMP", PART NUMBER, AND DATE CODE TO BE MARKED IN AREA SHOWN.
- 2 MATERIAL: HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC, UL94 V-0.
SIGNAL CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
- 3 CONTACT PLATING: NOBLE METAL PLATED ON THE CONTACT FUNCTIONAL AREA OF POWER AND SIGNAL CONTACTS.
- 4 MECHANICAL CONNECTOR KEEP OUT ZONE.
- 5 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 6 PCB - ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7 PCB - .0453 +/- .0010 DRILLED HOLES PLATED WITH .0003 MIN Sn OVER .001 TO .003 PLATING TO ACHIEVE A .040 DIA. HOLE.
- 8 FOR DETAIL DIM PLEASE REFER TO TABLE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. GRZYBOWSKI	02MAY05	 TE Connectivity	
		CHK M. PERCHERKE	02MAY05		
DIMENSIONS:		APVD M. PERCHERKE	02MAY05	NAME VERTICAL RECEPTACLE WITH GUIDES MULTI-BEAM XL	
INCHES		PRODUCT SPEC			
		108-1973		SIZE A1	
		APPLICATION SPEC			
		114-13038			
		WEIGHT			
MATERIAL		CUSTOMER DRAWING		SCALE 4:1	
				SHEET 1 OF 12	
				REV E4	


LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

E 4

-	-	2.400	.250	.375	2.750	1.050	2.450	24S + 6P	2-6450541-6
-	-	-	-	.425	2.350	-	2.050	64S	2-6450541-5
-	-	1.100	-	.375	1.450	-	1.150	32S	2-6450541-4
-	-	3.800	.250	.375	4.150	3.450	3.850	120S + 2P	2-6450541-3
-	-	1.500	.250	.375	1.850	0.625	1.550	8S + 4P	2-6450541-2
-	-	1.600	.250	.375	1.950	0.725	1.650	12S + 4P	2-6450541-1
-	-	6.075	.200	.375	6.425	1.375	6.125	36S + 24P	2-6450541-0
-	-	4.025		.375	4.375	2.125	4.075	60S + 8P	1-6450541-9
-	-	2.925	.200	.375	3.275	1.025	2.975	24S + 10P	1-6450541-8
-	-	2.400	.250	.375	2.750	1.050	-	24S + 6P	1-6450541-7
-	-	1.750	.200	.375	2.100	.650	-	8S + 6HDP	1-6450541-4
-	-	0.950	.200	.375	1.300	.650	-	8S + 2HDP	1-6450541-3
-	-	1.700	.250	.375	2.050	.850	-	16S + 4P	1-6450541-2
-	-	2.850	.200	.375	3.200	.950	-	20S + 10HDP	6450541-7
-	-	2.900	.250	.375	3.250	1.050	-	24S + 8P	6450541-5
-	-	2.400	.250	.375	2.750	1.050	-	24S + 6P	6450541-4
-	-	1.900	.250	.375	2.250	1.050	-	24S + 4P	6450541-3
-	-	4.400	.250	.375	4.750	1.050	-	24S + 14P	6450541-2
.200	.600	3.800	.375	.400	4.150	.900	3.850	12S + 11P	6450541-1
DIM Y	DIM V	DIM U	DIM S	DIM K	DIM L	DIM W	DIM D	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
INCHES



MATERIAL
-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±.01

1 PLC ±.01

2 PLC ±.01

3 PLC ±.005

4 PLC ±.0020

ANGLES ±2°

FINISH -

DWN R.GRZYBOWSKI 02MAY05

CHK M.PERCHERKE 02MAY05

APVD M.PERCHERKE 02MAY05

PRODUCT SPEC 108-1973

APPLICATION SPEC 114-13038

WEIGHT -

CUSTOMER DRAWING

TE Connectivity

NAME VERTICAL RECEPTACLE WITH GUIDES MULTI-BEAM XL

SIZE A100779

CAGE CODE 6450541

DRAWING NO 6450541

RESTRICTED TO -

SCALE 4:1


SHEET 2 OF 12

REV E 4


LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		POWER											SIGNAL			
			PII	PI0	P9	P8	P7	P6	P5	P4	P3	P2	PI	3	2	1	
6450541-1	D C B A	HD	GP GP		GP GP		GP GP		GP		GP		AP	AP	AP	HD	
													AP	AP	AP		
													AP	AP	AP		
													AP	AP	AP		
12S + 11P																	

NO CONTACTS LOADED



ASSY PART NUMBER	ROWS		POWER														SIGNAL						
			P14	P13	P12	P11	P10	P9	P8	P7	P6	P5	P4	P3	P2	P1	6	5	4	3	2	1	
6450541-2	D C B A																AP	AP	AP	AP	AP	AP	
			AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP						
			AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP					
			AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP					
24S + 14P																							



.165	HS	STD POWER PRESS FIT CONTACT
.165	BP	SIGNAL PRESS FIT CONTACT
.135	GS	STD POWER PRESSFIT CONTACT
.135	GP	MFBL POWER PRESSFIT CONTACT
.135	AP	SIGNAL PRESSFIT CONTACT
TAIL LENGTH	CODE	DESCRIPTION



CONTACT TABLE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. GRZYBOWSKI 02MAY05	TE Connectivity	
DIMENSIONS:		CHK M. PERCHERKE 02MAY05		
INCHES		APVD M. PERCHERKE 02MAY05	NAME	
		PRODUCT SPEC		
		108-1973	APPLICATION SPEC	
		114-13038		
MATERIAL		WEIGHT	SIZE	
		CUSTOMER DRAWING	SCALE	


LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-

ASSY PART NUMBER	ROWS		POWER				SIGNAL							
			P4	P3	P2	P1	6	5	4	3	2	1		
6450541-3	D C B A			GP	GP	GP	GP	AP	AP	AP	AP	AP	AP	
								AP	AP	AP	AP	AP	AP	
								AP	AP	AP	AP	AP	AP	
								AP	AP	AP	AP	AP	AP	
24S + 4P														

PART NUMBER	ROWS		POWER								SIGNAL							
			P8	P7	P6	P5	P4	P3	P2	P1	6	5	4	3	2	1		
6450541-5	D C B A										AP	AP	AP	AP	AP	AP		
											AP	AP	AP	AP	AP	AP		AP
											AP	AP	AP	AP	AP	AP		AP
											AP	AP	AP	AP	AP	AP		AP
24S + 8P																		



ASSY PART NUMBER	ROWS		POWER						SIGNAL							
			P6	P5	P4	P3	P2	P1	6	5	4	3	2	1		
6450541-4	D C B A															
24S + 6P																



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN R.GRZYBOWSKI 02MAY05
CHK M.PERCHEKKE 02MAY05
APVD M.PERCHEKKE 02MAY05

DIMENSIONS:
INCHES

MATERIAL -

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±.01
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±.2°

FINISH -

PRODUCT SPEC

108-1973

APPLICATION SPEC

114-13038

WEIGHT -

CUSTOMER DRAWING

NAME

VERTICAL RECEPTACLE WITH GUIDES
MULTI-BEAM XL

SIZE CAGE CODE DRAWING NO

A100779C=6450541

RESTRICTED TO

-


SCALE 4:1

SHEET 4 OF 12


REV E4

 TE Connectivity


PART NUMBER	ROWS		POWER				SIGNAL				
			P4	P3	P2	P1	4	3	2	1	
1-6450541-2	D C B A										
16S + 4P											




PART NUMBER	ROWS		POWER		SIGNAL		
			P2	P1	2	1	
1-6450541-3	D C B A				BP	BP	
					BP	BP	
					BP	BP	
					BP	BP	
8S + 2HDP							



PART NUMBER	ROWS		POWER						SIGNAL		
			P6	P5	P4	P3	P2	P1	2	1	
1-6450541-4	D C B A										
8S + 6HDP											









PART NUMBER	ROWS		POWER										SIGNAL																																																										
			P10	P9	P8	P7	P6	P5	P4	P3	P2	P1	5	4	3	2	1																																																						
6450541-7	D C B A																																																																						




LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00	-	-	SEE SHEET 1	-	-	-

ASSY PART NUMBER	ROWS		POWER						SIGNAL						
			P6	P5	P4	P3	P2	P1	6	5	4	3	2	1	
1-6450541-7	D C B A														
															
															
															
24S + 6P															

PART NUMBER	ROWS		POWER				SIGNAL			
			P4	P3	P2	P1	3	2	1	
2-6450541-1	D C B A									
										
										
										
12S + 4P										





NO CONTACTS LOADED

4805 (3/11)

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00	-	-	SEE SHEET 1	-	-	-

ASSY PART NUMBER	ROWS		POWER								SIGNAL																
			P8	P7	P6	P5	P4	P3	P2	P1	I5	I4	I3	I2	I1	I0	I9	I8	I7	I6	I5	I4	I3	I2	I1		
1-6450541-9	D C B A																										



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

R.GRZYBOWSKI

02MAY05

CHK

M.PERCHERKE

02MAY05

APVD

M.PERCHERKE

02MAY05

DIMENSIONS:

INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±.01

1 PLC ±.01

2 PLC ±.01

3 PLC ±.005

4 PLC ±.0020

ANGLES ±2°

FINISH

PRODUCT SPEC

108-1973

APPLICATION SPEC

114-13038

WEIGHT

CUSTOMER DRAWING

NAME

VERTICAL RECEPTACLE WITH GUIDES MULTI-BEAM XL

SIZE

A100779

CAGE CODE

6450541

DRAWING NO

8

REV

E4

TE Connectivity

SCALE

4:1

SHEET

8

OF

12

REV


E4

LOC		DIST		REVISONS			
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

ASSY PART NUMBER	ROWS		POWER																								SIGNAL								
			P24	P23	P22	P21	P20	P19	P18	P17	P16	P15	P14	P13	P12	P11	P10	P9	P8	P7	P6	P5	P4	P3	P2	P1	9	8	7	6	5	4	3	2	
2-6450541-0	D C B A		 GP	 GP		 GS	 GS	 GS	 GS	 GS	 GS	 GS	 GS		 GS	 GS	 GS	 GS	 GS	 GS	 GS	 GS	 GS	 GS	 GS	 AP	 AP				 AP	 AP	 AP	 AP	
																																			
																																			
																																			
36S + 24P																																			

NO CONTACTS LOADED

NO CONTACTS LOADED



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

R. GRZYBOWSKI

02MAY05

CHK

M. PERCHERKE

02MAY05

APVD

M. PERCHERKE

02MAY05

DIMENSIONS:

INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±.01

1 PLC ±.01

2 PLC ±.01

3 PLC ±.005

4 PLC ±.002

ANGLES ±2°

FINISH

MATERIAL

-

PRODUCT SPEC

108-1973

APPLICATION SPEC

114-13038

WEIGHT

-

CUSTOMER DRAWING

NAME

VERTICAL RECEPTACLE WITH GUIDES MULTI-BEAM XL

SIZE

CAGE CODE

DRAWING NO

A100779

©=6450541

RESTRICTED TO

-

SCALE

4:1

SHEET

9

OF


12


REV

E4

TE Connectivity

$\triangle 7 \triangle 6 \varnothing .040 \pm .003$
 $\oplus \varnothing .004 \textcircled{M} V U$
 136 PLC

4805 (3/11)

[illegible]4805 (3/11)

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9