


REV.	SHEET 1 OF 4	DOCUMENT NO. 10-597878-()	
		LTR	DATE
A		INITIAL RELEASE	1/25/10
B		(CL 11) SEE CHG NOTICE ECN: B1963-0000	12/12/11
C		(CL 11) SEE CHG NOTICE ECN: B5923-0000	6/14/13
D		(CL 11) SEE CHG NOTICE ECN: B6621-0000	1/22/14
E		(CL 11) ADDED -93 & -094 ECN: B7821-0000	2/26/14
F		(CL 11) SEE CHG NOTICE ECN: B8395-0000	4/30/14
G		(CL 11) SEE CHG NOTICE ECN: C0271-0000	4/18/16



8 CRIMP SLEEVE AND SPRING TIGHTLY TO BODY PER 9-9383. A 15 POUND AXIAL LOAD SHALL NOT DISLODGE SPRING. SLEEVE SHALL WITHSTAND A .4 IN-OZ TORQUE WITHOUT SPINNING.

7. SPECIFIED GENERAL TOLERANCES:

$\pm .005$

6 INDICATED AREA MEETS THE SOLDERABILITY REQUIREMENTS OF MIL-STD-202, METHOD 208.

5. MEETS THE APPLICABLE REQUIREMENTS OF M39029/56.

4. ALL DIMENSIONS ARE AFTER PLATING.

3. PROCESS SPEC:
ASSY 9-9383
TEST 9-5272-16

2 INDICATED DIMENSION TO BE FROM SHOULDER TO POINT OF ENGAGEMENT OF SPRING AND A.0300±.0002 DIAMETER SQUARE ENDED PIN.

1. A.0305+.0002-.0000 DIA HARDENED STEEL PIN SHALL ENGAGE SOCKET WITH A FORCE NOT GREATER THAN 9.5 OZ. A .0295+.0000-.0002 DIAMETER HARDENED STEEL PIN SHALL DISENGAGE SOCKET WITH A FORCE NOT LESS THAN 1.25 OZ. DEPTH OF ENGAGEMENT OF PINS SHALL BE .116 MIN. FROM FRONT OF CONTACT. PINS SHALL HAVE A SPHERICAL TIP AND A 3/ FINISH.

NOTES:

THE USE OF THIS DOCUMENT IS UNLIMITED. HOWEVER, DOCUMENTS REFERENCED HEREON MAY CONTAIN LIMITED RIGHTS DATA.

N/A


NEXT ASSEMBLY

PRO/ENGINEER INFORMATION	
Pro/e Model Used:	10-597878.ASSEM
Drawing Name:	10-597878


10. SOCKET SPRING TINES (ITEM 2) ARE GOLD PLATED PER AS39029 REQUIREMENTS.

9 TO COMPLETE PART NUMBER, ADD APPLICABLE SUFFIX DIGIT FOR CONTACT BODY FINISH

SUFFIX DIGIT	FINISH
1	GOLD 20-30 MICROINCHES
5	GOLD 9-7362-5
D	GOLD 9-7362-D



DETAIL A
TYPE II
SCALE 10

UNLESS OTHERWISE SPECIFIED		SPECIFICATIONS		POS	QTY	PART NUMBER	DESCRIPTION	NOTE			
LINEAR DIMENSIONS ARE IN INCHES TOLERANCES: .XXXX = ±.0005 ANGLES= ±2° .XXX = ±.010 .XX = ±.03 .X = ±.1 ----- DIM.& TOL. PER ASME Y14.5M; DRM PER MIL-DTL-31000; OTHER Amphenol Stds. PER 9-3800 LEGENDS: =FLAG NOTE CALL OUT REFERENCE ONLY 		MATERIAL SPEC.		PARTS LIST							
		N/A		APPROVALS		DATE		AMPHENOL CORPORATION 40-60 DELAWARE AVENUE SIDNEY, N.Y. 13838 CONTACT, SOCKET, ELECTRICAL CONNECTOR SIZE 22D, TYPE LJT-R, HYBRID, PCB			
				PREPARED BY HTANG		20-Feb-09					
				ENGINEER IN CHARGE LRATCHFORD							
				DESIGN MANAGER HJOHNSON							
				DESIGN ACTIVITY GROUP MIL-AER DEVELOP							
PROCESS SPEC.		THIRD ANGLE PROJECTION		SIZE C		CAGE CODE 77820		DOCUMENT NO. 10-597878-()		REV. G	
SEE NOTE 3				SCALE: 10.0		REF. 10-597872-451		SHEET 1 OF 4			

10-497623

10-597878-()

SHEET 2 OF 4

REV. G

DOCUMENT NO. 10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2 OF 4

REV. G

10-597878-()

SHEET 2

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9