





1. MATERIAL: SEE LEGEND
2. FINISH: SEE LEGEND
3. PRODUCT SPECIFICATION: PS-08-50
4. CRIMP ACCEPTS 22 TO 26 GA. WIRE WITH (1.65)/0.65 MAX INSULATION DIA.
5. DIMENSIONS GIVEN ACROSS CENTERLINES ARE SYMMETRICAL ABOUT THOSE CENTERLINES WITHIN HALF THE TOTAL TOLERANCE.
6. OPTIONAL DESIGN (.86±.05)/.034±.002
7. THIS PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002



MATERIAL CODE
(.28)/.0106 THK
BLANK=BRASS
B=PHOS BRONZE

2578 - * - * * *
WINDING SPEC.
A=PER ES-339-A
BLANK=PER ES-339-B
L=LOOSE

PLATING CODE
(PER SDES-88)

OPTIONS
BLANK=AS SHOWN
1 = WITH CAT EARS

- (122) - OVERALL TIN: (0.00381)/.000150 MIN. OVER (0.00076)/.000030 MIN. NICKEL
- (154) - OVERALL TIN (0.00254)/.000100 MIN. OVER (0.00127)/.000050 MIN. NICKEL
- (224) - OVERALL MATTE TIN: (0.00508)/.000200 MIN. OVER (0.00127)/.000050 MIN. NICKEL
- (550) - SELECT GOLD: (0.000381)/.000015 MIN. OVERALL GOLD FLASH: (0.00005)/.000002 MIN. OVERALL NICKEL UNDERPLATE: (0.00076)/.000030 MIN.
- (555) - SELECT GOLD: (0.000381)/.000015 MIN. OVERALL NICKEL UNDERPLATE: (0.00076)/.000030 MIN.
- (558) - SELECT GOLD: (0.00076)/.000030 MIN. OVERALL GOLD FLASH: (0.00005)/.000002 MIN. OVERALL NICKEL UNDERPLATE: (0.00127)/.000050 MIN.
- (P909) - OVERALL HOT TIN DIP: (0.00254)/.000100 MIN



CHANGE PLATING		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION	
EC NO: UCP2012-1821		▽=0		.mm .INCH		MM/IN		---		INCH		⊙	
2012/01/11		▽=0		4 PLACES ± --- ± ---		DRAWN BY		DATE		TITLE		CRIMP TERMINAL	
2012/01/16		▽=0		3 PLACES ± --- ± .010		PEREZ/AR		01/29/87		(3.96)/.156 CENTERS		22 TO 26 GA WIRE	
2012/02/02		▽=0		2 PLACES ± 0.25 ± .014		CHECKED BY		DATE		MOLEX		MOLEX INCORPORATED	
2012/02/02				1 PLACE ± 0.36 ± ---		PATEL		01/29/87		DOCUMENT NO.		SD-2578	
				ANGULAR ±1/2°		APPROVED BY		DATE		SHEET NO.		1 OF 2	
						LENZ		01/29/87					
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.		SEE CHART					
						SIZE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

	13	12	11	10	9	8	7	6	5	4	3	2	1																																														
J	2578-(***)*			2578-B-(***)*										J																																													
	PART NO.	ENG. NO.	PART NO.	ENG. NO.																																																							
I	08-50-0107	2578-(P909)	08-50-0133	2578-B-(P909)	I																																																						
	08-50-0108	2578-(P909)L	08-50-0134	2578-B-(P909)L																																																							
	08-50-0111	2578-(154)	08-65-0116	2578-B-(555)																																																							
	08-50-0112	2578-(154)L	08-65-0117	2578-B-(555)L																																																							
	08-56-0107	2578-(550)	08-60-0003	2578-B-(122)																																																							
	08-56-0108	2578-(550)L	08-60-0004	2578-B-(122)L																																																							
	08-55-0105	2578-(555)	08-65-0110	2578-B-(558)																																																							
	08-55-0106	2578-(555)L	08-65-0111	2578-B-(558)L																																																							
H	08-50-0061	2578-(224)	08-58-0125	2578-B-(550)	H																																																						
	08-50-0062	2578-(224)L	08-58-0126	2578-B-(550)L																																																							
	08-55-0137	2578-(558)A																																																									
		2578-(558)L																																																									
	08-50-0018	2578-(154)																																																									
	08-50-0019	2578-(154)L																																																									
G	08-55-0123	2578-(558)			G																																																						
		2578-(558)L																																																									
F														F																																													
E														E																																													
D														D																																													
C														C																																													
B														B																																													
A														A																																													
<table><tr><td rowspan="5">SEE SHEET 1 EC NO: UCP2012-1821 DRAWN:MMSTROH 2012/01/11 CHKD:HKIPPER 2012/01/16 APPR:FSMITH 2012/02/02</td><td>QUALITY SYMBOLS</td><td>GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM/IN</td><td>SCALE --</td><td>DESIGN UNITS INCH</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td rowspan="4">▽=0 ▽=0 ▽=0</td><td></td><td>mm</td><td>INCH</td><td>DRAWN BY PEREZ/AR</td><td>DATE 01/29/87</td><td colspan="2" rowspan="4">TITLE CRIMP TERMINAL (3.96)/.156 CENTERS 22 TO 26 GA WIRE</td></tr><tr><td>4 PLACES ± --- ± ---</td><td>CHECKED BY PATEL</td><td>DATE 01/29/87</td></tr><tr><td>3 PLACES ± --- ± ---</td><td>APPROVED BY LENZ</td><td>DATE 01/29/87</td></tr><tr><td>2 PLACES ± --- ± ---</td><td colspan="2">MATERIAL NO. SD-2578</td></tr><tr><td>1 PLACE ± --- ± ---</td><td colspan="2">SHEET NO. 2 OF 2</td></tr><tr><td></td><td>ANGULAR ±1/2°</td><td colspan="2">SEE CHART</td><td colspan="4">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td></td><td>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="7"></td></tr></table>														SEE SHEET 1 EC NO: UCP2012-1821 DRAWN:MMSTROH 2012/01/11 CHKD:HKIPPER 2012/01/16 APPR:FSMITH 2012/02/02	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE MM/IN		SCALE --	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		▽=0 ▽=0 ▽=0		mm	INCH	DRAWN BY PEREZ/AR	DATE 01/29/87	TITLE CRIMP TERMINAL (3.96)/.156 CENTERS 22 TO 26 GA WIRE		4 PLACES ± --- ± ---	CHECKED BY PATEL	DATE 01/29/87	3 PLACES ± --- ± ---	APPROVED BY LENZ	DATE 01/29/87	2 PLACES ± --- ± ---	MATERIAL NO. SD-2578		1 PLACE ± --- ± ---	SHEET NO. 2 OF 2			ANGULAR ±1/2°	SEE CHART		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS							
SEE SHEET 1 EC NO: UCP2012-1821 DRAWN:MMSTROH 2012/01/11 CHKD:HKIPPER 2012/01/16 APPR:FSMITH 2012/02/02	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE MM/IN		SCALE --	DESIGN UNITS INCH	THIRD ANGLE PROJECTION																																																				
	▽=0 ▽=0 ▽=0		mm	INCH	DRAWN BY PEREZ/AR	DATE 01/29/87	TITLE CRIMP TERMINAL (3.96)/.156 CENTERS 22 TO 26 GA WIRE																																																				
		4 PLACES ± --- ± ---	CHECKED BY PATEL	DATE 01/29/87																																																							
		3 PLACES ± --- ± ---	APPROVED BY LENZ	DATE 01/29/87																																																							
		2 PLACES ± --- ± ---	MATERIAL NO. SD-2578																																																								
1 PLACE ± --- ± ---	SHEET NO. 2 OF 2																																																										
	ANGULAR ±1/2°	SEE CHART		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																							
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																																																										
	12	11	10	9	8	7	6	5	4	3	2	1																																															

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9