



D

C

B

A




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
E7		REVISED PER ECO-16-007761	20MAY2016	DLD	WEM
E8		REVISED PER ECO-17-006621	09MAY2017	DLD	WEM

1. TE CONNECTIVITY (TE) PART NUMBER AND JULIAN DATE CODE MARKED ON THIS SIDE.
2. KEYING ARRANGEMENT TABLE FOR KEYWAY LOCATIONS, SEE SHEET 2.
3. KEYING ARRANGEMENT TABLE FOR KEY LOCATIONS, SEE SHEET 2.
4. SLIDE SHOWN IN UNLOCKED POSITION.
5. TPA SHOWN IN UNLOCKED POSITION.
6. MISCELLANEOUS COMPONENT ENGAGE/DISENGAGE FORCE, SAE/USCAR-2, SECTION 5.4.4.4. TPA (PRE-SET TO FULL) FORCES (15 TO 55 NEWTONS)
7. APPLICABLE TE GET FEMALE TERMINALS:
FOR 0.22/0.35 WIRE SECTION,
TERMINAL PART NUMBER 1393364-2 (GOLD)
FOR 0.50/0.75 WIRE SECTION,
TERMINAL PART NUMBER 1393365-2 (GOLD)
FOR 0.22/0.35 WIRE SECTION,
TERMINAL PART NUMBER 1393367-1 (TIN)
FOR 0.50/0.75 WIRE SECTION,
TERMINAL PART NUMBER 1393366-1 (TIN)
8. REFER TO POGO PIN FOR GET SOCKET TERMINAL ON TE DRAWING #114-18411 FOR CONTINUITY TESTING.
9. NOT FOR PRODUCTION USE.
10. CPA ASSEMBLED IN UNLOCKED POSITION.

9	BLACK	C3	K99	9-1438521-8
	BLACK	C143	K1	2-1438521-8
	BLACK	C142	K1	2-1438521-7
	BLACK	C141	K1	2-1438521-6
	BLACK	C140	K1	2-1438521-5
	BLACK	C139	K1	2-1438521-4
	BLACK	C138	K1	2-1438521-2
10	BLACK	C137	K1	2-1438521-1
	BLACK	C136	K1	2-1438521-0
	BLACK	C132	K1	1-1438521-7
	BLACK	C131	K1	1-1438521-6
	BLACK	C129	K1	1-1438521-5
	BLACK	C128	K1	1-1438521-4
	BLACK	C127	K1	1-1438521-3
	BLACK	C122	K1	1-1438521-2
	BLACK	C115	K1	1-1438521-1
	BLACK	C109	K1	1-1438521-0
	BLACK	C108	K1	1438521-9
	BLACK	C107	K1	1438521-8
	GRAY	C75	K1	1438521-7
	BLACK	C74	K1	1438521-6
	BLACK	C73	K1	1438521-5
	BLACK	C62	K1	1438521-4
	BLACK	C61	K1	1438521-3
	BLACK	C49	K1	1438521-2
	BLACK	C3	K1	1438521-1
	SLIDE COLOR	CIRCUIT ARRANGEMENT (SEE TABLE ON SHEET 2)	KEYING ARRANGEMENT (SEE TABLE ON SHEET 2)	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DL DRUMMOND 11FEB2005	TE Connectivity	
DIMENSIONS:		CHK AJ VALASEK 11FEB2005	NAME	
mm		APVD AJ VALASEK 11FEB2005	ASSEMBLY, FEMALE, 60 WAY GET, TCM, CONNECTOR	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	RESTRICTED TO	
0 PLC ±0.5		APPLICATION SPEC	SIZE CAGE CODE DRAWING NO	
1 PLC ±0.20		114-13060	A100779C=1438521	
2 PLC ±0.20		WEIGHT	SCALE 1:1	
3 PLC ±0.20		CUSTOMER DRAWING	SHEET 1 OF 3	
4 PLC ±0.20			REV E8	
ANGLES FINISH				
SEE CALLOUT				

SEE SHEET 2 FOR HEADER INTERFACE SPECIFICATION
AND SHEET 3 FOR KEYING AND CIRCUIT ARRANGEMENTS



Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9