


10069525 -



PACKAGING	
0	TUBE WITHOUT CAP
2	TAPE & REEL WITH CAP
9	TUBE WITH CAP

POLARIZATION PEG	
0	YES
2	NO

HOLD DOWN	
0	YES
2	NO

NOTES:

1. MATERIAL:
HOUSING: G.F.LCP UL94V-0
TERMINAL: BRASS

2. PLATING:
AS TABLE SHOW.

3. SEE GS-12-148 FOR PRODUCT SPECIFICATION.

4. SEE GS-14-551 AND GS-14-816 FOR PACKAGING SPECIFICATION.

5. PACKING OPTION 3: "CUSTOMER-SPECIFIC; LIMITED TO CERTAIN SIZES"
PACKING OPTION 2: NOT ALL SIZES AVAILABLE; CHECK WITH FACTORY"

6. THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER
COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008

7. THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE
FOR 10 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW
OVEN.

8. PLATING OPTION '4' IS LEADFREE ALTERNATIVE FOR OPTION '0', AND
OPTION '6' IS LEADFREE ALTERNATIVE FOR OPTION '1'.

9. THIS PARTNUMBER IS ONLY CATER FOR SPECIAL CUSTOMER
REQUIREMENTS OF COPLANARITY OF 0.1 FOR ALL POSITIONS.


10. A Δ SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH
HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.

PLATING ON CONTACT AREA.	
0	GOLD 0.2 um MIN. / TIN LEAD SOLDER
1	PALLADIUM-NICKEL 0.76 um MIN. / TIN LEAD SOLDER
4	GOLD 0.2 um MIN. / MATT PURE TIN ON SOLDER TAIL (LEAD FREE PLATING)
5	GOLD 0.38 um / MATT PURE TIN ON SOLDER TAIL (LEAD FREE PLATING)
6	PALLADIUM-NICKEL 0.76 um MIN. / MATT PURE TIN WITH GOLD FLASH (0.1 um MIN.) / MATT PURE TIN ON SOLDER TAIL (LEAD FREE PLATING)

mat'l. code		surface		tolerance		projection		product family	
ltr	ecm no	dr	date	tol	unless otherwise specified	mm	mm	title	size
A	S06-0286	MCH	2006-08-25	angles	.XX±0.20	MM	3:1	0.8mm BOARD TO BOARD	A4
B	S06-0316	MCH	2006-08-25	angles	.XX±0.15	MM	3:1	PLUG ASSY	A4
C	S09-0216	MCH	2009-06-26	angles	.XX±0.10	MM	3:1	10069525	A4
D	S10-0069	MCH	2010-03-26	angles	.XX±0.10	MM	3:1	CUSTOMER Drawing	A4
-	-	-	-	engr	M.CHEONG	2006-08-25	FCI	10069525	A4
-	-	-	-	chr	M.CHEONG	2010-03-26	FCI	10069525	A4
-	-	-	-	appr	JOEY NG	2010-03-26	FCI	10069525	A4
Sheet	revision	D	B	B	B	B	B	10069525	A4
Index	sheet	1	2	3	4	5	6	10069525	A4






PRODUCT NO.	NUMBER OF POSITIONS	DIMENSION		
		A	B	C
10059525-041****	2 X20	15.2	21.8	20.2
10059525-061****	2 X30	23.2	29.8	28.2
10059525-081****	2 X40	31.2	37.8	36.2
10059525-101****	2 X50	39.2	45.8	44.2
10059525-121****	2 X60	47.2	53.8	52.2
10059525-141****	2 X70	55.2	61.8	60.2
10059525-161****	2 X80	63.2	69.8	68.2
10059525-181****	2 X90	71.2	77.8	76.2
10059525-201****	2 X100	79.2	85.8	84.2



mat'l. code		surface		tolerance		projection		product family	
-		ASME Y14.5		ASME Y14.5				BERGSTAK	
litr ecn no		date		tol. unless otherwise specified		MM		title	
A S06-0286 MCH		2006-08-25		.X50.20				0.8mm BOARD TO BOARD PLUG ASS'y	
B S06-0316 MCH		2006-09-25		.XX±0.15					
-		-		.XXX±0.10		scale 3:1		dwg no	
-		-		M.CHEONG				sheet 2 of 6	
-		-		ENG'R M.CHEONG				10069525	
-		-		CHR M.CHEONG				A4	
-		-		JOEY NG		CUSTOMER Drawing		type	
sheet		revision		dppd					
index		sheet							





PRODUCT NO.	NUMBER OF POSITIONS	DIMENSION		
		A	B	C
10069525-042***	2 X20	15.2	21.8	20.2
10069525-062***	2 X30	23.2	29.8	28.2
10069525-082***	2 X40	31.2	37.8	36.2
10069525-102***	2 X50	39.2	45.8	44.2
10069525-122***	2 X60	47.2	53.8	52.2
10069525-142***	2 X70	55.2	61.8	60.2
10069525-162***	2 X80	63.2	69.8	68.2
10069525-182***	2 X90	71.2	77.8	76.2
10069525-202***	2 X100	79.2	85.8	84.2



mat'l. code		surface		tolerance		projection		product family	
-		ASME Y14.5		ASME Y14.5				BERGSTAK	
ltr	ecm no	date	tol. unless otherwise specified		MM		title		
A	S06-0286	MCH 2006-08-25	angles	.X±0.20	←		0.8mm BOARD TO BOARD		
B	S06-0316	MCH 2006-09-25		.XX±0.15	→		PLUG ASSY		
-	-	-	0+27	.XXX±0.10	scale 3:1		dwg no		
-	-	-	dr	M.CHEONG	2006-08-25		sheet 3 of 6		
-	-	-	enfr	M.CHEONG	2006-08-25		10069525		
-	-	-	chr	M.CHEONG	2006-08-25		A4		
-	-	-	joey	NG	2006-08-25		type		
revision		sheet		customer drawing					


PRODUCT NO.	NUMBER OF POSITIONS	DIMENSION		
		A	B	C
10069525-043***	2 X20	15.2	21.8	20.2
10069525-063***	2 X30	23.2	29.8	28.2
10069525-083***	2 X40	31.2	37.8	36.2
10069525-103***	2 X50	39.2	45.8	44.2
10069525-123***	2 X60	47.2	53.8	52.2
10069625-143***	2 X70	55.2	61.8	60.2
10069525-163***	2 X80	63.2	69.8	68.2
10069525-183***	2 X90	71.2	77.8	76.2
10069525-203***	2 X100	79.2	85.8	84.2




PLUG 3

mat'l. code				surface		tolerance		projection		product family	
lfr	ecm no	dr	date	ASME Y14.5	ASME Y14.5	ASME Y14.5	ASME Y14.5	ASME Y14.5	ASME Y14.5	BERGSTAK	
A	S06-0286 MCH	2006-08-25	2006-08-25	angles	unless otherwise specified	.XX±0.20	.XX±0.15	MM	scale 3:1	0.8mm BOARD TO BOARD	
B	S06-0316 MCH	2006-09-25	2006-09-25	dr	M.CHEONG	2006-08-25	2006-08-25	dr	M.CHEONG	2006-08-25	
-	-	-	-	engr	M.CHEONG	2006-08-25	2006-08-25	chr	M.CHEONG	2006-08-25	
-	-	-	-	appr	JOEY NG	2006-08-25	2006-08-25	type	CUSTOMER Drawing		
Sheet	revision	sheet	sheet	sheet	sheet	sheet	sheet	sheet	sheet	sheet	sheet
Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index


PRODUCT NO.	NUMBER OF POSITIONS	DIMENSION		
		A	B	C
10069525-044***	2 X20	15.2	21.8	20.2
10069525-064***	2 X30	23.2	29.8	28.2
10069525-084***	2 X40	31.2	37.8	36.2
10069525-104***	2 X50	39.2	45.8	44.2
10069525-124***	2 X60	47.2	53.8	52.2
10069525-144***	2 X70	55.2	61.8	60.2
10069525-164***	2 X80	63.2	69.8	68.2
10069525-184***	2 X90	71.2	77.8	76.2
10069525-204***	2 X100	79.2	85.8	84.2




mat'l. code				surface		tolerance		projection		product family	
ltr	ecrn no	dr	date	tol	unless otherwise specified	angle	tol	projection	scale	title	sheet no
A	S06-0286 MCH	2006-08-25		ASME Y14.5	ASME Y14.5	XX±0.20	XX±0.15	MM	scale 3:1	0.8mm BOARD TO BOARD PLUG ASS'y	10069525
B	S06-0316 MCH	2006-08-25		ASME Y14.5	ASME Y14.5	XX±0.10	XX±0.15	MM	scale 3:1	0.8mm BOARD TO BOARD PLUG ASS'y	10069525
-	-	-	-	dr	M.CHEONG	2006-08-25	dr	M.CHEONG	2006-08-25	sheet 5 of 6	A4
-	-	-	-	enjr	M.CHEONG	2006-08-25	enjr	M.CHEONG	2006-08-25	sheet 5 of 6	A4
-	-	-	-	chr	M.CHEONG	2006-08-25	chr	M.CHEONG	2006-08-25	sheet 5 of 6	A4
-	-	-	-	appd	JOEY NG	2006-08-25	appd	JOEY NG	2006-08-25	sheet 5 of 6	A4
Sheet	revision									CUSTOMER Drawing	
Index	sheet										



RECOMMENDED PCB LAYOUT WITH PEG
FOR NO. OF POS. 2X20, 2X30, 2X40, 2X50, 2X60



RECOMMENDED PCB LAYOUT WITHOUT PEG AND HOLLOWDOWN
FOR NO. OF POS. 2X20, 2X30, 2X40, 2X50, 2X60



RECOMMENDED PCB LAYOUT WITH PEG
FOR NO. OF POS. 2X70, 2X80, 2X90, 2X100

FOR PLUG 1/2/3/4

mat'l. code		surface		tolerance		projection		product family	
-		ASME Y14.5		ASME Y14.5				BERGSTAK	
ltr	ecr	no	dr	date	tol	unless otherwise specified		title	
A	S06-0286	MCH	2006-08-25	angles		X±0.20		0.8mm BOARD TO BOARD	
B	S10-0069	MCH	2010-03-26			X.X±0.15		PLUG ASS'Y	
-	-	-	-	0±2°		.XXX±0.10	scale 3:1		
-	-	-	dr	M.CHEONG	2006-08-25			dwg no	sheet 6 of 6
-	-	-	engr	M.CHEONG	2006-08-25			10069525	A4
-	-	-	chr	M.CHEONG	2010-03-26				
-	-	-	appd	JOEY NG	2010-03-26				
sheet	revision								
index	sheet								

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9