PRODUCT NUMBER	SEE SHEET 2









spec ref				dr	Zhen-Hua Liu	2015/10/13	projection: MM
tolerance std ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Vicking Liu	2015/12/03	size: A3 scale: 3:2
				chr	Fancy Zhang	2015/12/03	ecn no: -
				appr	Pei-Ming Zheng	2015/12/03	product family: PowerBlade+ rel level: Released
surface ✓ ASME Y14.5	linear	0.X	±0.50	FCI www.fci.com	title: 9HP VT STB RECEPTACLE		dwg no: 10106130-9000001 rev: A
		0.XX	±0.25				
		0.XXX	±0.10				
	angular	0°	±2°		cat. no.	Product - Customer Drw	sheet 1 of 3

Copyright FCI.

PRODUCT	ROWS		HIGH POWER									
		E1	P9	P8	P7	P6	P5	P4	P3	P2	P1	E2
10106130-900000ILF	D C B A	HA	H6	X	H3	X	H3	H6	H3	H3	H3	HA

CODE	DESCRIPTION
H3	STD HIGH POWER CONTACT (3.43)
H6	MFBL HIGH POWER CONTACT (3.43)
HA	METAL HOLDDOWN
X	OMITTED



Copyright FCI.

dr	Zhen-Hua Liu	2015/10/13	projection	MM	size A3 / scale 3:2
eng	Vicking Liu	2015/12/03			ecn no -
chr	Fancy Zhang	2015/12/03	product family	PowerBlade+	rel level Released
appr	Pei-Ming Zheng	2015/12/03			

www.fci.com	title: 9HP VT STB RECEPTACLE	dwg no: 10106130-9000001	rev: A
	cat. no.	Product - Customer Drw	sheet 2 of 3

NOTES:

1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
   THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.

2) MATERIALS:
   -HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
   -SIGNAL CONTACT - COPPER ALLOY.
   -POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.

3) PLATING SPECIFICATION :10116351

4) DENOTES CONNECTOR KEEP OUT ZONE.

5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.

6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.

7) 1.15 ± 0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
   OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07MM HOLE.

8) PRODUCT SPECIFICATION :GS-12-658.
   APPLICATION SPECIFICATION: GS-20-141.
   PRODUCT PACKAGE SPECIFICATION:GS-14-1502.

9) THE VOID CORING IN BETWEEN POWER MODULES, SIGNAL
   MODULES AND END MODULES ARE OPTIONAL AND THE SHAPE
   MAY BE DIFFERENT FOR OPTIMIZE THE MOLDING PROCESS. THE
   VOID CORING WILL NOT EFFECT TO PRODUCT FUNCTION.

Copyright FCI.

dr	Zhen-Hua Liu	2015/10/13	projection	MM	size A3	scale 1:1
eng	Vicking Liu	2015/12/03				
chr	Fancy Zhang	2015/12/03			ecn no -	
appr	Pei-Ming Zheng	2015/12/03	product family PowerBlade+		rel level Released	

FCI	title 9HP VT STB RECEPTACLE	dwg no 10106130-9000001	rev A
www.fci.com	cat. no.	Product - Customer Drw	sheet 3 of 3

Общество с ограниченной ответственностью «МосЧип» ИНН 7719860671 / КПП 771901001
Адрес: 105318, г.Москва, ул.Щербаковская д.3, офис 1107

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

http://moschip.ru/get-element

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:
moschip.ru
moschip.ru_4
moschip.ru_6
moschip.ru_9