





PRODUCT NUMBER

10127396-00H1000LF

SEE NOTE 1



Amphenol
FCi

© 2016 AFCI


spec ref		-		dr		Daniel Xiao		2014/11/14		projection				size		A2		scale		2:1	
tolerance std		-		eng		Kaka Zhang		2016/06/16						ecn no		-		Released			
ASME Y14.5		TOLERANCES UNLESS OTHERWISE SPECIFIED		chr		Fancy Zhang		2016/06/16						rel level							
				appr		Pei-Ming Zheng		2016/06/16						product family		PwrBlade ULTRA					
surface		linear		0.X		±0.5		Amphenol FCI		2HP, PRESS-FIT		10127396-00H1000		rev							
				0.XX		±0.25															
				0.XXX		±0.130															
ASME Y14.5		angular		0°		±2°				cat. no.		-		Product - Customer Drw		sheet 1 of 3					

Creo File - REV E - 2016-02-12

PDS: Rev :A

STATUS: Released

Printed: Jun 16, 2016



Amphenol
FCi

© 2016 AFci


PRODUCT NUMBER
10127396-00H1000LF

NOTES:

1. "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
2. MATERIALS:
HOUSING: GLASS FILLED WITH HIGH TEMP POLYAMIDE, UL94V-0.
POWER CONTACTS: COPPER ALLOY.
SIGNAL CONTACTS: COPPER ALLOY.
HOLD DOWN: COPPER ALLOY.
3. PLATING SPECIFICATION: FCI 10135186.
4. DENOTES CONNECTOR KEEP OUT ZONE.
5. DATUM AND BASIC DIMENSION ARE ESTABLISHED BY CUSTOMER.
6. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
7. 1.150 ± 0.025 mm DRILLED HOLE PLATED WITH $7.62 \mu\text{m}$ MIN Sn OVER
 $25.4 \mu\text{m}$ - $76.2 \mu\text{m}$ Cu PLATING TO ACHIEVE A 1.02 ± 0.07 mm FINISHED HOLE.
8. PRODUCT SPECIFICATION: FCI GS-12-1176.
APPLICATION SPECIFICATION: FCI GS-20-0389.
PRODUCT PACKAGE SPECIFICATION: FCI GS-14-2354.

**Amphenol
FCi**

© 2016 AFCI

spec ref		-	dr	Daniel Xiao	2014/11/14			size	A2	scale	2:1		
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Kaka Zhang	2016/06/16			ecn no	-				
ASME Y14.5			chr	Fancy Zhang	2016/06/16			product family	PwrBlade ULTRA	rel level	Released		
		appr	Pei-Ming Zheng	2016/06/16									
surface			linear	0.X ±0.5	0.XX ±0.25	Amphenol FCi	title	2HP, PRESS-FIT		dwg no	10127396-00H1000	rev	A
								R/A PLUG, PwrBlade ULTRA					
ASME Y14.5								angular	0° ±2°				
		cat. no.		-		Product - Customer Drw			sheet 3 of 3				

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9