

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	ECR-14-018880	24DEC2014	GK	HMR



REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2266473-1

FOR REPLACEMENT PARTS FOR APPLICATOR 1852836
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1852836

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GOPALAKRISHNA HV		 TE Connectivity	
DIMENSIONS:		CHK RAGHAVENDRA			
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD RAGHAVENDRA	
		0 PLC ±		NAME SIDE FEED HDM APPLICATOR	
		1 PLC ±		PRODUCT SPEC	
MATERIAL		2 PLC ±		APPLICATION SPEC	
		3 PLC ±		SIZE A3	
FINISH		4 PLC ±		CAGE CODE	
		ANGLES ±		DRAWING NO C- 1852836	
		WEIGHT		RESTRICTED TO	
		CUSTOMER DRAWING		SCALE	
				SHEET 1 OF 2	
				REV A1	

LOC	DIST	REVISIONS						
A	66	P	LTR	DESCRIPTION	DATE	DWN	APFD	
			A	RELEASED	04MAY2009	RK	TE	



	-	2	2	2	-	4-354779-4	PIN, WIRE DISC, .3210	127
	-	2	2	2	-	3-354779-6	PIN, WIRE DISC, .3170	126
3 3	-	-	-	REF	-	455749-1	GUARD WINDOW	116
	-	-	REF	-	-	679532-1	INSERT, GUARD	115
	-	1	1	1	1	690603-1	SPRING ASSIST AMP-O-MATOR APPLICATOR	112
	-	1	1	1	1	1-21002-7	SCR, BTN SKT HD CAP 6-32 X .375	91
	-	1	1	1	1	318563-1	GUARD, FRONT CHIP	89
	-	1	1	1	1	4088040	SF APPL INST 408-8040	72
	-	1	1	1	1	217238-1	GENERAL INSTRUCTION PKG	71
	-	1	1	1	1	461264-1	PLATE, IDENTIFICATION	67
	-	2	2	2	2	21017-2	SCREW, DRIVE	66
	-	1	1	1	1	986950-1	WASHER, FLAT PRECISION	64
	-	1	1	1	1	21009-2	SCR, SET, SELF LOCKING 1/4-20 X .250	63
	-	1	1	1	1	23030-1	SCR, SKT HD CAP 6-32 X .25	62
	-	1	1	1	1	22733-8	SCR, BHSC, SELF-LOCKING, 8-32 X .375	60
	-	1	1	1	1	2-22603-0	SCR, HEX HD CAP 8-32 X .312	59
	-	1	1	1	1	458537-2	PAWL, FEED	56
	-	4	4	4	4	2-21002-2	SCR, BTN SKT HD CAP 8-32 X .500	54
	-	2	2	2	2	2-21000-8	SCR, SKT HD CAP 8-32 X .625	53
	-	1	1	1	1	21018-5	NUT, HEX, REG 6-32	52
	-	1	1	1	1	811242-2	BUMPER, HOLD DOWN	51
	-	1	1	1	1	690753-1	SPACER, TONKER	50
	-	-	1	-	-	690602-6	CAM, PRE FEED, 1 5/8	49
	-	-	-	1	-	690602-5	CAM, PRE FEED, 1 1/8	48
	-	1	-	-	1	690501-4	CAM, POST-FEED 1 5/8	47
	-	1	1	1	1	459456-1	APPL, BASIC SUB ASSY (SIDE WISE MQCA)	46
	-	1	1	1	1	690191-1	PLUG,NYLON	45
	-	1	1	1	1	455673-1	RAM, SIDE FEED	44
	-	1	1	1	1	690125-1	SHIM SUB-ASSY	43
	-	1	1	1	1	690124-3	WASHER, RAM (.110)	42
	-	1	1	1	1	7-21002-9	SCR, BTN SKT HD CAP 5/16-24 X 1.00	41
	-	1	1	1	1	23241-6	BALL, STEEL	40
	-	1	1	1	1	690170-1	SPRING, COMPRESSION	39
	-	1	1	1	1	690142-1	DISC, INSULATION	38
	-	1	1	1	1	354777-1	WIRE DISC, ASSEMBLY	37
	-	1	1	1	1	22480-5	SPRING, COMPRESSION	36
	-	1	1	1	1	690212-1	POST, RAM	35
	-	1	1	1	1	690786-1	TERMINAL SUPPORT	34
	-	2	2	2	2	2-21002-4	SCR, BTN SKT HD CAP 8-32 X .750	33
	-	1	1	1	1	21024-5	WASHER, SPRG LOCK, REG NO 10	32
	-	1	1	1	1	3-21000-4	SCR, SKT HD CAP 10-32 X .375	31
	-	1	1	1	1	1320908-1	SPACER, STRIP GUIDE	30
	-	1	1	1	1	1633091-1	ASSEMBLY, STRIP GUIDE	29
	-	1	1	1	1	1-455888-0	SPACER, CRIMPER	28
	-	1	1	1	1	1320928-1	PLATE, STRIP GUIDE	24
	-	1	-	-	1	690472-2	STRIPPER	22
	-	1	1	1	1	2-21000-7	SCR, SKT HD CAP 8-32 X .500	21
	-	4	4	4	4	21024-4	WASHER, SPRG LOCK, REG NO 8	20
	-	-	1	1	-	691353-1	STRIPPER	19
△	-	1	-	-	-	679625-2	SHEAR HOLDER, FRONT (NO CUT)	13
	-	1	1	1	1	3-22280-3	SPRING, COMPRESSION	12
	-	1	1	1	1	690461-2	STOP, SHEAR	11
△	-	-	1	1	1	1-690459-0	SHEAR HOLDER, FRONT	10
△	-	1	1	1	1	462006-6	FLOATING SHEAR, FRONT	9
△	1	1	1	1	1	4-1633107-6	ANVIL, COMBINATION .062	8
	-	1	1	1	1	8-240641-8	SPACER	7</

POST-FEED | 5/8 STROKE

PRE-FEED | 1/8 STROKE

PRE-FEED | 5/8 STROKE

-1 & -6

-2

-3

THIS DRAWING IS A UNCONTROLLED DOCUMENT OF THE CUSTOMER'S PROPERTY. IT IS TO BE USED TO CONTROL AND QA CONTROL LINE ENGINEERING ORGANIZATION. IT WILL BE CONTROLLED FOR THE LIFE OF THE PRODUCT.		DWG C.CHEN 05APR2009		Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME SIDE FEED HDM APPLICATOR	
		0 PLC ±.01 1 PLC ±0.1 2 PLC ±0.01 3 PLC ±0.001 4 PLC ±0.0001 5 ANGLES ±.01		FINISH N.DEMING PRODUCT SPEC - APPLICATION SPEC -	
MATERIAL -		WEIGHT -		SIZE A 00779 CAGE CODE C=1852836 DRAWING NO - RESTRICTED TO -	
CUSTOMER DRAWING				SCALE 3:5 SHEET 1 OF 1 REV A	
CUSTOMER VIEWABLE ASSEMBLY					

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9