



*Quality Products. Service Excellence.*

## 15 Amp Heavy Duty Surge Strip 1584-S Series



### Features

- Built to meet the rugged requirements of commercial and industrial use.
- All metal housing - tough extruded aluminum case with a black powder paint coated steel cover.
- Heavy duty NEMA 5-15R receptacles.
- Mounting feet (with keyhole slots) allow temporary work station mounting if desired.
- On-Off switch is rocker type with pilot light (on units with on-off switch). A red pilot light is used to indicate power on (on units with no switch).
- [Click here for our non-surge protected version.](#)

### Specifications

- Heavy duty 14 gauge wire cord - 14/3 SJT type for extreme temperature ranges and integral molded plug.
- Plug types available are NEMA 5-15P straight blade or NEMA L5-15P locking type (see table below).
- Includes 15 amp, 125 volt resettable circuit breaker to prevent accidental line overload.
- Includes our surge module:
  - Max Energy (Joules) is 1080 J.
  - 25000 Amp rated MOV's for a total of 75,000 Amps of single pulse transient current.
  - Voltage Protection Rating (Vpr) of 500V, in all 3 modes (L-N, L-G, N-G).
  - Nominal Discharge Current (In) of 5kA.
  - Voltage suppression at the outlet guards against transients from equipment on the outlet strip.
  - Green indicator light confirms surge module is active.
  - Internal protection will disconnect the surge module at the end of it's useful life (and extinguish the green light) but will maintain power to the load, now unprotected.
- cULus Listed to UL 1449 & C22.2 No. 269.3-17, for Surge Protective Devices – Type 3.
- cULus Listed to UL 1363 & C22.2 No. 308-18, for Relocatable Power Taps & Multi Outlet Assemblies.



### Accessories

- Rack Cabinet Vertical Mount Adaptor

| Illuminated<br>On/Off Switch<br>Part No. | Illuminated<br>Light Only<br>Part No. | Overall Dimensions |       |        | Outlet<br>Qty | Outlet<br>NEMA Type | Outlet<br>Rotated | Cord<br>Length (ft) | Plug<br>Type | Plug<br>NEMA Type |
|------------------------------------------|---------------------------------------|--------------------|-------|--------|---------------|---------------------|-------------------|---------------------|--------------|-------------------|
|                                          |                                       | Height             | Width | Length |               |                     |                   |                     |              |                   |
| 1584H6A1S                                | 1584T6A1S                             | 2.33               | 2.12  | 16.51  | 6             | 5-15R               | No                | 6                   | Straight     | 5-15P             |
| 1584H6A1SRA                              | 1584T6A1SRA                           | 2.33               | 2.12  | 16.51  | 6             | 5-15R               | Yes               | 6                   | Straight     | 5-15P             |
| 1584H6B1S                                | 1584T6B1S                             | 2.33               | 2.12  | 16.51  | 6             | 5-15R               | No                | 15                  | Straight     | 5-15P             |
| 1584H6B1SRA                              | 1584T6B1SRA                           | 2.33               | 2.12  | 16.51  | 6             | 5-15R               | Yes               | 15                  | Straight     | 5-15P             |

Replacement Mounting Foot (One Foot)

|          |        |
|----------|--------|
| Part No. | 1584MF |
|----------|--------|

Data subject to change without notice

© 2020. Hammond Manufacturing Ltd. All rights reserved.

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9