






| rev | ecn no   | dr  | date       |
|-----|----------|-----|------------|
| A   | V05-0321 | TAB | 04/08/05   |
| B   | V05-1009 | LP  | 11/7/05    |
| C   | V06-0239 | LP  | 3/27/06    |
| D   | V06-0558 | LP  | 2006/06/21 |
| E   | V07-0440 | LP  | 2007-07-09 |
| F   | V09-0071 | PK  | 2009-02-24 |




|                                  |                                       |       |       |                                                                                     |                                                  |                                                                                                  |                                                                                          |                        |              |
|----------------------------------|---------------------------------------|-------|-------|-------------------------------------------------------------------------------------|--------------------------------------------------|--------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|------------------------|--------------|
| spec ref -                       |                                       |       |       | dr Bill Lin2010/02/02                                                               |                                                  | projection  | mm  | size A4                | scale 1:1    |
| tolerance std<br>ASME Y14.5<br>- | TOLERANCES UNLESS OTHERWISE SPECIFIED |       |       | eng Nickor Zuo2011/06/13                                                            |                                                  |                                                                                                  |                                                                                          | ecn no ELX-DG-003943-1 |              |
|                                  |                                       |       |       | chr Alex Cao2011/06/24                                                              |                                                  |                                                                                                  |                                                                                          | rel level Released     |              |
|                                  |                                       |       |       | appr Pei-Ming Zheng2011/06/27                                                       |                                                  |                                                                                                  |                                                                                          |                        |              |
| surface ✓<br>-                   | linear                                | 0.X   | ±0.30 |  | title GIG-Array<br>13mm PLUG ASSY. 200 SIG. POS. | dwg no 10055142                                                                                  | Product - Customer Drw                                                                   |                        | sheet 1 of 5 |
|                                  |                                       | 0.XX  | ±0.10 |                                                                                     |                                                  |                                                                                                  |                                                                                          |                        |              |
|                                  |                                       | 0.XXX | ±0.05 |                                                                                     |                                                  |                                                                                                  |                                                                                          |                        |              |
|                                  | angular                               | 0°    | ±2°   | www.fci.com                                                                         | cat. no.                                         |                                                                                                  |                                                                                          |                        |              |

Print File - REV C - 2009-06-09

PDS: Rev :G


STATUS:Released

Printed: Jun 27, 2011


Prof/E File - REV C - 2009-06-09



Copyright FCI.





PLUG INTERFACE DESCRIPTION

|                                                                                             |                                       |         |       |                                                                                     |                                                  |                                                                                                     |                                                                                                     |                                        |              |
|---------------------------------------------------------------------------------------------|---------------------------------------|---------|-------|-------------------------------------------------------------------------------------|--------------------------------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|----------------------------------------|--------------|
| spec ref -                                                                                  |                                       |         |       | dr <a href="#">Bill Lin</a> 2010/02/02                                              |                                                  | projection<br> | <div>mm</div>  | size A4                                | scale 1:1    |
| tolerance std<br>ASME Y14.5<br>-                                                            | TOLERANCES UNLESS OTHERWISE SPECIFIED |         |       | eng <a href="#">Nickor Zuo</a> 2011/06/13                                           |                                                  |                                                                                                     |                                                                                                     | ecn no <a href="#">ELX-DG-003943-1</a> |              |
|                                                                                             |                                       |         |       | chr <a href="#">Alex Cao</a> 2011/06/24                                             |                                                  |                                                                                                     |                                                                                                     | rel level <b>Released</b>              |              |
|                                                                                             |                                       |         |       | appr <a href="#">Pei-Ming Zheng</a> 2011/06/27                                      |                                                  |                                                                                                     |                                                                                                     |                                        |              |
| surface  | linear                                | 0.X     | ±0.30 |  | title GIG-Array<br>13mm PLUG ASSY. 200 SIG. POS. |                                                                                                     |                                                                                                     | dwg no 10055142                        | rev <b>G</b> |
|                                                                                             |                                       | 0.XX    | ±0.10 |                                                                                     |                                                  |                                                                                                     |                                                                                                     |                                        |              |
|                                                                                             |                                       | 0.XXX   | ±0.05 |                                                                                     |                                                  |                                                                                                     |                                                                                                     |                                        |              |
|                                                                                             | -                                     | angular | 0°    |                                                                                     |                                                  |                                                                                                     |                                                                                                     |                                        |              |


ProjE File - REV C - 2009-06-09

FLAT AREA  
FOR OPTIONAL  
PICK-UP CAP



END VIEW OF MATED CONNECTORS

| DIM. "A" | RECPT. ASSY. P/N |
|----------|------------------|
| 28       | 55741            |
| 18       | 55740            |

|               |  |  |  |                                                                                     |  |        |  |       |  |                |            |                                                                                       |  |                                                                                       |  |                 |  |           |  |          |       |     |     |   |
|---------------|--|--|--|-------------------------------------------------------------------------------------|--|--------|--|-------|--|----------------|------------|---------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|--|-----------------|--|-----------|--|----------|-------|-----|-----|---|
| spec ref      |  |  |  | -                                                                                   |  |        |  | dr    |  | Bill Lin       | 2010/02/02 | projection                                                                            |  |  |  | mm              |  | size      |  | A4       | scale |     | 1:1 |   |
| tolerance std |  |  |  | TOLERANCES UNLESS OTHERWISE SPECIFIED                                               |  |        |  | eng   |  | Nickor Zuo     | 2011/06/13 |  |  | ecn no                                                                                |  | ELX-DG-003943-1 |  |           |  |          |       |     |     |   |
| ASME Y14.5    |  |  |  |                                                                                     |  |        |  | chr   |  | Alex Cao       | 2011/06/24 |                                                                                       |  |                                                                                       |  |                 |  |           |  |          |       |     |     |   |
| -             |  |  |  |                                                                                     |  |        |  | appr  |  | Pei-Ming Zheng | 2011/06/27 |                                                                                       |  |                                                                                       |  |                 |  |           |  |          |       |     |     |   |
|               |  |  |  |                                                                                     |  |        |  |       |  |                |            |                                                                                       |  | product family                                                                        |  | GIG-Array       |  | rel level |  | Released |       |     |     |   |
| surface       |  |  |  |  |  | linear |  | 0.X   |  | ±0.30          |            |    |  | title                                                                                 |  | GIG-Array       |  | dwg no    |  | 10055142 |       | rev |     | G |
|               |  |  |  |                                                                                     |  |        |  | 0.XX  |  | ±0.10          |            |                                                                                       |  |                                                                                       |  |                 |  |           |  |          |       |     |     |   |
|               |  |  |  |                                                                                     |  |        |  | 0.XXX |  | ±0.05          |            |                                                                                       |  |                                                                                       |  |                 |  |           |  |          |       |     |     |   |
| -             |  |  |  | angular                                                                             |  | 0°     |  | ±2°   |  | www.fci.com    |            | cat. no.                                                                              |  | Product - Customer Drw                                                                |  | sheet 4 of 5    |  |           |  |          |       |     |     |   |



Copyright FCI.

| 1              |  | 2                       |  | 3                                                                                                                                        |  | 4 |  |
|----------------|--|-------------------------|--|------------------------------------------------------------------------------------------------------------------------------------------|--|---|--|
| PRODUCT NUMBER |  | SOLDER BALL COMPOSITION |  | CONTACT PLATING PERFORMANCE LEVEL                                                                                                        |  |   |  |
| 10055142-001   |  | STANDARD (EUTECTIC)     |  | PERFORMANCE-BASED PLATING, QUALIFIED TO MEET THE REQUIREMENTS OF FCI PRODUCT SPECIFICATION GS-12-192, INCLUDING TELCORDIA CENTRAL OFFICE |  |   |  |
| 10055142-001LF |  | LEADFREE                |  |                                                                                                                                          |  |   |  |
| 10055142-201   |  | STANDARD (EUTECTIC)     |  | Au over Ni                                                                                                                               |  |   |  |
| 10055142-201LF |  | LEADFREE                |  |                                                                                                                                          |  |   |  |

**NOTES:**

① MAT'L:  
HOUSING: LCP  
CONTACT: COPPER ALLOY  
PLATING (CONTACT): Au OVER Ni.  
UL RATING: 94 V-0  
SOLDER BALL: (SEE TABLE) EUTECTIC SnPb OR LEADFREE 95.5 Sn/4Ag/0.5Cu

② SOLDER BALLS WILL NOT BE PERFECT SPHERICAL SHAPE DUE TO REFLOW ATTACHMENT.

③ MATED HEIGHT EFFECTED BY CUSTOMERS' PCB PAD SIZE, PLATING, SOLDER REFLOW PROFILE & SOLDER PASTE.

④ CONTACTS IN ROWS A,C,E,G,J,K,M,P,R AND T ARE SINGLE BEAM CONTACTS, TYPICALLY USED AS GROUND PINS.  
(NOTE: CONTACTS IN ROWS J & K ARE TIED TOGETHER [COMMONED])

⑤ CONTACTS IN ROWS B,D,F,H,L,N,Q AND S ARE DUAL BEAM CONTACTS, TYPICALLY USED AS SIGNAL PINS.

⑥ SPECIFIED POSITIONAL TOLERANCE DEFINES PAD TO PAD LOCATION WITHIN LAND PATTERN. POSITIONAL TOLERANCE OF LAND PATTERN TO FUDICIAL MARKS OR PCB DATUMS SHALL BE DEFINED BY CUSTOMER. FOR RECOMMENDED PRODUCT APPLICATION AND PCB DESIGN DETAILS, SEE DOC. NO. GS-20-016.

⑦ FOR PROPER APPLICATION FOLLOW FCI APPLICATION SPECIFICATION GS-20-033 LEADFREE SOLDER BALLS WILL NOT SOLDER PROPERLY IN A LEADED SOLDER PROCESS DUE TO A HIGHER REFLOW TEMPERATURE, LEAD FREE PRODUCT IS THEREFORE NOT BACKWARDS COMPATIBLE WITH LEADED OR SOME SOLDERING APPLICATIONS, REFERENCE FCI APPLICATION SPECIFICATION.

⑧ THIS PRODUCT MEETS THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008 PRODUCT MEETING THIS DIRECTIVE IS IDENTIFIED IN THE LOT CODE NUMBER MARKED ON EACH PART BY HAVING AN "X" IN THE SEVENTH CHARACTER POSITION.

|                |            |                                       |       |           |                |            |                        |        |              |                 |       |     |
|----------------|------------|---------------------------------------|-------|-----------|----------------|------------|------------------------|--------|--------------|-----------------|-------|-----|
| spec ref       |            | -                                     |       | dr        | Bill Lin       | 2010/02/02 | projection<br>         | mm<br> | size         | A4              | scale | 1:1 |
| tolerance std  | ASME Y14.5 | TOLERANCES UNLESS OTHERWISE SPECIFIED |       | eng       | Nickor Zuo     | 2011/06/13 |                        |        | ecn no       | ELX-DG-003943-1 |       |     |
|                |            |                                       |       | chr       | Alex Cao       | 2011/06/24 |                        |        |              |                 |       |     |
|                |            |                                       |       | appr      | Pei-Ming Zheng | 2011/06/27 |                        |        |              |                 |       |     |
| product family |            | GIG-Array                             |       | rel level |                | Released   |                        |        |              |                 |       |     |
| surface        | ✓          | linear                                | 0.X   | ±0.30     | FCI            | title      | GIG-Array              | dwg no | 10055142     | rev             | G     |     |
|                |            |                                       | 0.XX  | ±0.10     |                |            |                        |        |              |                 |       |     |
|                |            |                                       | 0.XXX | ±0.05     |                |            |                        |        |              |                 |       |     |
|                |            | angular                               | 0°    | ±2°       | www.fci.com    | cat. no.   | Product - Customer Drw |        | sheet 5 of 5 |                 |       |     |

PrintE File - REV C - 2009-06-09

2

3

PDS: Rev :G

STATUS:Released

Printed: Jun 27, 2011

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9