







REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	ECO-14-011664	28JUL2014	YS	TD



MOUNTING INTERFACE SPECIFICATION
3.0 MINIMUM MOUNTING THICKNESS
(KEY A MOUNTING INTERFACE SHOWN -
REFER TO TABLE FOR KEY B - F MOUNTING DIFFERENCES)
SCALE 2:1

- IDENTIFICATION MARKING ON THIS SURFACE CONTAINS ASSEMBLY P/N AND DATE CODE (YYDD). TEXT ORIENTATION, SIZE, AND LOCATION CAN VARY AS LONG AS TEXT IS ON SURFACE SHOWN AND READABLE.
- SHIELD SEAM CAN BE POSITIONED AS SHOWN OR ROTATED 180° FROM POSITION SHOWN.
- NOTE DELETED
- THESE DIMENSIONS DEFINE FASTENER SIZE LIMITS FOR PROPER COMPONENT FUNCTIONALITY. END USER MUST ENSURE FASTENER AND/OR WASHER DIAMETER IS 8.6 MM MIN FOR PROPER RETENTION. THESE ARE NOT PRODUCT FEATURES - NO INSPECTION REQUIRED FOR THESE ITEMS.
- SURFACE FINISH APPLIES TO AREAS SHOWN IN MOUNTING INTERFACE SPECIFICATION
- USE WITH MQS RECEPTACLE P/N: 963715-6, 963715-5, 928999-6 OR 928999-5, DEPENDING ON WIRE SIZE AND MATING PLUG USED



SILVER	F	1-2103396-6
SILVER	E	1-2103396-5
SILVER	D	1-2103396-4
SILVER	B	1-2103396-2
SILVER	A	1-2103396-1
TIN	F	2103396-6
TIN	E	2103396-5
TIN	D	2103396-4
TIN	B	2103396-2
TIN	A	2103396-1
SHIELD FINISH		INDEX
		PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN T. DEWITTE 27SEP2012	TE Connectivity		
DIMENSIONS:		CHK T. DEWITTE 28SEP2012			
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD T. DEWITTE 28SEP2012	NAME HVA280 2P HEADER ASSY W/HVIL PLASTIC STITCHED CHART DRAWING		
Ø	0 PLC ±0.50 1 PLC ±0.50 2 PLC ±0.15 3 PLC ±0.05 4 PLC ± ANGLES ±3	PRODUCT SPEC	SIZE A100779C=2103396		
MATERIAL	FINISH	APPLICATION SPEC	CAGE CODE 100779C=2103396		
-	-	WEIGHT	RESTRICTED TO		
-	-	Customer Drawing	SCALE 2:1		
			SHEET 1 OF 2		
			REV A		

REVISIONS				
P.	LTR.	DESCRIPTION	DATE	DWN. APVD.
	-	SEE SHEET 1	-	-

	X-2103396-1 (KEY A)	X-2103396-2 (KEY B)	X-2103396-4 (KEY D)	X-2103396-5 (KEY E)	X-2103396-6 (KEY F)
FRONT VIEW	(7.20) (7.20)	(7.20) (9.20)	(9.20) (9.20)	(8.20)	(8.20)
SIDE VIEW	(15.55)	(15.55)	(15.55)	(15.55)	(15.55)
REAR VIEW	(0.00)	(5.50)	(8.25)	(2.75)	(2.75)
INTERFACE VIEW - MOUNTING SIDE	0.00 15.550	5.50 15.550	8.25 15.550	2.75 15.550	2.75 15.550
	KEY A MOUNTING INTERFACE	KEY B MOUNTING INTERFACE	KEY D MOUNTING INTERFACE	KEY E MOUNTING INTERFACE	KEY F MOUNTING INTERFACE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN. T. DEWILTE 27SEP2012

CHK. T. DEWILTE 28SEP2012

APVD. T. DEWILTE 28SEP2012

DIMENSIONS:

mm

0 PLC ±0.50

1 PLC ±0.50

2 PLC ±0.15

3 PLC ±0.05

4 PLC ±

ANGLES ±3

FINISH

TOLERANCES UNLESS OTHERWISE SPECIFIED:

WEIGHT

Customer Drawing

PRODUCT SPEC

APPLICATION SPEC

NAME

HVA280 2P HEADER ASSY
W/HVIL - PLASTIC STITCHED
CHART DRAWING

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A100779C=2103396

SCALE

2:1

SHEET

2

OF

2

REV

A

TE Connectivity

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9