

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC


DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	F1	ECR-16-002691	2MAR2016	RS	UG

THIS PART NUMBER IS OBSOLETE (NO LONGER ACTIVE OR PRODUCED).
THE CUSTOMER SHOULD CONTACT THEIR SALES REPRESENTATIVE OR TAC
TO IDENTIFY THE APPLICATOR THAT WILL PROCESS THE TERMINAL TO BE APPLIED.
IF ONE DOES NOT EXIST, A REQUEST TO QUOTE A NEW APPLICATOR WILL NEED TO
BE PROCESSED.

FOR REPLACEMENT PARTS FOR APPLICATOR 680516
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R.SHEN		 TE Connectivity			
DIMENSIONS:		CHK LJ.ZHANG					
		APVD U.GUO		NAME SIDE FEED HDM APPLICATOR			
		PRODUCT SPEC					
		APPLICATION SPEC					
MATERIAL		WEIGHT		SIZE A3	CAGE CODE	DRAWING NO C- 680516	RESTRICTED TO
FINISH		CUSTOMER ACCESSIBLE PRODUCTION DRAWING		SCALE	SHEET 1 OF 3	REV F1	

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION AND ITS WORLDWIDE SUBSIDIARIES AND AFFILIATES. IT MAY NOT BE DISCLOSED TO ANYONE OTHER THAN TYCO ELECTRONICS PERSONNEL, WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION.

04NOV2009 1:53pm

PART NUMBER	REV	FIRST USED	TERMINATOR	FEED	CARRIER STRIP
680516-1	F	122500-1	LEADMAKER	MECH POST FEED	CUT
680516-2	F	565435-5	BENCH MODEL K	MECH PRE FEED	CUT
680516-3	F	354500-1	BENCH MODEL G	MECH PRE FEED	CUT
680516-4	F	122500-1	LEADMAKER	MECH POST FEED	NO CUT
680516-5	F	565435-5	BENCH MODEL K	MECH PRE FEED	NO CUT
680516-6	F	354500-1	BENCH MODEL G	MECH PRE FEED	NO CUT

TERMINAL NAME: TERMINAL, MALE, METRI PACK									
AMP		MFR		CRIMPING DATA					
286618		12034047		PAD LTR		CRIMP HEIGHT		WIRE SIZE	
286804		12020119				A .059 ±.002 [1.50 ±.05mm]		1.00mm ²	
						B .049 ±.002 [1.25 ±.05mm]		0.8 OR 0.5mm ²	
						C NOT		USED	
						D NOT		USED	
				CRIMP		SIZE		TYPE	
						WIRE .090 [2.29mm]		F 0.5-1.00mm ²	
						INSUL .130 [3.30mm]		F Ø.079-.106	
WIRE STRIP LENGTH		TERM APPL		SPEC		FEED. 490		APPL INSTRUCTION	
.219-.250		NONE		△.625		408-8040		SET UP GAGE LAYOUT	
								458637-1 L1977	

[illegible]

REF	REF	REF	REF	REF	REF	—	22594-8	NUT, HEX (1/2-20)	70
REF	REF	REF	REF	REF	REF	—	240628-1	PLATE, ADJUSTMENT	69
REF	REF	REF	REF	REF	REF	—	240626-1	SHAFT, PIVOT	68
REF	REF	REF	REF	REF	REF	—	240633-1	BUSHING	67
REF	REF	REF	REF	REF	REF	—	455680-1	LEVER, INTERMEDIATE	66
REF	REF	REF	REF	REF	REF	—	240629-1	BLOCK, PIVOT	65
REF	REF	REF	REF	REF	REF	—	240632-2	SCREW, ADJ FEED ROD	64
REF	REF	REF	REF	REF	REF	—	240659-3	PIN, CAM ROLLER	63
REF	REF	REF	REF	REF	REF	—	240658-1	ROLLER, CAM	62
REF	REF	REF	REF	REF	REF	—	454398-2	ROD, FEED	61
REF	REF	REF	REF	REF	REF	—	454178-1	GUIDE, FEED ROD	60
REF	REF	REF	REF	REF	REF	—	454220-1	CAP, RAM	59
REF	REF	REF	REF	REF	REF	—	454485-1	HOUSING	58


1	1	1	1	1	1	—	458537-2	PAWL, FEED	56
REF	REF	REF	REF	REF	REF	—	240624-1	PIN, FEED FINGER	55
REF	REF	REF	REF	REF	REF	—	691499-1	SPRING, FEED FINGER	54
REF	REF	REF	REF	REF	REF	—	690541-1	HOLDER, FEED FINGER	53
REF	REF	REF	REF	REF	REF	—	455679-2	LEVER, TERMINAL FEED ARM	52
1	1	1	1	1	1	—	811242-2	BUMPER, HOLDDOWN	51
1	1	1	1	1	1	—	690753-1	SPACER, TONKER	50
1	—	—	1	—	—	—	690602-6	CAM, PRE-FEED 1 5/8 ST	49
—	1	—	—	1	—	—	690602-5	CAM, PRE-FEED 1 1/8 ST	48
—	—	1	—	—	1	—	690501-4	CAM, POST-FEED 1 5/8 ST	47
1	1	1	1	1	1	—	459456-2	APPLICATOR, BASIC (SUBASSY)	46
1	1	1	1	1	1	—	690191-1	PLUG, NYLON	45
1	1	1	1	1	1	—	455673-1	RAM	44
1	1	1	1	1	1	—	690125-1	WASHER, LAMINATED	43
1	1	1	1	1	1	—	690124-1	WASHER, RAM	42
1	1	1	1	1	1	—	690686-1	BOLT, CRIMPER(5/16x1.00)	41
1	1	1	1	1	1	—	23241-6	BALL, STEEL	40
1	1	1	1	1	1	—	690170-1	SPRING, COMPRESSION	39
1	1	1	1	1	1	—	690142-1	DISC, INSULATION	38
1	1	1	1	1	1	—	354777-1	WIRE DISC, PLASTIC	37
1	1	1	1	1	1	—	22480-5	WASHER, SPRING	36
1	1	1	1	1	1	—	690212-1	POST, RAM	35
1	1	1	1	1	1	—	690786-5	SUPPORT, TERMINAL	34
REF	REF	REF	REF	REF	REF	—	455675-1	PLATE, BASE	33
1	1	1	1	1	1	—	690432-3	SCREW, ADJUSTMENT	32

REF	REF	REF	REF	REF	REF	—			
1	1	1	1	1	1	—	455689-1	BLOCK, STRIP GUIDE ADJ	30
1	1	1	1	1	1	—	3-458144-3	PLATE, STRIP GUIDE	29
1	1	1	1	1	1	—	1-455888-5	SPACER, FRONT SHEAR DEP	28
2	2	2	2	2	2	—	1-22284-0	SPRING, DRAG	27
1	1	1	1	1	1	—	240793-1	LEVER, DRAG RELEASE	26
1	1	1	1	1	1	—	240792-1	DRAG, TERMINAL	25
1	1	1	1	1	1	—	6-690504-1	GUIDE, STRIP (REAR)	24
1	1	1	1	1	1	—	690438-1	GUIDE, STRIP (FRONT)	23
—	—	1	—	—	1	—	690472-2	STRIPPER	22
REF	REF	REF	REF	REF	REF	—	4-22284-9	SPRING, FEED RETURN	21
1	1	—	1	1	—	—	679218-1	STRIPPER WIRE STOP ASSY	20
1	1	—	1	1	—	—	458949-1	STRIPPER	19

[illegible]

QTY REQD PER ASSY										PARTS LIST											
DIMENSIONS: INCHES  0 P/LC + - 1 P/LC + - 2 P/LC + - 3 P/LC + - 4 P/LC + - ANGLES± - SURFACE TEXTURE: √										DWN		19AUG97		MATERIAL		-		HEAT TREAT		-	
										DWR		30AUG97		C.ERISMAN		-		-		-	
										APVD		30AUG97		T.ELBIN		-		-		-	
										NAME		SIDE FEED		HDM		APPLICATOR		-		-	
08-2012		XZ		TE		SCALE		SIZE		DRAWING NO		SHEET		OF		REV					
DATE		DWN		APVD		1:1		A1		680516		1		2		F					
CUSTOMER ACCESSIBLE PRODUCTION DRAWING																					

DRAWING NUMBER - 680516 SHEET 2 OF 3 REV. F1



Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9