



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

| LOC | | DIST | | REVISIONS | | | |
|-----|-----|---------------|-----------|-----------|------|--|--|
| P | LTR | DESCRIPTION | DATE | DWN | APVD | | |
| | H | ECR-14-017704 | 13NOV2013 | TB | DM | | |
| | J | ECR-14-004110 | 18MAR2014 | JX | DM | | |



WIRE COLOR CHART

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 4 | - | - | - | BLUE | - | - | BLUE | - | - | BLUE | - | - | BLUE | - | - | BLUE | - | - | BLUE | - | - | BLUE | - | - | BLUE | - |
| 3 | - | - | WHITE | WHITE | - | WHITE | WHITE | - | WHITE | WHITE | - | WHITE | WHITE | - | WHITE | WHITE | - | WHITE | WHITE | - | WHITE | WHITE | - | WHITE | WHITE | - |
| 2 | - | RED | RED | RED | RED | RED | RED | RED | RED | RED | RED | RED | RED | RED | RED | RED | RED | RED | RED | RED | RED | RED | RED | RED | RED | BLACK |
| 1 | BLACK | BLACK | BLACK | BLACK | BLACK | BLACK | BLACK | BLACK | BLACK | BLACK | BLACK | BLACK | BLACK | BLACK | BLACK | BLACK | BLACK | BLACK | BLACK | BLACK | BLACK | BLACK | BLACK | BLACK | BLACK | RED |
| POS | -1 | -2 | -3 | -4 | -5 | -6 | -7 | -8 | -9 | -10 | -11 | -12 | -13 | -14 | -15 | -16 | -17 | -18 | -19 | -20 | -21 | -22 | -23 | -24 | -25 | -26 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|-----|-------|-----|-----|-------|-----|-------|-------|-------|-------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| 4 | - | - | - | - | - | - | BLUE | - | - | - | | | | | | | | | | | | | | | | |
| 3 | - | - | - | - | - | - | WHITE | - | - | BLACK | | | | | | | | | | | | | | | | |
| 2 | - | RED | - | - | RED | - | RED | RED | RED | BLUE | | | | | | | | | | | | | | | | |
| 1 | - | BLACK | - | - | BLACK | - | BLACK | BLACK | BLACK | RED | | | | | | | | | | | | | | | | |
| POS | -27 | -28 | -29 | -30 | -31 | -32 | -33 | -34 | -35 | -36 | | | | | | | | | | | | | | | | |

- ⚠ MATERIALS AND FINISH:
 -CONTACTS: COPPER ALLOY
 FINISH: TIN IN CONTACT AREA OVER NICKEL UNDERPLATE
 -WIRE: 18 AWG, STRANDED, UL 1007 STYLE
- 2. MUST COMPLY WITH DIRECTIVE 2002/95/EC (ROHS)
- ⚠ REFERENCE CHART FOR SPECIFIC WIRE COLOR/POSITION.
- ⚠ CONTACTS 0.000381 THK GOLD STRIPE PRE-PLATED STOCK, REF.

| | | | |
|---------|-----------|------|-------------|
| 45.0 | 20AWG | 4 | 3-2106378-6 |
| 2000.0 | 20 AWG | 2 | 3-2106378-5 |
| 5000.0 | 18 AWG | 2 | 3-2106378-4 |
| ⚠ 304.8 | 20 AWG | 4 | 3-2106378-3 |
| ⚠ 304.8 | 20 AWG | 2 | 3-2106378-1 |
| ⚠ 101.6 | 20 AWG | 2 | 2-2106378-8 |
| 381.0 | 18 AWG | 2 | 2-2106378-6 |
| 304.8 | 24 AWG | 4 | 2-2106378-5 |
| 304.8 | 24 AWG | 3 | 2-2106378-4 |
| 304.8 | 24 AWG | 2 | 2-2106378-3 |
| 101.6 | 24 AWG | 4 | 2-2106378-2 |
| 101.6 | 24 AWG | 3 | 2-2106378-1 |
| 101.6 | 24 AWG | 2 | 2-2106378-0 |
| 304.8 | 22 AWG | 4 | 1-2106378-9 |
| 304.8 | 22 AWG | 3 | 1-2106378-8 |
| 304.8 | 22 AWG | 2 | 1-2106378-7 |
| 101.6 | 22 AWG | 4 | 1-2106378-6 |
| 101.6 | 22 AWG | 3 | 1-2106378-5 |
| 101.6 | 22 AWG | 2 | 1-2106378-4 |
| 304.8 | 20 AWG | 4 | 1-2106378-3 |
| 304.8 | 20 AWG | 3 | 1-2106378-2 |
| 304.8 | 20 AWG | 2 | 1-2106378-1 |
| 101.6 | 20 AWG | 4 | 1-2106378-0 |
| 101.6 | 20 AWG | 3 | 2106378-9 |
| 101.6 | 20 AWG | 2 | 2106378-8 |
| 304.8 | 18 AWG | 4 | 2106378-7 |
| 304.8 | 18 AWG | 3 | 2106378-6 |
| 304.8 | 18 AWG | 2 | 2106378-5 |
| 101.6 | 18 AWG | 4 | 2106378-4 |
| 101.6 | 18 AWG | 3 | 2106378-3 |
| 101.6 | 18 AWG | 2 | 2106378-2 |
| 101.6 | 18 AWG | 1 | 2106378-1 |
| DIM A | WIRE SIZE | POSN | PART NO. |



THIS DRAWING IS A CONTROLLED DOCUMENT.

| | | | |
|----------------|--|--|--|
| DIMENSIONS: mm | TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.2 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH | DWN R BROWN 16APR2009 CHK M MOSTOLLER 16APR2009 APVD M MOSTOLLER 16APR2009 | NAME CABLE ASSEMBLY, PLUG, SLIMSEAL SSL CONNECTOR |
| MATERIAL | | PRODUCT SPEC | RESTRICTED TO |
| | | APPLICATION SPEC | SIZE CAGE CODE DRAWING NO |
| | | WEIGHT | A200779 C-2106378 |
| | | CUSTOMER DRAWING | SCALE SHEET OF 4 REV J |


STE TE Connectivity

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

| LOC | | DIST | | REVISIONS | | | |
|-----|-----|-------------|------|-----------|------|--|--|
| P | LTR | DESCRIPTION | DATE | DWN | APVD | | |
| - | - | SEE SHEET 1 | - | - | - | | |
| | | | | | | | |
| | | | | | | | |





2106378-3 SHOWN


| | | | | |
|--|--|----------------------------------|---|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN R BROWN 16APR2009 |  TE Connectivity | |
| DIMENSIONS: mm | | CHK M MOSTOLLER 16APR2009 | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD M MOSTOLLER 16APR2009 | NAME CABLE ASSEMBLY, PLUG, SLIMSEAL SSL CONNECTOR | |
| 0 PLC ±- | | PRODUCT SPEC | SIZE | |
| 1 PLC ±0.2 | | APPLICATION SPEC | CAGE CODE | |
| 2 PLC ±- | | | DRAWING NO | |
| 3 PLC ±- | | | RESTRICTED TO | |
| 4 PLC ±- | | | A200779 C-2106378 | |
| ANGLES ±- | | WEIGHT | SCALE | |
| FINISH | | CUSTOMER DRAWING | SHEET 2 OF 4 REV J | |

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

| LOC | DIST | REVISIONS | | | | | |
|-----|------|-----------|-----|-------------|------|-----|------|
| GP | 00 | P | LTR | DESCRIPTION | DATE | DWN | APVD |
| | | - | | SEE SHEET 1 | - | - | - |
| | | | | | | | |
| | | | | | | | |





2106378-4 SHOWN

| | | | | |
|--|--|----------------------------------|---|-----------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN R BROWN 16APR2009 |  TE Connectivity | |
| DIMENSIONS: mm | | CHK M MOSTOLLER 16APR2009 | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD M MOSTOLLER 16APR2009 | NAME CABLE ASSEMBLY, PLUG, SLIMSEAL SSL CONNECTOR | |
| 0 PLC ±- 1 PLC ±0.2 2 PLC ±- 3 PLC ±- 4 PLC ±- ANGLES ±- FINISH ±- | | PRODUCT SPEC - | RESTRICTED TO - | |
| MATERIAL - | | APPLICATION SPEC - | WEIGHT - | SIZE A200779 |
| | | CUSTOMER DRAWING | DRAWING NO C-2106378 | SCALE 1:1 |
| | | | | SHEET 3 OF 4 |
| | | | | REV J |

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

| LOC | DIST | REVISIONS | | | | | |
|-----|------|-----------|-----|-------------|------|-----|------|
| GP | 00 | P | LTR | DESCRIPTION | DATE | DWN | APVD |
| | | - | | SEE SHEET 1 | - | - | - |
| | | | | | | | |
| | | | | | | | |



ALL WIRES ARE 20AWG
 3-2106378-6 SHOWN

| | | | | | | | | | | | | | | | | | | |
|--|------|----------------------------------|---|-------|------|-------|---|-------|---|-------|---|--------|---|--------|---|-------------------|-----------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN R BROWN 16APR2009 | TE Connectivity | | | | | | | | | | | | | | | |
| DIMENSIONS: mm | | CHK M MOSTOLLER 16APR2009 | | | | | | | | | | | | | | | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD M MOSTOLLER 16APR2009 | NAME CABLE ASSEMBLY, PLUG, SLIMSEAL SSL CONNECTOR | | | | | | | | | | | | | | | |
| <table border="0"> <tr><td>0 PLC</td><td>±</td></tr> <tr><td>1 PLC</td><td>±0.2</td></tr> <tr><td>2 PLC</td><td>±</td></tr> <tr><td>3 PLC</td><td>±</td></tr> <tr><td>4 PLC</td><td>±</td></tr> <tr><td>ANGLES</td><td>±</td></tr> <tr><td>FINISH</td><td>±</td></tr> </table> | | 0 PLC | ± | 1 PLC | ±0.2 | 2 PLC | ± | 3 PLC | ± | 4 PLC | ± | ANGLES | ± | FINISH | ± | PRODUCT SPEC - | SIZE A200779 | |
| 0 PLC | ± | | | | | | | | | | | | | | | | | |
| 1 PLC | ±0.2 | | | | | | | | | | | | | | | | | |
| 2 PLC | ± | | | | | | | | | | | | | | | | | |
| 3 PLC | ± | | | | | | | | | | | | | | | | | |
| 4 PLC | ± | | | | | | | | | | | | | | | | | |
| ANGLES | ± | | | | | | | | | | | | | | | | | |
| FINISH | ± | | | | | | | | | | | | | | | | | |
| MATERIAL - | | APPLICATION SPEC - | DRAWING NO C-2106378 | | | | | | | | | | | | | | | |
| | | WEIGHT - | RESTRICTED TO - | | | | | | | | | | | | | | | |
| | | CUSTOMER DRAWING | SCALE : : SHEET 4 OF 4 REV J | | | | | | | | | | | | | | | |

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9