

HumPRO™ Series Frequency Hopping Digital Data Transceiver Module



At below \$9 in volume, the Hummingbird platform is the lowest cost complete wideband transceiver with microcontroller module on the market today. The HumPRO™ is built on this platform and is designed for robust data transfer. It includes a frequency hopping protocol and supports versions at 2.4GHz and 900MHz with a common footprint and pin out.

Low Cost: Linx designed the Hummingbird platform with cost in mind from the start to appeal to OEMs who have a limited budget to incorporate RF. It uses advanced system on chip (SoC) technology to minimize the footprint and the number of components. The module is designed for high volume production, leading to a price that is nearly half that of similar modules, and making it cost competitive with discrete designs.

Robust: Built-in error detection and retransmission options create extremely robust point-to-point links for bi-directional data transmissions.

Frequency Hopping: The module has a FHSS protocol that typically locks in under 50ms. This allows it to quickly wake up, send data and go back to sleep, saving power consumption in battery-powered applications that have strict power budgets. It handles all protocol functions automatically.

Ease of Implementation: The user can configure a wide variety of settings through a standard UART interface. For point-point applications, the modules can be configured once, then send and receive data without need for further commands. For larger networks, commands support selective addressing and group broadcasting. The simple interface significantly reduces firmware development.

Addressing: All HumPRO™ modules have a unique 32-bit serial number that can be used as an address. Multiple addressing modes gives the options for 16 or 32 bit source and destination addressing, enabling point-to-point and broadcast messages. Address masking by the receiving module allows for creating subnets. Advanced networks can be implemented with an external microcontroller.



Small Size: Like its namesake, Hummingbird modules are tiny. At 11.5mm by 14.0mm, it is less than one quarter the size of similar competitive modules.

Low Power: Linx designed the Hummingbird platform for battery powered applications. It operates as low as 2.0 volts and has low transmit current of 28 to 36mA, receive current of 25mA and standby current of under 1µA.

Ample Range: The HumPRO™ 900MHz version outputs up to 10dBm, resulting in a line-of-sight range of up to 1,600m (1.0 miles), depending on the antenna implementation. The 2.4GHz version outputs up to 1dBm, resulting in a line-of-sight range of 100m (300 feet).

External Amplifiers: The module has control lines that allow it to work with an external PA and LNA for applications that need more system range.

Certification: The HumPRO™ Series is available in a non-certified version and in pre-certified versions with an RF connector or antenna.



Specifications	
Operating Voltage	2.0 to 3.6VDC
TX Supply Current	
@ 1dBm, 2.4GHz	TBDmA
@ 10dBm, 900MHz	36mA
RX Supply Current	25.5mA
Standby Current	0.5µA
RX Sensitivity	
2.4GHz max rate	TBDdBm
2.4GHz min rate	TBDdBm
900MHz max rate	-95dBm
900MHz min rate	TBDdBm
Lock Time	<50ms typ
Operating Temperature Range	-40 to +85°C

Custom Modules: In high volume applications, Linx can provide custom firmware to meet the needs of a specific application, removing the firmware design burden.

Applications

- Remote data transfer
- Internet of Things (IoT)
- Machine to Machine (M2M)
- Consumer wireless
- Wireless sensor networks
- Home automation
- Remote status monitoring
- Industrial automation
- Robotics
- Data acquisition

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9