

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	ECR-13-015158	27SEP13	RS	LZ

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2151565-1

FOR REPLACEMENT PARTS FOR APPLICATOR 1426061
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1426061

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R.SHEN		 TE Connectivity			
DIMENSIONS:		CHK LJ.ZHANG					
		APVD U.GUO		NAME SIDE FEED HDI APPLICATOR			
		PRODUCT SPEC					
		APPLICATION SPEC					
MATERIAL		WEIGHT		SIZE A3	CAGE CODE	DRAWING NO C- 1426061	RESTRICTED TO
FINISH		CUSTOMER ACCESSIBLE PRODUCTION DRAWING		SCALE	SHEET 1 OF 2	REV A1	

AMP 1756 REV 3-92 23-FEB-04 15:28:29 eb003420



	-	1	1	1	1	1	1	1426061	PRINT, APPLICATOR LOG SHEET	73	
	-	1	1	1	1	1	1	1338705-1	DOCUMENTATION PACKAGE	72	
										71	
										70	
										69	
										68	
	-	1	1	1	1	1	1	461264-1	PLATE, IDENTIFICATION	67	
	-	2	2	2	2	2	2	21017-2	SCR,DRIVE(#2x.19) ID PLATE	66	
										65	
	-	1	1	1	1	1	1	986950-1	WASHER, FLAT PRECISION	64	
	-	1	1	1	1	1	1	3-18031-0	SCR,SKT SET (M6X6) RAM	63	
	-	1	1	1	1	1	1	18023-9	SCR,SHC (M4X6) IN5 DISC	62	
	-	2	2	2	2	2	2	1-18024-5	SCR,BHC (MSX25) DRAG	61	
	-	1	1	1	1	1	1	18024-7	SCR,BHC (M4X10) ANVIL	60	
	-	1	1	1	1	1	1	5-18022-2	SCR,HEX (M4X8) FEED FINGER	59	
										58	
										57	
	-	1	1	1	1	1	1	1338685-1	PAWL, FEED	56	
										55	
	-	4	4	4	4	4	4	18024-8	SCR,BHC (M4x12)SHEAR HOLDER	54	
										53	
	-	1	1	1	1	1	1	18030-1	NUT,HEX (M3) HOLD DOWN	52	
	-	1	1	1	1	1	1	811242-5	BUMPER, HOLDDOWN	51	
	-	1	1	1	1	1	1	690753-2	SPACER, TONKER	50	
	-	1	1	1	1	1	1	18024-3	SCR,BHC (M3X10) CAM	49	
	-	-	1	-	-	1	-	1338675-1	CAM, PRE FEED 30 & 40 mm ST	48	
	-	1	-	1	1	-	1	1338676-1	CAM, POST FEED 30 & 40 mm ST	47	
	-	1	1	1	1	1	1	1320999-3	APPLICATOR BASIC SUBASSY	46	
	-	1	1	1	1	1	1	690191-1	PLUG, NYLON	45	
	-	1	1	1	1	1	1	1338660-1	RAM	44	
	-	1	1	1	1	1	1	690125-1	WASHER, LAMINATED	43	
	-	1	1	1	1	1	1	690124-1	WASHER, RAM	42	
	-	1	1	1	1	1	1	2-18024-6	SCR,BHC (MBX25) RAM	41	
	-	1	1	1	1	1	1	23241-1	BALL, STEEL	40	
	-	1	1	1	1	1	1	2-22278-7	SPRING, COMPRESSION	39	
	-	1	1	1	1	1	1	1320922-1	DISC, INSULATION	38	
	-	1	1	1	1	1	1	354777-1	WIRE DISC, PLASTIC	37	
	-	1	1	1	1	1	1	22480-5	WASHER, SPRING	36	
	-	1	1	1	1	1	1	690212-1	POST, RAM	35	
	-	1	1	1	1	1	1	2-1320934-5	SUPPORT, TERMINAL	34	
	-	2	2	2	2	2	2	1-18024-0	SCR,BHC (M4X20) STRIP GUIDE	33	
	-	1	1	1	1	1	1	18027-2	WASHER, FLAT (M4)	32	
	-	3	3	3	3	3	3	1-18023-2	SCR,SKT CAP (M4X12) MOUNT BLOCK	31	
	-	1	1	1	1	1	1	1320908-1	SPACER, STRIP GUIDE	30	
	-	1	1	1	1	1	1	1633073-1	STRIP GUIDE PLATE ASSY	29	
	-	1	1	1	1	1	1	1-455888-7	SPACER, FRONT SHEAR DEP	28	
	-	2	2	2	2	2	2	1-22284-0	SPRING, DRAG	27	
	-	1	1	1	1	1	1	356835-1	LEVER, DRAG RELEASE	26	
	-	1	1	1	1	1	1	240792-1	DRAG, TERMINAL	25	
	-	1	1	1	1	1	1	1320928-1	PLATE, STRIP GUIDE	24	
	-	1	1	1	1	1	1	980371-4	SCR,SHC SHLD	23	
	-	1	-	1	1	-	1	690472-2	STRIPPER	22	
	-	1	1	1	1	1	1	1-18023-1	SCR,SHC (M4X10) STRIPPER	21	
	-	4	4	4	4	4	4	18025-2	WASHER, LOCK (M4) STRIPPER	20	
	-	-	1	-	-	1	-	690472-1	STRIPPER	19	
										18	
	-	1	-	-	1	-	-	1338684-1	HOLDER, SHEAR, FRONT (NO-CUT)	17	
										16	
										15	
										14	
										13	
	-	1	1	1	1	1	1	5-22280-0	SPRING, SHEAR	12	
	-	1	1	1	1	1	1	356885-4	STOP, SHEAR	11	
	-	-	1	1	-	1	1	1320921-1	HOLDER, SHEAR, FRONT (CUT)	10	
	-	1	1	1	1	1	1	454276-1	SHEAR, FLOAT (FRONT)	9	
1	2	2	2	1	1	1	1	1-1333204-2	ANVIL	8	
										7	
										6	
	-	1	1	1	1	1	1	1-455889-4	DEPRESSOR, SHEAR (FRONT)	5	
	-	1	1	1	1	1	1	238011-6	SPACER, BLOCK CRIMPER	4	
1	2	2	2	1	1	1	1	854830-1	CRIMPER, INSULATION	3	
	-	1	1	1	1	1	1	455888-3	SPACER, CRIMPER	2	
1	2	2	2	1	1	1	1	456405-8	CRIMPER, WIRE	1	
-77	-76	-72	-71	-6	-2	-1		PART NO	DESCRIPTION	ITEM NO	
								← REVISION OF EACH ASSY NO (WHEN BLANK, USE DWG REVISION)			
QTY REQD PER ASSY								PARTS LIST			
DIMENSIONS: mm [INCHES] DO NOT SCALE PRINT. TOLERANCES UNLESS OTHERWISE SPECIFIED: 1 PLC DEC ±0.5 (1.02 IN) 2 PLC DEC ±- 3 PLC DEC ±- ANGLES ±- SURF TEXTURE, ✓								MATERIAL		HT TR	FIN
								DR M. CLIFFORD 19JUL00		APP F. BACKHURST 19JUL00	
								CHK -		REL 23-02-04 M. CLIFFORD	
								NAME		SIDE FEED HD-I APPLICATOR	
								SCALE -		D	
								DWG NO		1426061	
REMOVE BURRS, BREAK SHARP EDGES R0.38 MAX											
CASE CODE 00779								CUSTOMER AND ASSEMBLY DRAWING		REVISION TO	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9