

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0740618502

Status:

Active

Overview:

vhdm

Description:

2.00mm (.079") Pitch VHDM® Board-to-Board Backplane Header, Vertical, 8-Row, Guide Pin Signal Module, Pin End Version, Lead Free, 200 Circuits, Pin Length 6.25mm (.246")

Documents:

Drawing (PDF)

RoHS Certificate of Compliance (PDF)

General

Product Family

Backplane Connectors

Series

74061

Application

Backplane

Application Tooling Documents

<a href="http://www.molex.com/pdm\_docs/ats/TM-622010999.pdf">Tooling Manual</a>

Comments

No Keying Position

Component Type

PCB Header

Overview

vhdm

Product Name

VHDM®

Style

N/A

Physical

Circuits (Loaded)

200

Circuits (maximum)

200

Color - Resin

Black

Durability (mating cycles max)

200

First Mate / Last Break

No

Guide to Mating Part

Yes

Keying to Mating Part

None

Material - Metal

Beryllium Copper, High Performance Alloy (HPA), Stainless Steel

Material - Plating Mating

Gold

Material - Plating Termination

Tin

Material - Resin

High Temperature Thermoplastic

Number of Columns

N/A

Number of Pairs

Open Pin Field

Number of Rows

8

Orientation

Vertical

PC Tail Length (in)

0.098 In

PC Tail Length (mm)

2.50 mm

PCB Locator

No

PCB Retention

None

PCB Thickness Recommended (in)

0.070 In

PCB Thickness Recommended (mm)

1.80 mm

Packaging Type

Tube

Pitch - Mating Interface (in)

0.079 In

Pitch - Mating Interface (mm)

2.00 mm

Pitch - Term. Interface (in)

0.079 In

Pitch - Term. Interface (mm)

2.00 mm

Plating min: Mating (µin)

30

Plating min: Mating (µm)

0.75

Plating min: Termination (µin)

30

Plating min: Termination (µm)

0.75

Polarized to PCB

Yes

Stackable

No




image - Reference only

Series

EU RoHS

ELV and RoHS

Compliant

REACH SVHC

Contains SVHC: No

Halogen-Free

Status

Not Reviewed

China RoHS



Need more information on product environmental compliance?

Email [productcompliance@molex.com](mailto:productcompliance@molex.com)  
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

74061Series

Mates With

74040 VHDM® Board-to-Board Daughtercard Receptacle

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.



Global

| Description                           | Product #                  |
|---------------------------------------|----------------------------|
| VHDM® Signal Pin Inserter Repair Tool | <a href="#">0622015700</a> |
| VHDM® 8 Row and Shield Repair Tool    | <a href="#">0622015900</a> |
| VHDM® 8 Row Shield Extraction Tool    | <a href="#">0622016100</a> |

|                                                                          |                              |                                         |
|--------------------------------------------------------------------------|------------------------------|-----------------------------------------|
| Surface Mount Compatible (SMC)                                           | Yes                          | VHDM® Insertion <u>0622020206</u>       |
| Temperature Range - Operating                                            | 105°C max                    | Module for Advanced                     |
| Termination Interface: Style                                             | Through Hole - Compliant Pin | Mate Signal Header,                     |
| <b>Electrical</b>                                                        |                              | 6 Row by 25 Wide,                       |
| Current - Maximum per Contact                                            | 1A                           | 50.00mm (1.97")                         |
| Data Rate                                                                | 3.125 Gbps                   | VHDM® Insertion <u>0622020210</u>       |
| Real Signals (per 25mm)                                                  | 100                          | Module for Standard                     |
| Shield Type                                                              | Ground Plane Shield          | Shield Signal                           |
| Shielded                                                                 | Yes                          | Header, 8 Row by                        |
| Voltage - Maximum                                                        | 120V AC (RMS)/DC             | 25 Wide, 50.00mm                        |
| <b>Material Info</b>                                                     |                              | (1.97")                                 |
|                                                                          |                              | Flat Rock Tooling for <u>0622013700</u> |
|                                                                          |                              | Pneumatic Press                         |
| <b>Reference - Drawing Numbers</b>                                       |                              |                                         |
| Sales Drawing                                                            | SD-74061-002                 |                                         |
| VHDM and Very High Density Metric are trademarks of Amphenol Corporation |                              |                                         |

This document was generated on 06/01/2010

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**



### BACKPLANE HOLE PATTERN RECOMMENDED DIMENSION

#### NOTES:

##### 1. MATERIALS:

HOUSING - LIQUID CRYSTAL POLYMER (LCP),  
GLASS-FILLED, UL 94V-0, COLOR: BLACK  
SIGNAL PIN & SHIELD - COPPER ALLOY

##### 2. FINISHES:

CONTACT AREA: SELECTIVE GOLD (Au)  
PCB TAILS: SELECTIVE TIN/LEAD (Sn/Pb)  
OR SELECTIVE MATTE TIN (Sn)  
NICKEL (Ni) OVERALL.




##### 3. THIS PART CONFORMS TO MOLEX PRODUCT SPECIFICATION PS-74031-999

##### 4. FOR MIXED CONTACT LENGTHS CONSULT MOLEX FOR AVAILABILITY

##### 5. FOR SPECIFIC MATERIAL NUMBERS & MATING INFORMATION REFER TO SHEET 2

##### 6. PACKAGE PER PK-74061-003

##### 7. EITHER MARK PART WITH PART NUMBER & DATE CODE APPROXIMATELY WHERE SHOWN OR PLACE LABEL ON THE TUBE.



| <div>CORRECTED DIMS</div> <div>EC NO: UCP2008-0329</div> <div>DRWN: JONI AK 2007/08/28</div> <div>CHKD: JONI AK 2007/08/28</div> <div>APPR: CBIXLER 2007/08/28</div> |       |       | <div>DESCRIPTION</div> <div>REV</div> |  | <div>QUALITY SYMBOLS</div> <div>▽=0</div> <div>▽=0</div>                                                                                                              |  | <div>GENERAL TOLERANCES (UNLESS SPECIFIED)</div> <table><thead><tr><th></th><th>mm</th><th>INCH</th></tr></thead><tbody><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>2 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>1 PLACE</td><td>± ---</td><td>± ---</td></tr></tbody></table> <div>ANGULAR ±1/2°</div> |  |  | mm | INCH | 4 PLACES | ± --- | ± --- | 3 PLACES | ± --- | ± --- | 2 PLACES | ± --- | ± --- | 1 PLACE | ± --- | ± --- | <div>DIMENSION STYLE</div> <div>MM ONLY</div> <div>DRAWN BY DATE</div> <div>MWANG 1998/11/09</div> <div>CHECKED BY DATE</div> <div>JLAURX 1998/11/09</div> <div>APPROVED BY DATE</div> <div>CBIXER 1998/11/09</div> <div>MATERIAL NO.</div> |  | <div>SCALE</div> <div>2.5:1</div> <div>DESIGN UNITS</div> <div>METRIC</div> <div>THIRD ANGLE PROJECTION</div> <div></div> |  | <div>TITLE</div> <div>VHDM 8 ROW</div> <div>SIGNAL END BACKPLANE</div> <div>SALES ASSEMBLY</div> <div> MOLEX INCORPORATED</div> <div>DOCUMENT NO.</div> <div>SD-74061-002</div> <div>SHEET NO.</div> <div>1 OF 3</div> |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|---------------------------------------|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|----|------|----------|-------|-------|----------|-------|-------|----------|-------|-------|---------|-------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|                                                                                                                                                                      | mm    | INCH  |                                       |  |                                                                                                                                                                       |  |                                                                                                                                                                                                                                                                                                                                                                                          |  |  |    |      |          |       |       |          |       |       |          |       |       |         |       |       |                                                                                                                                                                                                                                             |  |                                                                                                                                                                                                                |  |                                                                                                                                                                                                                                                                                                             |  |
| 4 PLACES                                                                                                                                                             | ± --- | ± --- |                                       |  |                                                                                                                                                                       |  |                                                                                                                                                                                                                                                                                                                                                                                          |  |  |    |      |          |       |       |          |       |       |          |       |       |         |       |       |                                                                                                                                                                                                                                             |  |                                                                                                                                                                                                                |  |                                                                                                                                                                                                                                                                                                             |  |
| 3 PLACES                                                                                                                                                             | ± --- | ± --- |                                       |  |                                                                                                                                                                       |  |                                                                                                                                                                                                                                                                                                                                                                                          |  |  |    |      |          |       |       |          |       |       |          |       |       |         |       |       |                                                                                                                                                                                                                                             |  |                                                                                                                                                                                                                |  |                                                                                                                                                                                                                                                                                                             |  |
| 2 PLACES                                                                                                                                                             | ± --- | ± --- |                                       |  |                                                                                                                                                                       |  |                                                                                                                                                                                                                                                                                                                                                                                          |  |  |    |      |          |       |       |          |       |       |          |       |       |         |       |       |                                                                                                                                                                                                                                             |  |                                                                                                                                                                                                                |  |                                                                                                                                                                                                                                                                                                             |  |
| 1 PLACE                                                                                                                                                              | ± --- | ± --- |                                       |  |                                                                                                                                                                       |  |                                                                                                                                                                                                                                                                                                                                                                                          |  |  |    |      |          |       |       |          |       |       |          |       |       |         |       |       |                                                                                                                                                                                                                                             |  |                                                                                                                                                                                                                |  |                                                                                                                                                                                                                                                                                                             |  |
| <div>DRAFT WHERE APPLICABLE</div> <div>MUST REMAIN</div> <div>WITHIN DIMENSIONS</div>                                                                                |       |       |                                       |  | <div>SIZE</div> <div>B</div> <div>THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</div> |  |                                                                                                                                                                                                                                                                                                                                                                                          |  |  |    |      |          |       |       |          |       |       |          |       |       |         |       |       |                                                                                                                                                                                                                                             |  |                                                                                                                                                                                                                |  |                                                                                                                                                                                                                                                                                                             |  |


|                           |       |       |       |       |       |       |       |       |       |
|---------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| M/N<br>74061-( )          | -**0* | -**1* | -**2* | -**3* | -**4* | -**5* | -**6* | -**7* | -**8* |
| KEYING PIN<br>ORIENTATION | O     | A     | B     | C     | D     | E     | F     | G     | H     |
|                           |       |       |       |       |       |       |       |       |       |

74061 - \* \* \* \*

NUMBER OF COLUMNS/PLATING  
10 = 10 COLUMN TIN/LEAD  
12 = 12 COLUMN TIN/LEAD\*  
25 = 25 COLUMN TIN/LEAD  
90 = 10 COLUMN MATTE TIN  
92 = 12 COLUMN MATTE TIN\*  
85 = 25 COLUMN MATTE TIN

CONTACT LOAD  
(PIN LENGTH)  
1 & 6 = 4.75  
2 & 7 = 6.25  
3 & 8 = 4.25  
4 & 9 = 5.15

\*12 COLUMN P/N'S ON SHEET 3



| PART NUMBER | COLUMN | NUMBER OF SIGNAL | NUMBER OF PIN | NUMBER OF SHIELD | A     | B     | M    | Au (um) THICKNESS | Sn (um) THICKNESS |
|-------------|--------|------------------|---------------|------------------|-------|-------|------|-------------------|-------------------|
| 74061-*0*1  | 10     | 80               | 10            | 10               | 27.00 | 18.00 | 4.75 | 0.76              | 0.76-1.52         |
| 74061-*0*6  |        |                  |               |                  |       |       |      | 1.27              |                   |
| 74061-*5*1  | 25     | 200              | 25            | 25               | 57.00 | 48.00 | 4.75 | 0.76              |                   |
| 74061-*5*6  |        |                  |               |                  |       |       |      | 1.27              |                   |
| 74061-*0*2  | 10     | 80               | 10            | 10               | 27.00 | 18.00 | 6.25 | 0.76              |                   |
| 74061-*0*7  |        |                  |               |                  |       |       |      | 1.27              |                   |
| 74061-*5*2  | 25     | 200              | 25            | 25               | 57.00 | 48.00 | 6.25 | 0.76              |                   |
| 74061-*5*7  |        |                  |               |                  |       |       |      | 1.27              |                   |
| 74061-*0*3  | 10     | 80               | 10            | 10               | 27.00 | 18.00 | 4.25 | 0.76              |                   |
| 74061-*0*8  |        |                  |               |                  |       |       |      | 1.27              |                   |
| 74061-*5*3  | 25     | 200              | 25            | 25               | 57.00 | 48.00 | 4.25 | 0.76              |                   |
| 74061-*5*8  |        |                  |               |                  |       |       |      | 1.27              |                   |
| 74061-*0*4  | 10     | 80               | 10            | 10               | 27.00 | 18.00 | 5.15 | 0.76              |                   |
| 74061-*0*9  |        |                  |               |                  |       |       |      | 1.27              |                   |
| 74061-*5*4  | 25     | 200              | 25            | 25               | 57.00 | 48.00 | 5.15 | 0.76              |                   |
| 74061-*5*9  |        |                  |               |                  |       |       |      | 1.27              |                   |

CORRECTED DIMS  
EC NO: UCP2008-0329  
DRWN: JIONIAK 2007/08/28  
CHKD: JIONIAK 2007/08/28  
APPR: CBIXLER 2007/08/28

QUALITY SYMBOLS  
▽=0  
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)  
mm INCH  
4 PLACES ± --- ± ---  
3 PLACES ± --- ± ---  
2 PLACES ± --- ± ---  
1 PLACE ± --- ± ---  
ANGULAR ±1/2°  
DRAFT WHERE APPLICABLE  
MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE  
MM ONLY  
DRAWN BY DATE  
MWANG 1998/11/09  
CHECKED BY DATE  
JLAURX 1998/11/09  
APPROVED BY DATE  
CBIXLER 1998/11/09  
MATERIAL NO.  
SEE CHART

SCALE  
2.5:1  
TITLE  
SD-74061-002

DESIGN UNITS  
METRIC  
THIRD ANGLE PROJECTION  
VHDM 8 ROW  
SIGNAL END BACKPLANE  
SALES ASSEMBLY  
MOLEX INCORPORATED  
DOCUMENT NO.  
SD-74061-002  
SHEET NO.  
2 OF 3  
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9