






Technical drawing of a table showing a side view. The drawing includes a horizontal line representing the tabletop and several vertical lines representing the legs. A dimension line on the left indicates a height of 34.5.





		-	-
964273-1	1.0~2.5	PRETINNED	963292-1
964286-1	0.5~1.0	PRETINNED	963293-1
964282-1	0.35~0.5	PRETINNED	963294-1
TE ORDER NO STRIP FORM	WIRE RANGE MM	FINISH	SINGLE WIRE SEAL NO
RECOMMENDED CONTACT SYSTEM: JPT -TYPE A ; SEALED			

-	-	-	-
969044-1	2.5~4.0	PRETINNED	963245-1
969042-1	1.0~2.5	PRETINNED	963244-1
969040-1	0.5~1.0	PRETINNED	963243-1
TE ORDER NO STRIP FORM	WIRE RANGE MM	FINISH	SINGLE WIRE SEAL NO
RECOMMENDED CONTACT SYSTEM: SPT -TYPE A ; SEALED			


2098165-1	0.3~0.5	PRETINNED	2005423-3
TE ORDER NO	WIRE RANGE MM	FINISH	CAVITY PLUG
RECOMMENDED CONTACT SYSTEM:0.8X0.64			



(D1) 1. APPLICABLE COVER ASSY : TE P/N 2005243
2. APPLICABLE CAVITY PLUG : TE P/N 2005423-3 , 2109258-4



				D				
				ASSY PIN	3-2005238-4	2-2005238-3	1-2005238-2	2005238-1
6	PINK	PBT-GF30	SEAL COVER	1				
	GRAY				1			
	BLACK					1		
	NATURAL						1	
5	RED ORANGE	SILICONE	FAMILY SEAL	1	1	1	1	
4	BROWN	SILICONE (LSR)	INNER SEAL	1	1	1	1	
3	NATURAL	PBT-GF30	DBL HSG	1	1	1	1	
2	BLACK	PA6-GB20/GF10	CARRIER HSG	1	1	1	1	
1	BLACK	PA66-GF35	PLUG HSG	1	1	1	1	
NO	COLOR	MATERIAL	DESCRIPTION	Q'TY				

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN SJ CHOI		 TE Connectivity	
		CHK SJ CHOI			
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
		APVD JW JUNG		025/110/250 HYBRID 38P ISL PLUG ASSY	
		PRODUCT SPEC			
		APPLICATION SPEC			
MATERIAL		WEIGHT		SIZE	CAGE CODE
				A2	00779
				DRAWING NO	
				C-2005238	
				RESTRICTED TO	
				-	
CUSTOMER DRAWING				SCALE	SHEET
				1:1	1 of 2
				REV	D1

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

©

COPYRIGHT20

BY -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD

P/NO

CIRCUIT ARRANGEMENT

X INDICATES UNAVAILABLE (BLOCKED) CIRCUIT

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38
2005238-1	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
1-2005238-2	○	○	○	X	○	○	X	X	X	X	○	X	○	○	X	○	○	○	○	○	○	X	○	X	○	○	X	○	○	○	○	○	X	X	X	○		
2-2005238-3	○	○	○	X	○	○	X	X	○	X	○	X	○	○	○	○	○	○	○	○	○	○	X	○	○	X	○	○	○	○	○	○	○	X	○	○		
D 3-2005238-4	○	○	X	X	X	X	○	○	X	X	X	X	○	○	X	○	○	○	○	○	○	X	X	X	○	○	○	○	○	○	○	○	X	X	X	○		

*CODING

2005238-1	1-2005238-2	2-2005238-3	D 3-2005238-4

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±

1 PLC ±

2 PLC ±0.5

3 PLC ±

4 PLC ±

ANGLES ±3°

FINISH

DWN

CHK

APVD
SEE SHEET 1

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

TE

TE Connectivity

NAME
025/110/250 HYBRID 38P ISL PLUG ASSY

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A200779

©2005238

-

SCALE 1:1 SHEET 2 OF 2 REV. D1

1471-9 (3/13)

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9