


molex

Application Tooling Specification Sheet



Hand Crimp Tool Order No. 63825-8800

Modular Crimp Head Order No. 63825-8870

FEATURES

- A full cycle ratcheting hand tool ensures complete crimps
- Ergonomically designed soft handles
- Precisely designed crimping profiles with simple contact positioning
- Easy handling due to outstanding force ratio
- % A-620 Class 2 compliant as indicated and RoHS compliant
- Modular Crimp Head is removable and can be use in the Air Powered Tool Order No.63816-0100, accompanied by Air Powered Crimp Adapter (Order No. 63816-0700)
- Can also be used in the Battery Powered Tool Order No.63816-0200 (110 V) or 63816-0250 (220 V), accompanied by Battery Powered Crimp Adapter (Order No. 63816-0600)


SCOPE

Products: SL™ Crimp Terminals, 24-30 AWG.

Terminal	Terminal Order No.				Wi	re Size	•Insulatio	n Diameter	Strip Length		
Series No.	Loose	Loose Piece *R		 ★ Reel		mm²	mm	ln.	mm	ln.	
50083	50083-8100	50083-8160	50083-8000	50083-8060	24-30	0.20-0.05	1.01-1.52	040 060	2.54-3.17	.100125	
30063	50083-8114	50083-8170	50083-8114	50083-8070	24-30			.040060	2.34-3.17	.100123	
	50087-8100	50087-8130	50087-8000	50087-8060		0.20-0.05	1.01-1.52	.040060			
50087	50087-8114	50087-8160	50087-8014	50087-8099	24-30				2.54-3.17	.100125	
			50087-8030								
	16-02-0108	40-08-0872	16-02-0077	16-02-0105		0.20-0.05	1.01-1.52	.040060	2.54-3.17		
70021	16-02-0109		16-02-0078	40-08-0871	24-30					.100125	
	16-02-0110		16-02-0091								
	16-02-0096	70058-0096	16-02-0069	16-02-0150							
	16-02-0097	70058-0097	16-02-0082	70058-0069							
70058	16-02-0098	70058-4096	16-02-0083	70058-0082	24-30	0.20-0.05	1.01-1.52	.040060	2.54-3.17	.100125	
	16-02-0140		16-02-0137	70058-0083							
	16-02-0151		16-02-0139	70058-4069							
71851	16-02-1109	16-02-0117	16-02-1112	16-02-0119	24-30	0.20-0.05	1.01-1.52	.040060	2.54-3.17	100 105	
/ 1051	16-02-1116	16-02-1117	16-02-1113	71851-0119	24-30	0.20-0.05		.040000		.100125	
	*For customer to cut off terminal from reel, see crimp specifications for desired terminal series.										

Doc No: ATS-6382588HM Release Date: 09-09-13 Revision Date: 09-09-13 Revision: A


DEFINITION OF TERMS



The above terminal drawing is a generic terminal representation. It is not an image of a terminal listed in the scope.

▲ Insulation Crimp Note:

Due to the terminal's insulation grip design and/or insulation diameter range, this tool uses "overlap" form geometry in the insulation punch. This produces an overlap insulation crimp (A620 - compliant). While the insulation punch profile may appear "lopsided", this is a normal condition for this tool. See figure to the right. (Some tools with multiple crimp pockets may not have the "overlap" profile on all pockets).



CRIMP SPECIFICATIONS:

	Bell n	Cut	-off Tab	Maxin	Conductor Brush			
Terminal Series No.	Dell II	Front		Rear		Conductor Drush		
	mm	ln.	mm	ln.	mm Ir		mm	ln.
50083	0.20-0.50	.008020	0.15	.006	0.30	.012	0.00-1.00	.000039
50087	0.20-0.50	.008020	0.15	.006	0.30	.012	0.00-1.00	.000039
70021	0.20-0.50	.008020	0.13	.005	0.13	.005	0.00-1.00	.000039
70058	0.20-0.50	.008020	0.13	.005	0.08	.003	0.00-1.00	.000039
71851	0.20-0.50	.008020	0.13	.005	0.08	.003	0.00-1.00	.000039

Terminal Series No.	Bend up E	Bend down	Twist	Roll			
Terminal Series No.	Deg	Degree					
50083	3	3	3	8	Seam Seam shall not be open		
50087	3	3	3	8	and no wire allowed out		
70021	3	3	3	8	of the crimping area		
70058	3	3	3	8	or the diffipling area		
71851	3	3	3	8			

UNCONTROLLED COPY Doc No: ATS-6382588HM Release Date: 09-09-13 Page 2 of 8 Revision: A

Revision Date: 09-09-13

After crimping, the conductor profiles should measure the following.

Terminal	Wire Size		Conductor Crimp			Insulation Crimp				Pull Force		Profile				
Series No	vviie	Size	Height		Width	(Ref.)	Height	t (Ref.)	Width (Ref.)		Minimum			PIU	ille	
Selles NO	AWG	mm ²	mm	ln.	mm	ln.	mm	ln.	mm	ln.	N	Lb.	24	26	28	30
	24	0.20	0.79-0.87	.031034	1.05	.041	1.60	.063	1.60	.063	29.4	6.61	Χ			
50083	26	0.12	0.74-0.81	.029032	1.05	.041	1.58	.062	1.58	.062	19.6	4.41		Χ		
30003	28	0.08	0-71-0.78	.028031	1.05	.041	1.55	.061	1.58	.062	9.8	2.20			Χ	
	30	0.05	0-67-0.74	.026029	1.05	.041	1.55	.061	1.57	.062	4.9	1.10				Χ
	24	0.20	0.79-0.87	.031034	1.05	.041	1.60	.063	1.60	.063	29.4	6.61	Χ			
E0007	26	0.12	0.74-0.81	.029032	1.05	.041	1.58	.062	1.58	.062	19.6	4.41		Х		
50087	28	0.08	0-71-0.78	.028031	1.05	.041	1.55	.061	1.58	.062	9.8	2.20			Χ	
	30	0.05	0-67-0.74	.026029	1.05	.041	1.55	.061	1.57	.062	4.9	1.10				Χ
	24	0.20	0.79-0.84	.031033	1.05	.041	1.60	.063	1.60	.063	28.9	6.50	Χ			
70021	26	0.12	0.74-0.79	.029031	1.05	.041	1.58	.062	1.58	.062	17.8	4.00		Х		
70021	28	0.08	0-71-0.76	.028030	1.05	.041	1.55	.061	1.58	.062	11.1	2.50			Χ	
	30	0.05	0-66-0.71	.026028	1.05	.041	1.55	.061	1.57	.062	6.7	1.50				Χ
	24	0.20	0.79-0.84	.031033	1.05	.041	1.60	.063	1.60	.063	28.9	6.50	Χ			
70058	26	0.12	0.74-0.79	.029031	1.05	.041	1.58	.062	1.58	.062	17.8	4.00		Х		
70000	28	0.08	0-71-0.76	.028030	1.05	.041	1.55	.061	1.58	.062	11.1	2.50			Χ	
	30	0.05	0-66-0.71	.026028	1.05	.041	1.55	.061	1.57	.062	6.7	1.50				Χ
71851	24	0.20	0.79-0.84	.031033	1.05	.041	1.60	.063	1.60	.063	28.9	6.50	Χ			
	26	0.12	0.74-0.79	.029031	1.05	.041	1.58	.062	1.58	.062	17.8	4.00		Χ		
1 1001	28	0.08	0-71-0.76	.028030	1.05	.041	1.55	.061	1.58	.062	11.1	2.50			Χ	
	30	0.05	0-66-0.71	.026028	1.05	.041	1.55	.061	1.57	.062	6.7	1.50				Χ

[•] To Achieve IPC-A-620 Class 2 Crimps, the following over-all wire insulation diameter ranges are recommended:

Profile 24: 1.25-1.40mm (.049-.055 inch)

Profile 26: 1.15-1.35mm (.045-.053 inch)

Profile 28: 1.10-1.30mm (.043-.051 inch)

Profile 30: 1.10-1.25mm (.043-.049 inch)

Tool Qualification Notes:

- 1. Pull Force should be measured with no influence from the insulation crimp.
- 2. The above specifications are guidelines to an optimum crimp.

Notes:

- 1. This tool should only be used for the terminals and wire gauges specified on this sheet.
- 2. This tool is not adjustable for crimp height. Variations in tools, terminals, wire stranding, and insulation types may affect crimp height.
- 3. This tool is intended for standard conductor sizes. It may not give a good insulation crimp support for all insulation sizes.
- 4. Molex does not repair hand tools (see warranty above). The replacement parts listed are the only parts available for repair. If the handles or crimp tooling is damaged or worn, a new tool must be purchased.
- 5. Pull force should be used as the final criteria for an acceptable crimp. Pull force is measured with no influence from the insulation crimp. The insulation should be stripped long (1/2 in.) so the insulation grips on the terminal do not grip the wire insulation or the conductor. Refer to Molex Quality Crimping Handbook 63800-0029 for additional information on crimping and crimp testing.
- 6. Molex does not certify crimp hand tools.


OPERATION

Open the tool by squeezing the handles together, at the end of the closing stroke, the ratchet mechanism will release the handles, and the hand tool will spring open.


UNCONTROLLED COPY Doc No: ATS-6382588HM Release Date: 09-09-13 Page 3 of 8 Revision Date: 09-09-13


Revision: A

- With the hand tool in the open position, pivot the terminal locator open by pulling on the locator knob and lift the wire stop blade up. See Figure 1.
- 2. Insert the terminal into the correct profile until the terminal is fully seated and stops. Make sure the wire stop blade is fully in up position.
- 3. Gently pivot the locator closed.
- 4. Bring down the wire stop blade. Make sure the wire stop blade is fully seated on the terminal behind the conductor grip section.
- 5. Slide the pre-stripped wire into the terminal; make sure to aim the wire brush towards the tip point on the wire stop blade. See Figure 2. Align the wire so that it is parallel and sitting into the terminal. Maintain a light and constant



pressure on the wire that is seated in the terminal at all times. (Do not let go of the wire.) Be sure to hold the wire and terminal in place until the terminal is fully crimped. See Figure 3.






- 6. Close the tool until the ratchet releases, the tool handles will then spring open.
- 7. Lift the wire stop blade up.
- 8. Carefully remove the crimped terminal. Pivot the terminal locator slightly out if necessary. See Figure 4.

Note: The tamper proof ratchet action will not release the tool until it has been fully closed.

Note: To maintain good brush control and a consistent bell mouth the crimping instructions must be followed.



Doc No: ATS-6382588HM Release Date: 09-09-13 **UNCONTROLLED COPY** Page 4 of 8 Revision: A Revision Date: 09-09-13

Terminal Locator Replacement/Change Over


This section describes the procedure for changing locators.

Removal

- 1. With the tool in the open position, pivot the terminal locator outward.
- 2. Remove the M4 BHCS. See Figure 4.

Installation

- 1. Place the replacement locator on the hand tool. Install the M4 BHCS. See
- 2. Tighten the screw enough to hold the locator. Make sure the locator can still float freely with hand pressure.
- 3. Insert the proper terminal fully into the correct profile slot until the terminal is fully seated and stops. Then gently pivot the locator closed.
- 4. With hand pressure, slowly slide the locator to the correct position. See Figure 6.
- 5. Gently pivot the locator open without disturbing the location.
- 6. Hold the locator firmly in place and slowly tighten the M4 BHCS.



INCORRECT

Figure 6

INCORRECT

CORRECT

Maintenance

It is recommended that each operator of the tool be made aware of, and responsible for, the following maintenance steps:

- 1. Remove dust, moisture, and other contaminants with a clean brush, or soft, lint free cloth.
- 2. Do not use any abrasive materials that could damage the tool.
- 3. Make certain all pins; pivot points and bearing surfaces are protected with a thin coat of high quality machine oil. Do not oil excessively. The tool was engineered for durability but like any other equipment it needs cleaning and lubrication for a maximum service life of trouble free crimping. Light oil (such as 30 weight automotive oil) used at the oil points, every 5,000 crimps or 3 months, will significantly enhance the tool life.
- 4. Wipe excess oil from hand tool, particularly from crimping area. Oil transferred from the crimping area onto certain terminations may affect the electrical characteristics of an application.
- 5. When tool is not in use, keep the handles closed to prevent objects from becoming lodged in the crimping dies, and store the tool in a clean, dry area.

Miscrimps or Jams

Should this tool ever become stuck or jammed in a partially closed position, **Do Not** force the handles open or closed. The tool will open easily by lifting the ratchet release lever. See Figure 10.

UNCONTROLLED COPY Doc No: ATS-6382588HM Release Date: 09-09-13 Page 5 of 8 Revision Date: 09-09-13

Revision: A

Warranty

This tool is for electrical terminal crimping purposes only. This tool is made of the best quality materials. All vital components are long life tested. All tools are warranted to be free of manufacturing defects for a period of 30 days. Should such a defect occur, we will repair or exchange the tool free of charge. This repair or exchange will not be applicable to altered, misused, or damaged tools. This tool is designed for hand use only. Any clamping, fixturing, or use of handle extensions voids this warranty.

CAUTION: Repetitive use of this tool should be avoided.

CAUTIONS:

- 1. Manually powered hand tools are intended for low volume or field repair. This tool is NOT intended for production use. Repetitive use of this tool should be avoided.
- 2. Insulated rubber handles are not protection against electrical shock.
- 3. Wear eye protection at all times.
- 4. Use only the Molex terminals specified for crimping with this tool.

CAUTION: Molex crimp specifications are valid only when used with Molex terminals and tooling.

Applications for the Modular Crimp Head

WARNING: *NEVER* operate, service, install, or adjust this Modular Crimp Head without proper instruction and without first reading and understanding the instructions in the proper Manual or Specification Sheet. See Chart below for the correct Manual or Specification Sheet.

WARNING: *NEVER* install tooling or service this tool while it is into any power source. Disconnect the power by unplugging or turn off the Actuator from its power source.


CAUTION: Keep fingers away from the crimping area when operating this tool. It may cause severe injury.

CAUTION: Wear safety glasses when operating or serving this tool.

Doc No: ATS-6382588HM Release Date: 09-09-13 **UNCONTROLLED COPY** Page 6 of 8 Revision: A Revision Date: 09-09-13

The chart below shows all applications for this Modular Crimp Head.


Modular Crimp Head Order No.	Tool Order no.	Tool Description	Adapter Order No.	Adapter Description	Figure No.
	63816-0000	Hand Crimp Frame (Short)	N/A	N/A	7
	63816-0050	Hand Crimp Frame (Long)	N/A	N/A	7
63825-8870	63816-0200	Battery Power Tool (110 V)	63816-0600	Battery Power Crimp Adapter	8
	63816-0250	Battery Power Tool (220 V)	63816-0600	Battery Power Crimp Adapter	8
	63816-0100	Air Power Tool	63816-0700	Air Power Crimp Adapter	9



UNCONTROLLED COPY Doc No: ATS-6382588HM Release Date: 09-09-13 Revision Date: 09-09-13 Revision: A

PARTS LIST

Item	Order Number	Description	Quantity
1	63825-8870	Modular Crimp Head	1
2	63816-0000	Hand Crimp Frame (Short)	1
3	63825-8875	Locator	1
4	63816-0001	Locking Pin	2
5	63600-0525	Handle Spring	1
6	63600-0520	Crimping Spring	2



Visit our Web site at http://www.molex.com

Doc No: ATS-6382588HM Revision: A Release Date: 09-09-13 Revision Date: 09-09-13

ПОСТАВКА ЭЛЕКТРОННЫХ КОМПОНЕНТОВ

Общество с ограниченной ответственностью «МосЧип» ИНН 7719860671 / КПП 771901001 Адрес: 105318, г.Москва, ул.Щербаковская д.3, офис 1107

Данный компонент на территории Российской Федерации Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

http://moschip.ru/get-element

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г. Москва, ул. Щербаковская д. 3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru moschip.ru_6 moschip.ru 4 moschip.ru 9