

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

| P | LTR | DESCRIPTION   | DATE      | DWN | APVD |
|---|-----|---------------|-----------|-----|------|
|   | B1  | ECR-14-003270 | 05MAR2014 | GK  | HMR  |
|   |     |               |           |     |      |
|   |     |               |           |     |      |
|   |     |               |           |     |      |

REPLACED BY OCEAN STYLE APPLICATOR PART  
NUMBER 2266088-1


FOR REPLACEMENT PARTS FOR APPLICATOR 1426332  
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)  
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE  
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR  
1426332

|                                                                                       |  |                                        |  |                                                                                                       |  |
|---------------------------------------------------------------------------------------|--|----------------------------------------|--|-------------------------------------------------------------------------------------------------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                |  | DWN GOPALAKRISHNA HV                   |  |  TE Connectivity |  |
| DIMENSIONS:                                                                           |  | CHK RAGHAVENDRA                        |  |                                                                                                       |  |
|  |  | TOLERANCES UNLESS OTHERWISE SPECIFIED: |  | APVD RAGHAVENDRA                                                                                      |  |
|                                                                                       |  | 0 PLC ±                                |  | NAME                                                                                                  |  |
|                                                                                       |  | 1 PLC ±                                |  | SIDE FEED HD-I APPLICATOR                                                                             |  |
| MATERIAL                                                                              |  | 2 PLC ±                                |  | PRODUCT SPEC                                                                                          |  |
|                                                                                       |  | 3 PLC ±                                |  | APPLICATION SPEC                                                                                      |  |
|                                                                                       |  | 4 PLC ±                                |  | SIZE CAGE CODE DRAWING NO RESTRICTED TO                                                               |  |
| FINISH                                                                                |  | WEIGHT                                 |  | C- 1426332                                                                                            |  |
|                                                                                       |  | CUSTOMER DRAWING                       |  | SCALE SHEET 1 OF 2 REV B1                                                                             |  |



1. RECOMMENDED SPARE PARTS.
2. GREASE RAM, CAM, CAM FOLLOWER AND FEED ROD LIGHTLY.
3. LUBRICATE DAILY PER THE APPLICATOR INSTRUCTION SHEET SUPPLIED WITH THE APPLICATOR.
4. CRIMP HEIGHTS & CRIMP WIDTHS SUPPLIED BY GROTE & HARTMANN, WITH THE EXCEPTION OF 0.35mm<sup>2</sup>, WHICH WAS CALCULATED BY TYCO.
5. RECOMMENDED TERMINAL WIRE RANGE IS 0.50-1.00mm<sup>2</sup>. WIRE RANGE QUOTED IS THAT OF THE APPLICATOR.



|                        |                 |          |  |                                             |  |                 |  |                               |  |                           |  |                 |
|------------------------|-----------------|----------|--|---------------------------------------------|--|-----------------|--|-------------------------------|--|---------------------------|--|-----------------|
|                        |                 |          |  | DIMENSIONS: mm (INCHES)                     |  | MATERIAL        |  | HT TR                         |  | FIN                       |  |                 |
|                        |                 |          |  | DO NOT SCALE PRINT.                         |  |                 |  |                               |  |                           |  |                 |
|                        |                 |          |  | TOLERANCES UNLESS OTHERWISE SPECIFIED:      |  | DR              |  | 13MAY02                       |  | APP                       |  |                 |
|                        |                 |          |  | 1 PLC DEC ±                                 |  | M. CLIFFORD     |  | 13MAY02                       |  | F. BACKHURST              |  |                 |
|                        |                 |          |  | 2 PLC DEC ±                                 |  | CHK -           |  | REL                           |  | 18-06-02                  |  |                 |
|                        |                 |          |  | 3 PLC DEC ±                                 |  |                 |  |                               |  | AMP                       |  |                 |
|                        |                 |          |  | ANGLES                                      |  |                 |  |                               |  | AMP Incorporated          |  |                 |
|                        |                 |          |  | SURF TEXTURE, ✓                             |  |                 |  |                               |  | Harrisburg, PA 17105-3608 |  |                 |
| B 0150-0813-03         |                 | BH JUL03 |  |                                             |  | NAME            |  | SIDE FEED HD-1 APPLICATOR     |  |                           |  | MACHINE REF     |
| A SEE ECN 015A-0433-02 |                 | MC JUN02 |  |                                             |  | SCALE           |  | D DWG NO 1426332              |  |                           |  | HD-1 APPL       |
| P F LTR                | REVISION RECORD | APP DATE |  | REMOVE BURRS, BREAK SHARP EDGES, RO. 38 MAX |  |                 |  |                               |  |                           |  | SHEET 1 OF 1    |
| 3                      |                 |          |  |                                             |  | CAGE CODE 00779 |  | CUSTOMER AND ASSEMBLY DRAWING |  |                           |  | RESTRICTED TO - |

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9