

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	D1	ECR-15-009637	25JUN2015	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2266766-2


FOR REPLACEMENT PARTS FOR APPLICATOR 1852610
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1852610






THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GOPALAKRISHNA HV		 TE Connectivity	
DIMENSIONS:		CHK RAGHAVENDRA			
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD RAGHAVENDRA	
		0 PLC ±		NAME SIDE FEED HDM APPLICATOR	
		1 PLC ±		PRODUCT SPEC	
MATERIAL		2 PLC ±		APPLICATION SPEC	
		3 PLC ±		SIZE A3	
FINISH		4 PLC ±		CAGE CODE	
		ANGLES ±		DRAWING NO C- 1852610	
		WEIGHT		RESTRICTED TO	
		CUSTOMER DRAWING		SCALE	
				SHEET 1 OF 2	
				REV D1	

8				7							
THIS DRAWING IS UNPUBLISHED.				RELEASED FOR PUBLICATION				20			
© COPYRIGHT 20 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.											
PART NUMBER		REV	FIRST USED	POWER UNIT		FEED TYPE		DESCRIPTION			
1852610-1		D	122500-1	LEADMAKER		POST FEED		CUTS CARRIER			
1852610-2		D	565435-5	BENCH MODEL K		PRE FEED		CUTS CARRIER			
1852610-3		D	354500-1	BENCH MODEL G		PRE FEED		CUTS CARRIER			
1852610-6		D	122500-1	LEADMAKER		POST FEED		CONTINUOUS CARRIER			
7-1852610-7		B	-	-		-		SPARE PARTS			

- △ RECOMMENDED SPARE PARTS
△ GREASE LIGHTLY
△ GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN A BENCH MACHINE



TERMINAL NAME: RING TONGUE					
SOCKET	-	TE TERMINAL - TE CRIMP SPECS			
1599300	-				
-	-	PAD LTR	CRIMP HEIGHT	WIRE SIZE	
-	-	A	2.35±0.05mm[0.093±0.002]	1.3mm2	
-	-	B	2.24±0.05mm[0.088±0.002]	1mm2	
-	-	C	2.18±0.05mm[0.086±0.002]	0.75mm2	
-	-	D	-	-	
-	-	CRIMP	SIZE	TYPE	RANGE
-	-	WIRE	3.30mm[0.130]	F	0.75-1.30mm2
-	-	INSUL	3.30mm[0.130]	O	1.55-2.10mm
WIRE STRIP LENGTH 5.5mm	TERM APPL SPEC NONE	FEED 21.00mm	APPLICATOR INSTRUCTIONS 408-8040		SET UP GAGE 458637-1



LOC		REV		REVISIONS			
A	66	1	LYW	DESCRIPTION	DATE	BY	APPD
B	ECR-08-003477				07FEB2008	MEH	TE
C	ECR-08-012513				16MAY2009	MY	GB
D	ECR-11-015997				03AUG2011	RS	SX

-	2	2	2	2	-	6-354778-1	PIN, WIRE DISC, .2800	128
-	2	2	2	2	-	5-354778-7	PIN, WIRE DISC, .2780	127
-	2	2	2	2	-	4-354779-7	PIN, WIRE DISC, .3225	126
-	1	1	1	1	-	8-21000-7	SCR, SKT HD CAP 10-32 X 2.500	124
-	-	-	REF	-	..	455749-1	GUARD WINDOW	116
-	-	REF	-	-	..	679532-1	INSERT, GUARD	115
-	-	-	2	-	-	21024-2	WASHER, SPRG LOCK, REG NO 4	114
-	1	1	1	1	-	690603-1	SPRING ASSIST AMP-O-MATOR APPLICATOR	112
-	-	-	1	-	-	21989-8	SCR, SKT HD SHLDR 3/16 DIA X .250	105
-	2	2	2	2	-	5-21006-6	SCR, SET, CUP POINT 10-32 X .750	99
-	1	1	1	1	-	1-22281-8	SPRING, COMPRESSION	96
-	1	1	1	1	-	1-21002-7	SCR, BTN SKT HD CAP 6-32 X .375	91
-	1	1	1	1	-	318563-1	GUARD, FRONT CHIP	89
-	2	2	2	2	-	1-21000-5	SCR, SKT HD CAP 4-40 X .500	85
-	1	1	1	1	-	4088040	SF APPL INST 408-8040	72
-	1	1	1	1	-	217238-1	GENERAL INSTRUCTION PKG	71
-	1	1	1	1	-	461264-1	PLATE, IDENTIFICATION	67
-	2	2	2	2	-	21017-2	SCREW, DRIVE	66
-	1	1	1	1	-	986950-1	WASHER, FLAT PRECISION	64
-	1	1	1	1	-	21009-2	SCR, SET, SELF LOCKING 1/4-20 X .250	63
-	1	1	1	1	-	23030-1	SCR, SKT HD CAP 6-32 X .25	62
-	1	1	1	1	-	22733-8	SCR, BHSC, SELF-LOCKING, 8-32 X .375	60
-	1	1	1	1	-	2-22603-0	SCR, HEX HD CAP 8-32 X .312	59
-	2	2	2	2	-	1-21002-3	SCR, BTN SKT HD CAP 4-40 X .250	57
-	1	1	1	1	-	458537-4	PAWL, FEED	56
-	4	4	4	4	-	2-21002-2	SCR, BTN SKT HD CAP 8-32 X .500	54
-	-	-	-	-	..	690602-6	CAM, PRE FEED, 1 5/8	49
-	-	-	-	-	..	690602-5	CAM, PRE FEED, 1 1/8	48
-	1	-	-	-	-	690501-4	CAM, POST-FEED 1 5/8	47
-	1	1	1	1	-	459456-1	APPL, BASIC SUB ASSY (SIDE WISE MQCA)	46
-	1	1	1	1	-	690191-1	PLUG, NYLON	45
-	1	1	1	1	-	455673-1	RAM, SIDE FEED	44
-	1	1	1	1	-	690125-1	SHIM SUB-ASSY	43
-	1	1	1	1	-	690124-1	WASHER, RAM (.115)	42
-	1	1	1	1	-	7-21002-9	SCR, BTN SKT HD CAP 5/16-24 X 1.00	41
-	1	1	1	1	-	23241-6	BALL, STEEL	40
-	1	1	1	1	-	690170-1	SPRING, COMPRESSION	39
-	1	1	1	1	-	690142-1	DISC, INSULATION	38
-	1	1	1	1	-	354777-1	WIRE DISC, ASSEMBLY	37
-	1	1	1	1	-	22480-5	SPRING, COMPRESSION	36
-	1	1	1	1	-	690212-1	POST, RAM	35
-	1	1	1	1	-	2-690786-3	TERMINAL SUPPORT	34
-	1	1	1	1	-	21024-5	WASHER, SPRG LOCK, REG NO 10	32
-	1	1	1	1	-	3-21000-4	SCR, SKT HD CAP 10-32 X .375	31
-	1	1	1	1	-	189807-9	FENCE	30
-	1	1	1	1	-	1633087-3	PLATE, STRIP GUIDE	29
-	1	1	1	1	-	1-455888-0	SPACER, CRIMPER	28
-	2	2	2	2	-	1-22284-0	SPRING, COMPRESSION	27
-	1	1	1	1	-	356835-1	LEVER, DRAG RELEASE	26
-	1	1	1	1	-	240792-1	DRAG, TERMINAL	25
-	1	1	1	1	-	3-679651-3	FRONT STRIP GUIDE	24
-	1	1	1	1	-	690472-2	STRIPPER	22
-	1	1	1	1	-	2-21000-7	SCR, SKT HD CAP 8-32 X .500	21
-	2	2	2	2	-	21024-4	WASHER, SPRG LOCK, REG NO 8	20
-	1	-	-	-	-	679625-1	SHEAR HOLDER, FRONT (NO CUT)	13
-	1	1	1	1	-	3-22280-3	SPRING, COMPRESSION	12
-	1	1	1	1	-	1-690461-7	STOP, SHEAR	11
-	-	-	-	-	-	690459-1	SHEAR HOLDER, FRONT	10
-	1	1	1	1	-	454276-1	FLOATING SHEAR, FRONT	9
-	1	1	1	1	-	1633114-7	ANVIL, COMBINATION .130	8
-	-	-	-	-	..	-	-	7
-	-	-	-	-	..	-	-	6
-	1	1	1	1	-	2-455889-0	DEPRESSOR, SHEAR	5
-	1	1	1	1	-	238011-2	BLOCK, CRIMPER SPACER	4
-	1	1	1	1	-	1-456135-6	CRIMPER, INSULATION O PREMIUM	3
-	1	1	1	1	-	1-455888-1	SPACER, CRIMPER	2
-	1	1	1	1	-	3-456410-7	CRIMPER, WIRE PREMIUM	1

THIS DRAWING IS A CONTROLLED DOCUMENT. FOR THE PROPOSED APPLICATION, THE USER SHALL VERIFY THE DIMENSIONS AND TOLERANCES SHOWN HEREIN. THE USER SHALL BE RESPONSIBLE FOR THE PROPOSED APPLICATION. THE USER SHALL BE RESPONSIBLE			
--	--	--	--

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9