




LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AD	00		A2	REVISED PER ECO-11-004917	11MAR11	RK	HMR



CONTACT ARRANGEMENT





FIG 1

- FOR ADDITIONAL SPECIFICATIONS SEE AMP PRODUCT SPEC 108-7532.
- SWITCH SHOWN IN OPEN POSITION.
- ALL CHARACTERS AND ROCKERS ARE WHITE, HOUSING IS BLUE.
- STAMPING WILL VARY ON 2 AND 3 POSITION SIDES DUE TO SPACE RESTRICTIONS.
- .315 DIMENSION APPLIES AT TERMINAL TIPS. TERMINALS ARE .300 +.010 AT MOUNTING SURFACE. -.000
- ALL MATERIALS AND FINISHES SHALL COMPLY WITH EU DIRECTIVE 2002 /95/EC OF 27JAN2003 (ROHS).
- MATERIAL: HOUSING AND ROCKERS - POLYESTER
CONTACT & SOLDER LEAD - COPPER ALLOY
- FINISH: CONTACT - GOLD OVER NICKEL
SOLDER LEAD - TIN OVER NICKEL
- OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

OBSOLETE	FIG 7	—	.58	5	8-5435668-7
	FIG 2	FIG 1	.58	5	3-5435668-5
			.48	4	3-5435668-4
			.38	3	3-5435668-3
OBSOLETE			1.28	12	3-5435668-2
OBSOLETE			1.18	11	3-5435668-1
			1.08	10	3-5435668-0
OBSOLETE			.98	9	2-5435668-9
			.88	8	2-5435668-8
			.78	7	2-5435668-7
			.28	2	2-5435668-6
		.68	6	2-5435668-5	
		—	1.08	10	5435668-9
		—	.88	8	5435668-7
		—	.68	6	5435668-5
		—	.58	5	5435668-4
	—	.48	4	5435668-3	
OBSOLETE	—	.28	2	5435668-1	
	MARKING	SEALING TAPE	A	NO OF POSN	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN BSV	08JAN05	 TE Connectivity			
DIMENSIONS: INCHES		CHK —	—				
	0 PLC ± —	APVD —	NAME	SWITCH ASSY, DIP, TYPE C, 7100 SERIES, SPST, LOW PROFILE			
	1 PLC ± —	PRODUCT SPEC —					
	2 PLC ± —	APPLICATION SPEC —					
	3 PLC ± —	—					
4 PLC ± .005	—	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO		
MATERIAL	FINISH	WEIGHT —	A2	00779	C=5435668	—	
		CUSTOMER DRAWING			SCALE 4:1	SHEET 1 of 2	REV A2

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT - By -

ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS				
AD	00	P	LTR	DESCRIPTION	DATE	DWN
			—	SEE SHEET 1	—	—




FIG 2





FIG 7

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN BSV		08JAN05		 TE Connectivity			
		CHK —		—					
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD —		NAME			
		0 PLC ± —		PRODUCT SPEC		SWITCH ASSY, DIP, TYPE C, 7100 SERIES, SPST, LOW PROFILE			
		1 PLC ± —		—					
		2 PLC ± —							
		3 PLC ± .005							
		4 PLC ± —		APPLICATION SPEC					
		ANGLES ± —		—					
MATERIAL —		FINISH —		WEIGHT —		SIZE A2	CAGE CODE 00779	DRAWING NO C=5435668	RESTRICTED TO —
CUSTOMER DRAWING						SCALE 4:1	SHEET 2 of 2	REV A2	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9