






PART NUMBER SEE SHEET 2



spec ref *				dr	Rainbow Zhan	2015/10/15	projection	MM	size	A3	scale	3:2
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Rainbow Zhan	2016/04/07			ecn no -			
ASME Y14.5				chr	Fancy Zhang	2016/04/06			rel level Released			
				appr	Pei-Ming Zheng	2016/04/07			product family PwrBlade+			
surface ✓ ASME Y14.5	linear	0.X	±0.5	Amphenol FCI www.fci.com	title 2LP VERTICAL PF PLUG				dwg no	10106267-0200401		rev A
		0.XX	±0.25									
	angular	0°	±2°		cat. no.					Product - Customer Drw		

PRODUCT NO.	LP			
	E1	P1	P2	E2
10106267-0200401LF	LR LR			


CODE	DESCRIPTION
LR	STD LOW POWER CONTACT
HA	HOLD DOWN



spec ref *				dr		Rainbow Zhan	2015/10/15	projection			MM	size		A3	scale		3:2				
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		Rainbow Zhan	2016/04/07			ecn no						-			
ASME Y14.5						chr		Fancy Zhang	2016/04/06			rel level						Released			
						appr		Pei-Ming Zheng	2016/04/07			product family						PwrBlade+			
surface		linear	0.X		±0.5		Amphenol FCI				title		2LP		dwg no		10106267-0200401		rev		A
			0.XX		±0.25																
			0.XXX		±0.10																
ASME Y14.5		angular	0°		±2°		www.fci.com				cat. no.				Product - Customer Drw				sheet 2 of 3		

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15±0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02±0.07MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.

spec ref *				dr	Rainbow Zhan	2015/10/15	projection 	MM 	size	A3	scale	3:2
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Rainbow Zhan	2016/04/07			ecn no -			
ASME Y14.5				chr	Fancy Zhang	2016/04/06			rel level Released			
				appr	Pei-Ming Zheng	2016/04/07	product family PwrBlade+					
surface 	linear	0.X	±0.5	Amphenol FCi	title	2LP VERTICAL PF PLUG			dwg no	10106267-0200401		rev A
		0.XX	±0.25									
		0.XXX	±0.10									
ASME Y14.5	angular	0°	±2°	www.fci.com	cat. no.	Product - Customer Drw				sheet 3 of 3		

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9