


19.0



3

7

PANEL THICKNESS 6.2

3.0

5.0

19.8

M16x1.5

5

4

1

Ø21.0

19.0

14.1

45°


M12x1

2

6

Panel Cutout:

14.2^{+0.1}₀



Ø16.1^{+0.1}₀





TABLE 1

ITEM	QTY.	COMPONENT	MATERIAL	FINISH
1	1	REC SHELL MALE	BRASS	NICKEL PLATED
2	1	INSERT	PA	BLACK
3	4/5/8/12	PIN CONTACT 0.6mm	BRASS	CuZn Ni/Au
4	1	LOCKNUT	BRASS	Ni PLATED
5	1	O-RING 16x1.5	EPDM	BLACK
6	1	O-RING 7.1x1.35	VITON	RED
7	-	POTTING MATERIAL	EPOXY	NONE

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION







EC NO: 169742 DRWN: RSILLER CHK'D: APPR: RSILLER	2017/12/21 2017/12/21	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS	SCALE	molex®						
		ANGULAR TOL ± 1.0 °		mm	2:1							
		4 PLACES	±	DRWN BY		DATE		REC U12 XP AC FE M16 BM SOL BRA AU				
		3 PLACES	±	SSM		2017/09/27						
		2 PLACES	± 0.05	CHK'D BY		DATE		PRODUCT CUSTOMER DRAWING				
		1 PLACE	± 0.1	CHKD BY		DATE						
		0 PLACES	±	APPR BY		DATE		SERIES 120084				
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		RSILLER		2017/12/06						
		DRAWING SIZE		THIRD ANGLE PROJECTION		CUSTOMER GENERAL MARKET						
		A3									DOCUMENT NUMBER 1200845175	
A1		REV		DOC TYPE PSD								
1200845175		1200845175							DOC PART 000			
1200845175		1200845175		SHEET NUMBER 1 OF 2								

TABLE 3


MATERIAL-NO.	1200845175	1200845179	1200840048	1200845176
ENG-NO.	WR4W400003	WR5W400003	WR8W400003	WRCW400003
LAYOUT				
VOLTAGE RATING	250V	60V	30V	30V
AC/DC CODING	A - Code	A - Code	A - Code	A - Code
AMPERE RATING	4A	4A	2A	1.5A
PROTECTION CLASS CONNECTOR INTERFACE SHELL TO ENCLOSURE	IP67/69K (in mated condition / when properly installed)			
OPERATING TEMP.	-25°C / 85°C			
UL CERTIFICATION	FILE NO. E152210			
CSA CERTIFICATION	FILE NO. LR6837			
PIN DIAMETER	1.0 mm	1.0 mm	0.8 mm	0.6 mm



DRILL LAYOUT BACKSIDE

TABLE 2

MOLEX P/N	ENGINEERING NR.	DESCRIPTION
1200845175	WR4W400003	REC U12 4P AC FE M16 BM SOL BRA AU
1200845179	WR5W400003	REC U12 5P AC FE M16 BM SOL BRA AU
1200840048	WR8W400003	REC U12 8P AC FE M16 BM SOL BRA AU
1200845176	WRCW400003	REC U12 12P AC FE M16 BM SOL BRA AU

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																
EC NO: 169742 DRWN: RSILLER CHK'D: REV: A1	2017/12/21	2017/12/21	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex®							
					mm		2:1									
					ANGULAR TOL ± 1.0 °		DRWN BY		DATE		REC U12 XP AC FE M16 BM SOL BRA AU					
					4 PLACES ±		SSM		2017/09/27							
					3 PLACES ±		CHK'D BY		DATE							
					2 PLACES ± 0.05		CHKD BY									
					1 PLACE ± 0.1		APPR BY		DATE		PRODUCT CUSTOMER DRAWING					
					0 PLACES ±		RSILLER		2017/12/06							
					DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE		THIRD ANGLE PROJECTION				SERIES		MATERIAL NUMBER	
A3							120084		SEE TABLE 2			GENERAL MARKET				
								DOCUMENT NUMBER			DOC TYPE		DOC PART		SHEET NUMBER	
								1200845175			PSD		000		2 OF 2	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9