

## Features:

- 4G/5G Antenna
- 617-3900MHz
- Gain 2 dBi
- Size 115.8 x 30.4 mm
- Flexible Printed Circuit
- Foldable for tight spaces
- Adheres to plastic surface
- 1.13mm cable with U.FL
- RoHS Compliant

## Applications:

- Challenging RF Environments Demanding:
  - Highest Peak Gain
  - Excellent Radiation Patterns
- Security, Video, Graphics
- IoT, SmartGrid, Meters, Remote Monitoring, Sensor Networks

All dimensions are in mm / inches

Issue: 1841

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

For more information:

Pulse Worldwide Headquarters  
15255 Innovation Drive #100  
San Diego, CA 92128  
USA  
Tel: 1-858-674-8100

Pulse/Larsen Antennas  
18110 SE 34<sup>th</sup> St Bldg 2 Suite 250  
Vancouver, WA 98683  
USA  
Tel: 1-360-944-7551

Europe Headquarters  
Pulse GmbH & Co, KG  
Zeppelinstrasse 15  
Herrenberg, Germany  
Tel: 49 7032 7806 0

Pulse (Suzhou) Wireless Products Co, Inc.  
99 Huo Ju Road(#29 Bldg, 4<sup>th</sup> Phase  
Suzhou New District  
Jiangsu Province, Suzhou 215009 PR China  
Tel: 86 512 6807 9998



**ELECTRICAL SPECIFICATIONS**

Antenna Type	FPC Dipole
Frequency	617-960/1710-2690/3400-3900MHz
Nominal Impedance	50 $\Omega$
Return Loss	< -6 dB
Gain	2 dBi
Efficiency	60%
Polarization	Linear
Power Withstanding	3 W

**MECHANICAL SPECIFICATIONS**

Overall Length	115.8mm x 30.4mm
Antenna Color / Material	BLACK FPC
Connector type	See table ,P3
Cable type	See table ,P3
Cable length	See table ,P3
Adhesive tape	3M 467

**ENVIRONMENTAL SPECIFICATIONS**


Operating Temperature	-40 to +85 ° C
Storage Temperature	-40 to +85 °
RoHS Compliant	Yes

Series: Gemini

Description: 617-3900MHz 4G/5G FPC  
Antenna with coax feed

**PART NUMBER:** W3929XXXX

## MECHANICAL DRAWING



P.N	'C' LENGTH	CABLE TYPE	CONNECTOR TYPE
W3929B0100	100MM	AWG#32 1.13MM	Equivalent of I-PEX MHF

Issue: 1841P

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION


This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

## TEST SETUP





RF parameter testing is done when antenna is mounted on 2 mm thick plastic plate.

## CHARTS




## CHARTS




## CHARTS

### Radiation Patterns – 617-960 MHz

### Elevation Plane



### Azimuth Plane



Series: Gemini


Description: 617-3900MHz 4G/5G FPC  
Antenna with coax feed

PART NUMBER: W3929XXXX


## CHARTS

### Radiation Patterns – 1710-2690 MHz

### Elevation Plane



### Azimuth Plane



Issue: 1841P

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.



Series: Gemini


Description: 617-3900MHz 4G/5G FPC  
Antenna with coax feed

PART NUMBER: W3929XXXX


## CHARTS

### Radiation Patterns – 3400-3900 MHz

### Elevation Plane



### Azimuth Plane



Issue: 1841P

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

Series: **Gemini**

Description: **617-3900MHz 4G/5G FPC**  
**Antenna with coax feed**

**PART NUMBER:** W3929XXXX

## PACKAGING

10pcs antenna per PE bag

10pcs PE bags per form bag

12pcs form bag per package box

Total 1200pcs per package box

Package box: 460mm\*235mm\*140mm

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9