

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC

DIST

-

-

P

LTR

DESCRIPTION

DATE

DWN

APVD

A

REVISED PER ECR-12-002666

08AUG2012

RS

MM

7

STUFFER

(REF)

LED SOCKET

(REF)

LED PACKAGE

(NOT SUPPLIED-REF)

LED LOCATOR

(REF)

EXPLODED VIEW WITH LED SHOWN

SCALE 6:1

1

MATERIALS AND FINISH:

-HOUSING: PBT-GF, COLOR: NATURAL

-LED LOCATOR: PBT-GF, COLOR: NATURAL

-STUFFER: PBT-GF, COLOR: NATURAL

-IDC CONTACTS: COPPER ALLOY

FINISH: GOLD IN LED INTERFACE WITH

TIN OVER NICKEL BALANCE

-THERMAL SPRING: STAINLESS STEEL

2.

MUST COMPLY WITH DIRECTIVE 2002/95/EC (ROHS)

3.

THIS PRODUCT HAS NOT COMPLETED VALIDATION TESTING

4

REFER TO LUMILEDS LED DATASHEET

FOR LED DIMENSIONS

5

REFER TO LUMILEDS LED DATASHEET

FOR RECOMMENDED THERMAL INTERFACE MATERIALS

6

RECOMMENDED SCREW SIZE: M3 OR #4.

TORQUE SCREWS TO 2.5 in-lbf TO 4.0 in-lbf

7

SOCKET TO BE USED WITH 24AWG UL1007/1569

INSULATED WIRE. MAX INSULATION O.D. TO BE Ø1.60

SOCKET ASSEMBLY W/ OPTICS LATCH

2154235-2

SOCKET ASSEMBLY W/O OPTICS LATCH

2154235-1

DESCRIPTION

PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

14OCT2010

CHK

C. DAILY

14OCT2010

CHK

R. NARANG

14OCT2010

APVD

-

PRODUCT SPEC

108-2455

APPLICATION SPEC

114-13294

WEIGHT

-

Customer Drawing

SCALE

4:1

SHEET

1

OF

4

REV

A

TE

TE Connectivity

ASSEMBLY, SOLDERLESS LED SOCKET,

TYPE LS

-

SIZE

A2

CAGE CODE

00779

DRAWING NO

2154235

RESTRICTED TO

-

1471-9 (3/11)

D1471-9 (3/11)

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
-	-	-	-	SEE SHEET 1	-	-

D

C

B




A

D


C

B

A



2154235-2 SHOWN




THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN C. DAILY CHK R. NARANG APVD -	14OCT2010 14OCT2010 -
mm	0 PLC ± 1 PLC ±0.2 2 PLC ±0.15 3 PLC ± 4 PLC ± ANGLES ±2° FINISH	PRODUCT SPEC 108-2455 APPLICATION SPEC 114-13294 WEIGHT -	
MATERIAL	1	Customer Drawing	

TE Connectivity

NAME ASSEMBLY, SOLDERLESS LED SOCKET, TYPE LS		
SIZE A2	CAGE CODE 00779	DRAWING NO C-2154235
SCALE 4:1	SHEET 3	OF 4
REV A		

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-		-	SEE SHEET 1	-	-	-



HEAT SINK LAYOUT
SCALE 5:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 14OCT2010		 TE Connectivity	
		CHK C. DAILY			
		R. NARANG		NAME	
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		ASSEMBLY, SOLDERLESS LED SOCKET, TYPE LS	
mm		APVD -		-	
		0 PLC ±. 1 PLC ±0.2 2 PLC ±0.15 3 PLC ±. 4 PLC ±. ANGLES ±° FINISH		PRODUCT SPEC 108-2455 APPLICATION SPEC 114-13294	
MATERIAL		WEIGHT -		SIZE	RESTRICTED TO
-		-		A2	-
		Customer Drawing		CAGE CODE	DRAWING NO
				A200779	C-2154235
				SCALE	SHEET
				4 : 1	4 OF 4
				REV	A

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9