

LOC	DIST	REVISIONS					
FT	0	P	LTR	DESCRIPTION	DATE	DWN	APVD
			E11	REVISED PER ECO-11-005027	14MAR2011	RK	HMR

D

C

B


A

D

C

B

A




- 1 MATERIALS AND FINISH
HOUSING: PA 6-6, UL 94-V0, COLOR: GREEN.
CLAMP: BRASS, NICKEL PLATED.
CONTACT SPRING : PHOSPHOR BRONZE, TIN PLATED.
CLAMPING SCREW: M3, BRASS, NICKEL PLATED.
2. WIRE SIZE RANGE: 12 - 30 AWG
- 3 NOT CUMULATIVE TOLERANCE.
- 4 CHARACTERS MARKED IN PERMANENT WHITE COLOR.
- 5 PARTS SHOWN WITH INTEGRATED KEYING FEATURE LOCATED AS SHOWN.
- 6 CHARACTERS MARKED IN PERMANENT BLACK COLOR.


	SEE DETAIL A-D	106.68	21	4-284047-1
	SEE DETAIL A-C	106.68	21	4-284047-0
	SEE DETAIL A-B	76.20	15	3-284047-9
	SEE DETAIL A-A	76.20	15	3-284047-8
	SEE DETAIL Z	121.92	24	3-284047-7
5	SEE DETAIL X	81.28	16	3-284047-6
5	SEE DETAIL W	81.28	16	3-284047-5
5	SEE DETAIL V	60.96	12	3-284047-4
5	SEE DETAIL U	60.96	12	3-284047-3
5	SEE DETAIL T	121.92	24	3-284047-2
5	SEE DETAIL S	121.92	24	3-284047-1
5	SEE DETAIL R	91.44	18	3-284047-0
5	SEE DETAIL P	91.44	18	2-284047-9
	SEE DETAIL N	24.40	5	2-284047-8
	SEE DETAIL M	20.32	4	2-284047-7
	SEE DETAIL L	10.16	2	2-284047-6
	-	127.00	25	2-284047-5
	-	121.92	24	2-284047-4
	-	116.84	23	2-284047-3
	-	111.76	22	2-284047-2
	-	106.68	21	2-284047-1
	-	101.60	20	2-284047-0
	-	96.52	19	1-284047-9
	-	91.44	18	1-284047-8
	-	86.36	17	1-284047-7
	-	81.28	16	1-284047-6
	-	76.20	15	1-284047-5
	-	71.12	14	1-284047-4
	-	66.04	13	1-284047-3
	-	60.96	12	1-284047-2
	-	55.88	11	1-284047-1
	-	50.80	10	1-284047-0
	-	45.72	9	284047-9
	-	40.64	8	284047-8
	-	35.56	7	284047-7
	-	30.48	6	284047-6
	-	24.40	5	284047-5
	-	20.32	4	284047-4
	-	15.24	3	284047-3
	-	10.16	2	284047-2
	MARKING	A	NO OF POSN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. WELDON 05FEB2003	TE Connectivity TERMINAL BLOCK, VERTICAL PLUG, STACKING, RIGHT HAND, 5.08mm PITCH	
DIMENSIONS:		CHK C. RICHARD 05FEB2003		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD C. RICHARD 05FEB2003		
mm		PRODUCT SPEC		
0 PLC ±.3		APPLICATION SPEC	SIZE A2	CAGE CODE 00779
1 PLC ±.25		WEIGHT	DRAWING NO C-284047	RESTRICTED TO
2 PLC ±.25				
3 PLC ±.				
4 PLC ±.				
ANGLES ±2				
FINISH				
MATERIAL				
CUSTOMER DRAWING		SCALE 1:1	SHEET 1 OF 8	REV E11


LOC	DIST	REVISIONS					
FT	0	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-




SEE DETAIL L
4



SEE DETAIL M
4



SEE DETAIL N
4



SEE DETAIL P
6

CODING KEY

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±.3

1 PLC ±.3

2 PLC ±.25

3 PLC ±.

4 PLC ±.

ANGLES ±2

FINISH

MATERIAL

-

DWN S. WELDON 05FEB2003

CHK C. RICHARD 05FEB2003

APVD C. RICHARD 05FEB2003

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

TE Connectivity

NAME
TERMINAL BLOCK, VERTICAL PLUG,
STACKING, RIGHT HAND,
5.08mm PITCH

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A200779

C-284047


-

SCALE 1:1

SHEET 2 OF 8


REV E11

LOC	DIST	REVISIONS					
FT	0	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-



SEE DETAIL R
6

CODING KEY



SEE DETAIL S
6

CODING KEY

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL
-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±.3

1 PLC ±.25

2 PLC ±.25

3 PLC ±.25

4 PLC ±.25

ANGLES ±2

FINISH

DWN S. WELDON 05FEB2003

CHK C. RICHARD 05FEB2003

APVD C. RICHARD 05FEB2003

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

TE Connectivity

NAME
TERMINAL BLOCK, VERTICAL PLUG,
STACKING, RIGHT HAND,
5.08mm PITCH


SIZE
A2

CAGE CODE
00779

DRAWING NO
C-284047

RESTRICTED TO
-

SCALE 1:1 SHEET 3 OF 8 REV E11



1471-9 (3/11)

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC

DIST

FT

0

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-		SEE SHEET 1	-	-	-

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

SEE DETAIL W

△6

CODING KEY

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

SEE DETAIL X

△6

CODING KEY

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±.3

1 PLC ±.3

2 PLC ±.25

3 PLC ±.3

4 PLC ±.3

ANGLES ±2

FINISH

MATERIAL

-

DWN S. WELDON 05FEB2003

CHK C. RICHARD 05FEB2003

APVD C. RICHARD 05FEB2003

PRODUCT SPEC -

APPLICATION SPEC -

WEIGHT -

CUSTOMER DRAWING

NAME

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

TE Connectivity

TERMINAL BLOCK, VERTICAL PLUG, STACKING, RIGHT HAND, 5.08mm PITCH

A200779C-284047


SCALE 1:1

SHEET 6 OF 8

REV E11


1471-9 (3/11)

LOC	DIST	REVISIONS					
FT	0	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-



SEE DETAIL A-A
5 6

CODING KEY



SEE DETAIL A-B
5 6

CODING KEY

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

MATERIAL

-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±.3

1 PLC ±.25

2 PLC ±.25

3 PLC ±.

4 PLC ±.

ANGLES ±2

FINISH

DWN S. WELDON 05FEB2003

CHK C. RICHARD 05FEB2003

APVD C. RICHARD 05FEB2003

PRODUCT SPEC -

APPLICATION SPEC -

WEIGHT -

CUSTOMER DRAWING

TE Connectivity

NAME
TERMINAL BLOCK, VERTICAL PLUG,
STACKING, RIGHT HAND,
5.08mm PITCH

SIZE A2

CAGE CODE 00779

DRAWING NO C-284047

RESTRICTED TO -

SCALE 1:1 SHEET 7 OF 8 REV E11

1471-9 (3/11)

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9