

# LTE Multiband / Active GPS Roof Mount Antenna

Pulse Part Number GPSDM700/5800 Family



Pulse is proud to introduce a new state-of-the-art direct mount multi band antenna. This body mount antenna operates from 698 thru 5875 MHz, including LTE. The antenna is ideal for voice, mobile data, Public Safety, WLAN and asset tracking applications. The rugged, yet aesthetically pleasing design provides UV and IP-65 protection to ensure a long, reliable, maintenance-free life.

The antenna mount can accommodate up to a 5/8" (16 mm) thick surface. The GPSDM700/5800 has 3 cables to optimally support the different technologies. Wireless voice, data and LTE frequencies are supported by a single low-loss RG-58 cable. WLAN operates on a separate RG-58 cable. The 26 dB gain GPS antenna has its own RG-174 cable. Additional cable configurations, lengths and connector options are available upon request.

#### Features

- Single antenna supports multiple applications/ technologies
- Eliminates "antenna farm" vehicle appearance
- Separate cables create maximum application flexibility
- Available in black or white
- Easily mounted through a single 3/4" hole
- RoHS Compliant Product

#### Applications

- Mobile and Fixed Broadband
- Navigation/Asset Tracking/Fleet Management
- LTE and 700 MHz Public Safety

P/N	Frequency	Cable Type	Cable Length (feet / meters)	Color	Connectors
GPSDM700/5800SSS	698-960/1710-2170/2300-2700 2400-2485/5150-5875 1575.42	RG-58 RG-58 RG-174	17 / 5.18 17 / 5.18 17 / 5.18	Black	SMA Male SMA Male SMA Male
GPSDM700/5800GGT	698-960/1710-2170/2300-2700 2400-2485/5150-5875 1575.42	RG-58 RG-58 RG-174	17 / 5.18 17 / 5.18 17 / 5.18	Black	SMA Male RPSMA Male SMA Male
GPSDMW700/5800SSS	698-960/1710-2170/2300-2700 2400-2485/5150-5875 1575.42	RG-58 RG-58 RG-174	17 / 5.18 17 / 5.18 17 / 5.18	White	SMA Male SMA Male SMA Male

# LTE Multiband / Active GPS Roof Mount Antenna

Pulse Part Number GPSDM700/5800 Family

## Electrical Specifications

Frequency [MHz]	Cable 1 (GSM)	698-960/1710-2170/ 2300-2700
	Cable 2 (WiFi)	2400-2485/5150-5875
	Cable 3 (GPS)	1575.42
Nominal Impedance [ $\Omega$ ]		50
VSWR	698-960/1710-2170/ 2300-2700	2.5:1
	2400-2485/5150-5875	2.0:1
Gain [dBi]	698-960/1710-2170/ 2300-2700	4.5
	2400-2485/5150-5875	6.5
Polarization	698-960/1710-2170/ 2300-2700	Linear Vertical
	2400-2485/5150-5875	Linear Vertical
	1575.42	RHCP
Power Rating [W]	698-960	100
	1710-2170	20
	2400-5875	20

## LNA Specifications

Gain [dBi - 3.3 V]	28
Gain [dBi - 5 V]	30
Voltage [VDC]	3.3 - 5

## Environmental Specifications

Operating Temperature [ $^{\circ}\text{C}$ ]	-40 / +85
Storage Temperature [ $^{\circ}\text{C}$ ]	-40 / +85
Relative Humidity MIL-STD810G, method 507.4 @ 30 $^{\circ}$ [%]	93




## Mechanical Specifications

Color	Black or White
Ingress Protection	IP 65
Weight [ozs/g]	15 / 470
Dimensions [in/mm]	3.5 H x $\varnothing$ 4.26 / 88.3 x $\varnothing$ 108
Mounting Hole [in/mm]	$\varnothing$ .76 / 19.3

# LTE Multiband / Active GPS Roof Mount Antenna

Pulse Part Number GPSPDM700/5800 Family

## Radiation Patterns




# LTE Multiband / Active GPS Roof Mount Antenna


Pulse Part Number GPSPDM700/5800 Family

## Radiation Patterns

### Vertical Plane 2500 MHz



### Vertical Plane 5150 MHz



## For More Information

**Pulse Worldwide Headquarters**  
12220 World Trade Drive  
San Diego, CA 92128  
U.S.A.

**Larsen Brand Antennas**  
3611 NE 112th Avenue  
Vancouver, WA 98682  
USA

**Europe Headquarters**  
Pulse GmbH & Co, KG  
Zeppelinstrasse 15  
Herrenberg  
Germany

**Asia Headquarters**  
B402, Shenzhen Academy of  
Aerospace Technology Bldg,  
10th Kejian Road, High-Tech Zone  
Nanshan District, Shenzhen, PR China 518057

**Pulse North Asia**  
3F, No. 198, Zhongyuan Road  
Zhongli City, Taoyuan County 320  
Taiwan R. O. C.

**Pulse (Suzhou) Wireless Products Co., Inc.**  
99 Huo Ju Road, (#29 Bldg, 4th Phase)  
Suzhou New District  
Science & Tech Industrial Park  
Jiangsu Province, Suzhou 215009 PR China

Tel: 858 674 8100  
Fax: 858 674 8262

Tel: 360 944 7551  
Fax: 369 944 7556

Tel: 49 7032 7806 0  
Fax: 49 7032 7806 135

Tel: 86 755 33966678  
Fax: 86 755 33966700

Tel: 886 3 4356768  
Fax: 886 3 4356823

Tel: 86 512 6807 9998  
Fax: 86 512 6809 8023

Performance warranty of products offered on this data sheet is limited to the parameters specified. Data is subject to change without notice. Other brand and product names mentioned herein may be trademarks or registered trademarks of their respective owners. © Copyright, 2010, Pulse Electronics, Inc. All rights reserved.

## Данный компонент на территории Российской Федерации

### Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9