Safety Tags

Our selection of safety tags is just as diverse as your workplace.

- Prevent the potential for accidental injury and property damage
- Alert, call out or draw attention to temporary hazards
- Required critical tool in safety, performance and maintenance operations

We Have What You Need

Look to us for the tags that you need! In addition to standard OSHA safety tags, our comprehensive selection of safety tags incorporates key categories like Lockout/Tagout, Equipment Status and Record Inspection.

Safety Tags Identify Temporary Hazards

Safety Tags...

- Call out attention to hazards
- Prevent the potential for accidental injury or property damage
- Identify and inform that a hazardous condition exists

Attach and hang the tags as close as possible to the hazard situation where the tag can be readily seen. Tags are to remain in-place until the hazard is eliminated or the hazardous operation is complete.

The Occupational Safety and Health Administration (OSHA 29 CFR §1910.145) and American National Standards Institute (ANSI Z535) provide specifications, designs, applications, and uses of accident prevention tags. Tags can be printed in a variety of colors and messages to meet your needs. They are typically designed with an attention-getting signal word for a degree of hazard along with a specific message and areas to write in particular information.

Safety tags are an inexpensive, fast solution for temporary marking and identification of hazards.

Note: A tag shall not be used in place of a permanent sign or label for hazards in normal use, operation or maintenance.

Choose the Right Tag Material

Select a material based on your application requirements to ensure your message is conveyed clearly and effectively.

Poly Cardstock (PCT)

Pulp-free tags have no wood pulp or paper content, unlike standard cardstock tags, and are available at an economical price.

Material Features

- Thin, pliable 0.010" poly-based tags will not crack, distort, or shrink
- Waterproof and tear-resistant from incidental pulls and snags
- Can be printed on both sides
- Scuff-resistant matte surface is easy to write on with pen or marker
- 3/8" non-reinforced hole

Applications

- Indoor usage
- Non-reinforceable hole

3/8" Hole

0.010" Pulp-Free Cardstock

Printed Message

Rigid Plastic (PVT)

High-strength rigid plastic tag is ideal for use in tough industrial environments – resists chemicals, tears, and abrasions.

Material Features

- 0.015" thick rigid plastic tags are relatively bendable
- Matte surface is easy to write on with pen or marker
- Can be printed on both sides
- 3/8" hole, reinforced by a pull-proof metal grommet

Applications

- Indoor and temporary outdoor usage
- Chemical and dirty/greasy environments
- 2 years outdoors

3/8" Metal Grommet Hole

0.015" Plastic

Printed Message

Laminate Plastic (PCTL)

Nearly indestructible tag is made to withstand tough, abusive conditions.

Material Features

- 0.010" cardstock tag sealed by a thick, 0.007" laminate on both sides – right to the edges – to protect the printed image
- Tear-proof, weatherproof and chemical-resistant
- Durable to withstand dirt, grease, liquid splashes and rough handling
- Scratch-resistant matte-finish laminate surface is easy to write on with pen or marker
- 3/8" hole, reinforced by a pull-proof metal grommet
- Available in Lockout Tags

Applications

- Indoor and outdoor usage - when the most durable tags are required
- Chemical applications and tough industrial settings

3/8" Metal Grommet Hole

0.010" Cardstock Tag

Printed Message

0.007" Laminate Both Sides

Self-Laminating Tags

Protect written messages and photos when your life is on the line.

- Write information and insert a photo (where applicable), then laminate your own tag
- Protection from moisture, chemicals and dirt
- Prevents tampering with the information
- Dual self-laminating polyester flaps pre-attached at the top
- Reinforced by a pull-proof metal grommet

3/8" Hole

Protected Printed Image

0.010" Overlaminate Flap Both Sides

Standard Safety Tags

Back A 1006
Back B 1023

Back A 1011
Back B 1016

Back A 1004
Back B 1017

Back A 1002
Back B 1026

Back A 1005
Back B 1018

Back A 1007
Back B 1022

Back A 1003
Back B 1020

Back A 1014
Back B 1021

Back A 1012
Back B 1024

Back A 1009
Back B 1025

Back A 1008
Back B 1019

Back A 1010
Back B 1015

Back A 1034
Back B 1038

Back A 1036
Back B 1040



Back A 1035
Back B 1039

Back A 1001
Back B 1042



Back A 1037
Back B 1041

Choose from two back message styles, noted under each part number as A and B.

STANDARD BACK A

STANDARD BACK B

Blank Header Tags



Front Back
1027

Front Back
1064



Front Back
1043



Front Back
1061

Bilingual Spanish Safety Tags

1126

1125

1063

1151

1127

1153

1152



STD BILINGUAL BACK

Inspection & Status Record Tags



Front Back

1148



Front Back

1047



Front Back

1048



Front Back

1128

Front Back

1117



Front Back

1131

Front Back

1130

Front Back

1136

Front Back

1134

Front Back

1137

Front Back

1133

Front Back

1132

Front Back

1138

Available Materials	Codes	Available Packages	Codes
Poly Cardstock	PCT-	Pk. of 5	(blank)
Rigid Plastic	PVT-	Pk. of 25	-Q

How to Order Tags:

1. Select Material Code: **PCT-**
2. Select Tag Base Part Number: **1011**
3. Select Package: 5/Pk – **(blank)**; 25/Pk – **-Q**
4. Combine Codes in Specific Order for Complete Part Number: 5/Pk – **PCT-1011**; 25/Pk – **PCT-1011-Q**

PANDUIT®

Status Tags

Scaffold Tags



Front Back

1143

Front Back

1155

Front Back

1154

Front Back

1156



Front Back

1139

Barricade Tags



Front Back

1142



Front Back

1140

Front Back

1141

Front Back

1066

Front Back

1067

Forklift Tags

Front Back

1065

Front Back

1068

Front Back

1146

Front Back

1135



Front Back

1145

Cylinder Tags



Front Back

1046

Front Back

1050



Front Back

1044



Front Back

1045

Front Back

1049

Ladder Tags

Front Back

1144

Front Back

1013



Front Back

1147

Available Materials	Codes	Available Packages	Codes
Poly Cardstock	PCT-	Pk. of 5	(blank)
Rigid Plastic	PVT-	Pk. of 25	-Q

How to Order Tags:

1. Select Material Code: **PCT-**
2. Select Tag Base Part Number: **1050**
3. Select Package: 5/Pk – **(blank)**; 25/Pk – **-Q**
4. Combine Codes in Specific Order for Complete Part Number: 5/Pk – **PCT-1050**; 25/Pk – **PCT-1050-Q**

Lockout Tags

1051

1054

1052

1053

1056

1055

1057



STD LOCKOUT BACK

1150

STD BILINGUAL LOCKOUT BACK

Available Materials	Codes	Available Packages	Codes
Poly Cardstock	**PCT-**	Pk. of 5	**(blank)**
Rigid Plastic	**PVT-**	Pk. of 25	**-Q**
Laminate Plastic (Pk. of 5)	**PCTL-**		

How to Order Tags:

1. Select Material Code: **PCT-**
2. Select Tag Base Part Number: **1051**
3. Select Package: 5/Pk – **(blank)**; 25/Pk – **-Q**
4. Combine Codes in Specific Order for Complete Part Number: 5/Pk – **PCT-1051**; 25/Pk – **PCT-1051-Q**

Self-Laminating Lockout Tags

Front Back

1060

Front Back

1058

Front Back

1059

Available Materials	Codes	Available Packages	Codes
Poly Cardstock	**PSCT-**	Pk. of 5	**(blank)**
Rigid Plastic	**PST-**	Pk. of 25	**-Q**

How to Order Tags:

1. Select Material Code: **PSCT-**
2. Select Tag Base Part Number: **1060**
3. Select Package: 5/Pk – **(blank)**; 25/Pk – **-Q**
4. Combine Codes in Specific Order for Complete Part Number: 5/Pk – **PSCT-1060**; 25/Pk – **PSCT-1060-Q**

Tag Holder Systems

Insert, enclose and contain your status alert tags in a secure tag holder system.

- Mount durable plastic holder and insert tag to display alert status
- Default "DO NOT USE" message shows when no tag is inserted
- Available in two styles:

(A) Secure-Status – Durable plastic holder measures 10"H x 3 1/2"W x 3/8" overall with 5 1/2"H x 2 3/4""W clear view front window. Upper jaws close to fit onto post rails or poles up to 2 3/8" diameter or through any 1/2" opening to lock out a device. Accommodates up to four padlocks (sold separately).

(B) Status Alert – Durable 0.060" thick plastic holder measures 12"H x 4 1/2"W overall with a 2 3/4" diameter opening at top. Insert tag into the 5 1/2"H x 4 1/2"W clear polycarbonate plastic front pocket, secure with nylon tie (sold separately) and mount in a visible location with large opening at the top.

(A)

(B)

(A) Secure-Status Holder

PT-1164

PT-1162

PT-1165

PT-1163

(B) Status Alert Holder

PT-1160

PT-1158

PT-1161

PT-1159

Roll of Tags

Portable Dispenser Roll for your On-The-Go Needs

- Keep a large quantity of tags readily available
- Tags are connected end-to-end with perforations, and housed in an convenient cardboard dispenser
- Dispenser box measures 6 5/8"H x 6 5/8"W x 3 5/8"D
- Box features 1 1/2" perforated center hole for mounting
- Poly Cardstock tags are tear- and water-resistant
- Tags measure 6 1/4"H x 3"W, with 3/8" hole
- Writable matte surface, printed on both sides with space to sign, date and add notes
- Available in 100 and 250 tags per roll

STANDARD BACK | STD. LOCKOUT BACK

General Safety Tags

100/Roll **PCT-1077-C**
250/Roll **PCT-1086-B**

100/Roll **PCT-1078-C**
250/Roll **PCT-1081-B**

100/Roll **PCT-1080-C**
250/Roll **PCT-1087-B**

100/Roll **PCT-1093-C**
250/Roll **PCT-1096-B**

100/Roll **PCT-1083-C**
250/Roll **PCT-1088-B**

100/Roll **PCT-1084-C**
250/Roll **PCT-1089-B**

100/Roll **PCT-1085-C**
250/Roll **PCT-1090-B**

Lockout Tags

100/Roll **PCT-1079-C**
250/Roll **PCT-1082-B**

100/Roll **PCT-1091-C**
250/Roll **PCT-1098-B**

100/Roll **PCT-1092-C**
250/Roll **PCT-1099-B**

100/Roll **PCT-1094-C**
250/Roll **PCT-1097-B**

100/Roll **PCT-1095-C**
250/Roll **PCT-1100-B**

Thick Plastic Tags

This tag can take the abuse of the harshest industrial environment. It's thick, tough, and rigid to withstand tugging, pulling, twisting and bending.

- Made of tough recycled polycarbonate
- Relief text increases visibility
- Double-sided
- Polycarbonate plastic resists most corrosive environments
- Write on these tags with permanent marker
- 3/8" hole without grommet meets dielectric requirements
- Measures 5 7/16" x 3 1/16" x 1/8"
- Available in packages of 5 and 25

Pkg/5 **PVT-1062**
Pkg/25 **PVT-1062-Q**



Pkg/5 **PVT-1162**
Pkg/25 **PVT-1162-Q**

STANDARD BACK

Scaffold Status 3 ‘n 1 Fold Tag

Quickly and conveniently change the safety status of your scaffold with our 3 ‘n 1 Fold Tag.

- Display DANGER, CAUTION or ATTENTION messages all from the same tag with a simple fold
- Ideal for use with Secure-Status or Status Alert Holder (sold separately)
- Front and back display the same color with related info
- Folded tag size: 5 3/4" x 3 1/4". Unfolded size: 11 1/2" x 6 1/2"
- Available in Poly Cardstock (PCT) or Rigid Plastic (PVT) in packs of 5 or 25

Simply fold tag to display appropriate message. When status changes remove tag from holder and unfold to change message. Shown with Secure-Status Holder.

Material	Part No.	UOM	Part No.	UOM
Poly Cardstock	PCT-1157	Pkg. of 5	PCT-1157-Q	Pkg. of 25
Rigid Plastic	PVT-1157	Pkg. of 5	PVT-1157-Q	Pkg. of 25

Aluminum Inspection Record Tag



Start Year 2016

PT-1129

- Four-year aluminum tag is made to withstand the inspection period
- 0.020" Aluminum
- Pack of 5

Meets OSHA 29 CFR §1910.157(e)

Loop Strap Tags

Attach tags by the self-fastening strap for quick marking of hazards.

- Hangs on its own strap by looping the vertical strap around itself
- Flexible 0.014" polyethylene plastic
- 5 1/4" x 3 1/4" tag body with the strap being 1 3/8"W x 6"L x 7/16" wide opening
- Resists grease, dirt, and moisture
- Message is printed on one side only
- Can be written on with permanent marker
- Available in packs of 25

PVT-1072-Q

PVT-1073-Q

PVT-1074-Q

PVT-1069-Q



PVT-1070-Q



PVT-1071-Q



PVT-1075-Q



PVT-1076-Q

Blank Tags

Blank tags allow you to write any message in pen, pencil or marker. Use for coding, marking, quick identification, production status or inventory.

Manila Cardstock Tags



- 0.0013" tags with patch-reinforced 3/16" hole
- Pack of 100

Part No.	Size	Size No.
Hole Only		
PCT-1101-C	4 3/4" x 2 3/8"	5
PCT-1102-C	5 1/4" x 2 5/8"	6
PCT-1103-C	6 1/4" x 3 1/8"	8
Hole with 12" Galvanized Steel Wire		
PCT-1104-C	4 3/4" x 2 3/8"	5
PCT-1105-C	5 1/4" x 2 5/8"	6
PCT-1106-C	6 1/4" x 3 1/8"	8

Premium Blank Tags



Available Materials	Codes	Available Packages	Codes
Poly Cardstock	PCT-	Pk. of 5	(blank)
Rigid Plastic	PVT-	Pk. of 25	-Q
Self-Laminating Poly Cardstock	PSCT-		
Self-Laminating Rigid Plastic	PST-		

How to Order Tags:

1. Select Material Code: **PCT-**
2. Select Tag Base Part Number: **1030**
3. Select Package: 5/Pk – **(blank)**; 25/Pk – **-Q**
4. Combine Codes in Specific Order for Complete Part Number: 5/Pk – **PCT-1030**; 25/Pk – **PCT-1030-Q**

Standard Color Blank Cardstock Tags



- 0.0013" coated tags with patch-reinforced 3/16" hole
- Pack of 100

To Order: *Add color code after part number: Blue – B-C, Green – G-C, Red – R-C, White – W-C, Yellow – Y-C.*
Example: Part No. PCT-1107 + Color Code B-C = PCT-1107B-C

Part No.	Size	Size No.
Plain - with Hole Only		
PCT-1107	4 3/4" x 2 3/8"	5
PCT-1108	5 1/4" x 2 5/8"	6
PCT-1109	6 1/4" x 3 1/8"	8
Hole with 12" Steel Wire		
PCT-1110	4 3/4" x 2 3/8"	5
PCT-1111	5 1/4" x 2 5/8"	6
PCT-1112	6 1/4" x 3 1/8"	8

White Tyvek® Tags



- Lightweight, pressure-bonded fibers
- Flexible 0.075" thick material is abrasion- and tear-resistant
- Withstands moisture, chemicals, and frequent handling
- Patch- and metal-reinforced 3/16" hole is available plain or looped with 12" galvanized steel wire
- Pack of 100

Part No.	Size	Size No.
Hole Only		
PCT-1225-C	4 3/4" x 2 3/8"	5
PCT-1114-C	6 1/4" x 3 1/8"	8
Hole with Galvanized Steel Wire		
PCT-1115-C	4 3/4" x 2 3/8"	5
PCT-1116-C	6 1/4" x 3 1/8"	8

Tyvek® is a registered trademark of DuPont™

Self-Laminating Safety Tag Carriers

- Cut out paper to fit and insert into the self-laminating carrier allows tags to be resistant to mild chemicals and acids
- Sturdy brass grommet provides extra durability
- Panduit PLT2S (7.40") nylon ties included for quick and easy installation
- Meet OSHA Standard 1910.147 for lockout tag 50 lb. pull force requirement

Part No.	Lamination Style	Tag Size	Pkg. Qty.
PST-4	Front only	3.50" x 5.75"	25
PST-5	Front and back	3.50" x 5.75"	25
PST-1	Front only	3.00" x 2.00"	10
PST-2	Front only	3.25" x 5.75"	5

Create Your Own Cardstock Tags

- Create your own economical cardstock tags on ink jet printers
- Economical solution for temporary, indoor tags
- Cardstock is semi-rigid tag with perforation for easy tag separation and punched hole for hanging
- Tags measure 3" x 5"
- 4 tags/sheet; 25 sheets for 100 tags per package
- Can be used with Self-Laminating Safety Tag Carrier for extra durability

Part No.	Color
SEZ-TAGWH	Red and Black/White
SEZ-TAGOR	Red and Black/Orange
SEZ-TAGY	Red and Black/Yellow

Общество с ограниченной ответственностью «МосЧип» ИНН 7719860671 / КПП 771901001
Адрес: 105318, г.Москва, ул.Щербаковская д.3, офис 1107

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

http://moschip.ru/get-element

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:
moschip.ru
moschip.ru_4
moschip.ru_6
moschip.ru_9