THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	07NOV2016	DW	CW



TYPE 1







TYPE 1:H16B HOOD,TOP ENTRY,HIGH CONSTRUCTION
SCREW CONNECTION,POWDER COATED,GREY
类型1： H16B上壳，顶出，高结构，螺丝连接，灰色粉末喷涂

NOTES:

1. TECHNICAL CHARACTERISTICS:
   HOOD MATERIAL: DIE CAST ALUMINIUM ALLOY
   SURFACE: POWDER COATED, GREY
   DEGREE OF PROTECTION: IP67 (MATED)

注释：
1. 技术参数：
   上壳材料： 铝合金
   表面处理： 灰色粉末喷涂
   防护等级： IP67(配合)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL -
FINISH -
- -

DWN DAVID WANG 07NOV2016
CHK CHRIS WANG 07NOV2016
APVD XIANG XU 07NOV2016
PRODUCT SPEC 108-137015
APPLICATION SPEC 114-137015
WEIGHT -

TE Connectivity

NAME H16B-TSH/TGH-S-PG/M

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	00779	C-T11X01601XX000	-

CUSTOMER DRAWING | SCALE 1:1 | SHEET 1 OF 3 | REV A

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



TYPE 2





NOTES:

SEE SHEET 1



TYPE 2:H16B HOOD,SIDE ENTRY,HIGH CONSTRUCTION
SCREW CONNECTION,POWDER COATED,GREY
类型2： H16B上壳，侧出，高结构，螺丝连接，灰色粉末喷涂

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DAVID WANG 07NOV2016	TE Connectivity
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±- 2 PLC ±- 3 PLC ±- 4 PLC ±- ANGLES ±-	CHK CHRIS WANG 07NOV2016	NAME H16B-TSH/TGH-S-PG/M
		APVD XIANG XU 07NOV2016	
		PRODUCT SPEC 108-137015	
		APPLICATION SPEC 114-137015	SIZE A2 / CAGE CODE 00779 / DRAWING NO C-T11X01601XX000 / RESTRICTED TO -
MATERIAL - -	FINISH - -	WEIGHT -	
		CUSTOMER DRAWING	SCALE 1:1 / SHEET 2 OF 3 / REV A

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

NOTES:

SEE SHEET 1

PART NUMBER 料 号	PART DESCRIPTION 描 述	PG/M THREAD-1 PG/M 螺纹孔1	PG/M THREAD-2 PG/M 螺纹孔2	TYPE 类型
T11201601 21-000	HI6B-TSH-S-PG21	HI6B HOOD,SIDE ENTRY PG21,HIGH CONSTRUCTION,SCREW CONNECTION,POWDER COATED,GREY HI6B上壳,侧出PG21,高结构,螺丝连接,灰色粉末喷涂	-	PG21	TYPE 2 类型2
T11201601 29-000	HI6B-TSH-S-PG29	HI6B HOOD,SIDE ENTRY PG29,HIGH CONSTRUCTION,SCREW CONNECTION,POWDER COATED,GREY HI6B上壳,侧出PG29,高结构,螺丝连接,灰色粉末喷涂	-	PG29	
T11201601 25-000	HI6B-TSH-S-M25	HI6B HOOD,SIDE ENTRY M25,HIGH CONSTRUCTION,SCREW CONNECTION,POWDER COATED,GREY HI6B上壳,侧出M25,高结构,螺丝连接,灰色粉末喷涂	-	M25	
T11201601 32-000	HI6B-TSH-S-M32	HI6B HOOD,SIDE ENTRY M32,HIGH CONSTRUCTION,SCREW CONNECTION,POWDER COATED,GREY HI6B上壳,侧出M32,高结构,螺丝连接,灰色粉末喷涂	-	M32	
T11201601 40-000	HI6B-TSH-S-M40	HI6B HOOD,SIDE ENTRY M40,HIGH CONSTRUCTION,SCREW CONNECTION,POWDER COATED,GREY HI6B上壳,侧出M40,高结构,螺丝连接,灰色粉末喷涂	-	M40	
T11301601 21-000	HI6B-TGH-S-PG21	HI6B HOOD,TOP ENTRY PG21,HIGH CONSTRUCTION,SCREW CONNECTION,POWDER COATED,GREY HI6B上壳,顶出PG21,高结构,螺丝连接,灰色粉末喷涂	PG21	-	TYPE 1 类型1
T11301601 29-000	HI6B-TGH-S-PG29	HI6B HOOD,TOP ENTRY PG29,HIGH CONSTRUCTION,SCREW CONNECTION,POWDER COATED,GREY HI6B上壳,顶出PG29,高结构,螺丝连接,灰色粉末喷涂	PG29	-	
T11301601 25-000	HI6B-TGH-S-M25	HI6B HOOD,TOP ENTRY M25,HIGH CONSTRUCTION,SCREW CONNECTION,POWDER COATED,GREY HI6B上壳,顶出M25,高结构,螺丝连接,灰色粉末喷涂	M25	-	
T11301601 32-000	HI6B-TGH-S-M32	HI6B HOOD,TOP ENTRY M32,HIGH CONSTRUCTION,SCREW CONNECTION,POWDER COATED,GREY HI6B上壳,顶出M32,高结构,螺丝连接,灰色粉末喷涂	M32	-	
T11301601 40-000	HI6B-TGH-S-M40	HI6B HOOD,TOP ENTRY M40,HIGH CONSTRUCTION,SCREW CONNECTION,POWDER COATED,GREY HI6B上壳,顶出M40,高结构,螺丝连接,灰色粉末喷涂	M40	-	

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL -
-

FINISH -
-

DWN DAVID WANG 07NOV2016
CHK CHRIS WANG 07NOV2016
APVD XIANG XU 07NOV2016
PRODUCT SPEC 108-137015
APPLICATION SPEC 114-137015
WEIGHT -

CUSTOMER DRAWING

TE Connectivity

NAME H16B-TSH/TGH-S-PG/M

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	00779	C-T11X01601XX000	-

SCALE 1:1 SHEET 3 OF 3 REV A

Общество с ограниченной ответственностью «МосЧип» ИНН 7719860671 / КПП 771901001
Адрес: 105318, г.Москва, ул.Щербаковская д.3, офис 1107

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

http://moschip.ru/get-element

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:
moschip.ru
moschip.ru_4
moschip.ru_6
moschip.ru_9