

| TE Internal Number | Product Description | Product Highlights                                                                                                                                                                           | Material           | Legend                               | Color                         | Label Type          | Label Width        | Label Height       | Label Description       | Operating Temperature      | Adhesive Type  |
|--------------------|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|--------------------------------------|-------------------------------|---------------------|--------------------|--------------------|-------------------------|----------------------------|----------------|
| 1878639-4          | L05GR               | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration</li> </ul>                                           | Polyester          | CAL                                  | White background/Green header | Die-Cut (on Sheets) | .500 in[12.70 mm]  | .500 in[12.70 mm]  | Calibration             | -40 - 300 °F[-40 - 148 °C] | Permanent      |
| 1878640-4          | L05X                | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Clear Protective Cover</li> </ul>                                | Polyester          | Blank                                | White                         | Die-Cut (on Sheets) | .500 in[12.70 mm]  | .500 in[12.70 mm]  | Blank Label             | -40 - 300 °F[-40 - 148 °C] | Permanent      |
| 1878640-7          | L20AC               | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration</li> </ul>                                           | Polyester          | Blank                                | Clear                         | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .6259 in[15.90 mm] | Clear Protective Cover  | -40 - 302 °F[-40 - 150 °C] | Permanent      |
| 1878641-1          | L20BU               | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration</li> </ul>                                           | Polyester          | CALIBRATION                          | White background/Blue header  | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .6259 in[15.90 mm] | Calibration             | -40 - 300 °F[-40 - 148 °C] | Permanent      |
| 1878641-2          | L20GR               | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration</li> </ul>                                           | Polyester          | CALIBRATION                          | White background/Green header | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .6259 in[15.90 mm] | Calibration             | -40 - 300 °F[-40 - 148 °C] | Permanent      |
| 1878642-2          | L20X                | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Clear Protective Cover</li> </ul>                                | Polyester          | Blank                                | White                         | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .6259 in[15.90 mm] | blank Label             | -40 - 300 °F[-40 - 148 °C] | Permanent      |
| 1878643-4          | M5031A              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Tamper Evident Security</li> </ul>                               | Destructible Vinyl | CALIBRATION VOID IF SEAL BROKEN      | White/Red Lettering           | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .500 in[12.70 mm]  | Tamper Evident Security | -40 - 176 °F[-40 - 80 °C]  | Tamper Evident |
| 1878643-6          | M5031C              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Tamper Evident Security</li> </ul>                               | Destructible Vinyl | CALIBRATION VOID IF SEAL DAMAGED     | White/Red Lettering           | Die-Cut (on Sheets) | .750 in[19.10 mm]  | .750 in[19.10 mm]  | Tamper Evident Security | -40 - 176 °F[-40 - 80 °C]  | Tamper Evident |
| 1878643-8          | M5031W              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Tamper Evident Security</li> </ul>                               | Destructible Vinyl | WARRANTY VOID IF SEAL BROKEN         | White/Red Lettering           | Die-Cut (on Sheets) | .750 in[19.10 mm]  | .750 in[19.10 mm]  | Tamper Evident Security | -40 - 176 °F[-40 - 80 °C]  | Tamper Evident |
| 1878644-5          | MAM115              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Standard Calibration</li> </ul>                                  | Vinyl              | PASSED INSPECTION BY/DATE            | White/Green Lettering         | Die-Cut (on Sheets) | 1.000 in[25.40 mm] | .500 in[12.70 mm]  | Standard Calibration    | 50 - 130 °F[10 - 54 °C]    | Removable      |
| 1878644-6          | MAM126              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Standard Calibration</li> </ul>                                  | Vinyl              | CALIBRATION NOT REQUIRED             | White/Red Lettering           | Die-Cut (on Sheets) | 1.000 in[25.40 mm] | .500 in[12.70 mm]  | Standard Calibration    | 50 - 130 °F[10 - 54 °C]    | Removable      |
| 1878644-7          | MAM127              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Standard Calibration</li> </ul>                                  | Vinyl              | OUT OF CALIBRATION DO NOT USE        | Red/White Lettering           | Die-Cut (on Sheets) | 1.000 in[25.40 mm] | .500 in[12.70 mm]  | Standard Calibration    | 50 - 130 °F[10 - 54 °C]    | Removable      |
| 1878644-8          | MAM128              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Standard Calibration</li> <li>◆ Label Height=12.70 mm</li> </ul> | Vinyl              | DO NOT USE Until Tested & Calibrated | Black/Yellow Lettering        | Die-Cut (on Sheets) | 1.000 in[25.40 mm] | .500 in[12.70 mm]  | Standard Calibration    | 50 - 130 °F[10 - 54 °C]    | Removable      |

| TE Internal Number | Product Description | Product Highlights                                                                                                                                          | Material | Legend                       | Color                       | Label Type          | Label Width        | Label Height       | Label Description    | Operating Temperature     | Adhesive Type |
|--------------------|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------------------------|-----------------------------|---------------------|--------------------|--------------------|----------------------|---------------------------|---------------|
| 1878644-9          | MAM130              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Standard Calibration</li> </ul> | Vinyl    | REJECTED                     | White/Red Lettering         | Die-Cut (on Sheets) | 1.000 in[25.40 mm] | .500 in[12.70 mm]  | Standard Calibration | 50 - 130 °F[10 - 54 °C]   | Removable     |
| 1878645-1          | MAM133              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Standard Calibration</li> </ul> | Vinyl    | CALIBRATE BEFORE EACH USE    | White/Red Lettering         | Die-Cut (on Sheets) | 1.000 in[25.40 mm] | .500 in[12.70 mm]  | Standard Calibration | 50 - 130 °F[10 - 54 °C]   | Removable     |
| 1878645-4          | MQC205BK            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Standard Calibration</li> </ul> | Vinyl    | CALIBRATION/ID# /BY/DATE/DUE | White/Black Lettering       | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .6259 in[15.90 mm] | Standard Calibration | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878645-6          | MQC205BU            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Standard Calibration</li> </ul> | Vinyl    | CALIBRATION/ID# /BY/DATE/DUE | White/Black Lettering       | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .6259 in[15.90 mm] | Standard Calibration | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878645-7          | MQC205GR            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Standard Calibration</li> </ul> | Vinyl    | CALIBRATION/ID# /BY/DATE/DUE | White/Green Lettering       | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .6259 in[15.90 mm] | Standard Calibration | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878645-8          | MQC205GY            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Standard Calibration</li> </ul> | Vinyl    | CALIBRATION/ID# /BY/DATE/DUE | White/Gray Lettering        | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .6259 in[15.90 mm] | Standard Calibration | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878645-9          | MQC205LB            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Standard Calibration</li> </ul> | Vinyl    | CALIBRATION/ID# /BY/DATE/DUE | White/Light Blue Lettering  | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .6259 in[15.90 mm] | Standard Calibration | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878646-1          | MQC205LG            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Standard Calibration</li> </ul> | Vinyl    | CALIBRATION/ID# /BY/DATE/DUE | White/Light Green Lettering | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .6259 in[15.90 mm] | Standard Calibration | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878646-2          | MQC205MG            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Standard Calibration</li> </ul> | Vinyl    | CALIBRATION/ID# /BY/DATE/DUE | White/Magenta Lettering     | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .6259 in[15.90 mm] | Standard Calibration | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878646-5          | MQC205RD            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Standard Calibration</li> </ul> | Vinyl    | CALIBRATION/ID# /BY/DATE/DUE | White/Red Lettering         | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .6259 in[15.90 mm] | Standard Calibration | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878646-6          | MQC205VT            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Standard Calibration</li> </ul> | Vinyl    | CALIBRATION/ID# /BY/DATE/DUE | White/Violet Lettering      | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .6259 in[15.90 mm] | Standard Calibration | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878646-7          | MQC205YL            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Standard Calibration</li> </ul> | Vinyl    | CALIBRATION/ID# /BY/DATE/DUE | White/Yellow Lettering      | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .6259 in[15.90 mm] | Standard Calibration | -40 - 176 °F[-40 - 80 °C] | Removable     |

| TE Internal Number | Product Description | Product Highlights                                                                                                                                            | Material | Legend                                                | Color                       | Label Type          | Label Width        | Label Height       | Label Description      | Operating Temperature     | Adhesive Type |
|--------------------|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------------------------------------------|-----------------------------|---------------------|--------------------|--------------------|------------------------|---------------------------|---------------|
| 1878646-9          | MQC555BK            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Standard Calibration</li> </ul>   | Vinyl    | CALIBRATION/BY/DATE/DUE/ID                            | White/Black Lettering       | Die-Cut (on Sheets) | 1.000 in[25.40 mm] | .500 in[12.70 mm]  | Standard Calibration   | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878647-1          | MQC555BR            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Standard Calibration</li> </ul>   | Vinyl    | CALIBRATION/BY/DATE/DUE/ID                            | White/Brown Lettering       | Die-Cut (on Sheets) | 1.000 in[25.40 mm] | .500 in[12.70 mm]  | Standard Calibration   | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878647-3          | MQC555GR            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Standard Calibration</li> </ul>   | Vinyl    | CALIBRATION/BY/DATE/DUE/ID                            | White/Green Lettering       | Die-Cut (on Sheets) | 1.000 in[25.40 mm] | .500 in[12.70 mm]  | Standard Calibration   | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878647-4          | MQC555GY            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Standard Calibration</li> </ul>   | Vinyl    | CALIBRATION/BY/DATE/DUE/ID                            | White/Gray Lettering        | Die-Cut (on Sheets) | 1.000 in[25.40 mm] | .500 in[12.70 mm]  | Standard Calibration   | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878647-5          | MQC555LB            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Standard Calibration</li> </ul>   | Vinyl    | CALIBRATION/BY/DATE/DUE/ID                            | White/Light Blue Lettering  | Die-Cut (on Sheets) | 1.000 in[25.40 mm] | .500 in[12.70 mm]  | Standard Calibration   | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878647-6          | MQC555LG            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Standard Calibration</li> </ul>   | Vinyl    | CALIBRATION/BY/DATE/DUE/ID                            | White/Light Green Lettering | Die-Cut (on Sheets) | 1.000 in[25.40 mm] | .500 in[12.70 mm]  | Standard Calibration   | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878647-7          | MQC555MG            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Standard Calibration</li> </ul>   | Vinyl    | CALIBRATION/BY/DATE/DUE/ID                            | White/Magenta Lettering     | Die-Cut (on Sheets) | 1.000 in[25.40 mm] | .500 in[12.70 mm]  | Standard Calibration   | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878647-8          | MQC555OR            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Standard Calibration</li> </ul>   | Vinyl    | CALIBRATION/BY/DATE/DUE/ID                            | White/Orange Lettering      | Die-Cut (on Sheets) | 1.000 in[25.40 mm] | .500 in[12.70 mm]  | Standard Calibration   | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878648-1          | MQC555RD            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Standard Calibration</li> </ul>   | Vinyl    | CALIBRATION/BY/DATE/DUE/ID                            | White/Red Lettering         | Die-Cut (on Sheets) | 1.000 in[25.40 mm] | .500 in[12.70 mm]  | Standard Calibration   | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878648-5          | PM210BU             | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Preventive Maintenance</li> </ul> | Vinyl    | PREVENTATIVE MAINTENANCE DONE BY/DATE/NEXT MAINT.DATE | White/Blue Lettering        | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .6259 in[15.90 mm] | Preventive Maintenance | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878648-6          | PM210GR             | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Preventive Maintenance</li> </ul> | Vinyl    | PREVENTATIVE MAINTENANCE DONE BY/DATE/NEXT MAINT.DATE | White/Green Lettering       | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .6259 in[15.90 mm] | Preventive Maintenance | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878648-7          | PM210OR             | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Preventive Maintenance</li> </ul> | Vinyl    | PREVENTATIVE MAINTENANCE DONE BY/DATE/NEXT MAINT.DATE | White/Orange Lettering      | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .6259 in[15.90 mm] | Preventive Maintenance | -40 - 176 °F[-40 - 80 °C] | Removable     |

| TE Internal Number | Product Description | Product Highlights                                                                                                                                       | Material | Legend                        | Color                  | Label Type          | Label Width        | Label Height      | Label Description | Operating Temperature     | Adhesive Type |
|--------------------|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------------------|------------------------|---------------------|--------------------|-------------------|-------------------|---------------------------|---------------|
| 1878785-2          | QAA375              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description= Inspection Arrow</li> </ul> | Vinyl    | Blank Arrow                   | Red                    | Die-Cut (on Sheets) | 0.375 in[9.50 mm]  | 0.25 in[6.4 mm]   | Inspection Arrow  | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878649-5          | QAD502GR            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Inspection Dots</li> </ul>   | Vinyl    | Blank Dot                     | Green                  | Die-Cut (on Sheets) | .2519 in[6.40 mm]  | .2519 in[6.40 mm] | Inspection Dots   | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878650-3          | QAD502RD            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Inspection Dots</li> </ul>   | Vinyl    | Blank Dot                     | Red                    | Die-Cut (on Sheets) | .2519 in[6.40 mm]  | .2519 in[6.40 mm] | Inspection Dots   | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878651-5          | QC101               | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration</li> </ul>       | Vinyl    | ACCEPTED BY/DATE              | White /Green Lettering | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .500 in[12.70 mm] | Calibration       | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878651-7          | QC105               | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration</li> </ul>       | Vinyl    | CALIBRATION BY/DATE/DUE/ID#   | White /Green Lettering | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .500 in[12.70 mm] | Calibration       | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878652-1          | QC115               | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration</li> </ul>       | Vinyl    | PASSED INSPECTION BY/DATE     | White /Green Lettering | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .500 in[12.70 mm] | Calibration       | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878652-5          | QC126               | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration</li> </ul>       | Vinyl    | CALIBRATION NOT REQUIRED      | White/Red Lettering    | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .500 in[12.70 mm] | Calibration       | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878652-7          | QC127               | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration</li> </ul>       | Vinyl    | OUT OF CALIBRATION DO NOT USE | Red/White Lettering    | White Lettering     | 2.000 in[50.80 mm] | .500 in[12.70 mm] | Calibration       | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878653-2          | QC129               | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration</li> </ul>       | Vinyl    | SHELF LIFE OF/AT/EXPIRES      | White/Black Lettering  | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .500 in[12.70 mm] | Calibration       | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878653-3          | QC130               | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration</li> </ul>       | Vinyl    | REJECTED BY/DATE              | White/Red Lettering    | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .500 in[12.70 mm] | Calibration       | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878653-4          | QC131               | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration</li> </ul>       | Vinyl    | DEFECTIVE DO NOT USE          | Red/Yellow Lettering   | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .500 in[12.70 mm] | Calibration       | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878653-8          | QC134               | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration</li> </ul>       | Vinyl    | CERTIFIED BY/DATE             | White Green Lettering  | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .500 in[12.70 mm] | Calibration       | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878653-9          | QC135               | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration</li> </ul>       | Vinyl    | LIMITED CALIBRATION BY/DATE   | Yellow/Black Lettering | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .500 in[12.70 mm] | Calibration       | -40 - 176 °F[-40 - 80 °C] | Removable     |
| 1878654-1          | QC136               | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration</li> </ul>       | Vinyl    | FOR REFERENCE ONLY            | White/Red Lettering    | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .500 in[12.70 mm] | Calibration       | -40 - 176 °F[-40 - 80 °C] | Removable     |

| TE Internal Number | Product Description | Product Highlights                                                                                                                                                  | Material     | Legend                                                     | Color                  | Label Type          | Label Width        | Label Height       | Label Description            | Operating Temperature      | Adhesive Type |
|--------------------|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------------------------------------------------|------------------------|---------------------|--------------------|--------------------|------------------------------|----------------------------|---------------|
| 1878654-3          | QC137               | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration</li> </ul>                  | Vinyl        | VERIFY BEFORE EACH USE                                     | White/Red Lettering    | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .500 in[12.70 mm]  | Calibration                  | -40 - 176 °F[-40 - 80 °C]  | Removable     |
| 1878654-8          | QC142               | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration</li> </ul>                  | Vinyl        | NOT IN CALIBRATION SYSTEM                                  | White/Red Lettering    | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .500 in[12.70 mm]  | Calibration                  | -40 - 176 °F[-40 - 80 °C]  | Removable     |
| 1878655-1          | QC143               | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration</li> </ul>                  | Vinyl        | VERIFICATION BY/DATE/DUE/ID#                               | White/Green Lettering  | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .500 in[12.70 mm]  | Calibration                  | -40 - 176 °F[-40 - 80 °C]  | Removable     |
| 1878655-6          | QC148               | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration</li> </ul>                  | Vinyl        | TESTED DATE/BY                                             | White/Green Lettering  | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .500 in[12.70 mm]  | Calibration                  | -40 - 176 °F[-40 - 80 °C]  | Removable     |
| 1878655-7          | QC149               | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration</li> </ul>                  | Vinyl        | TOOL NO/DEPT                                               | White/Blue Lettering   | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .500 in[12.70 mm]  | Calibration                  | -40 - 176 °F[-40 - 80 °C]  | Removable     |
| 1878656-4          | QC155               | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration</li> </ul>                  | Vinyl        | CALIBRATED BY/DATE/DUE                                     | White/Black Lettering  | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .500 in[12.70 mm]  | Calibration                  | -40 - 176 °F[-40 - 80 °C]  | Removable     |
| 1878656-5          | QC156               | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration</li> </ul>                  | Vinyl        | INACTIVE BY/DATE                                           | White/Black Lettering  | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .500 in[12.70 mm]  | Calibration                  | -40 - 176 °F[-40 - 80 °C]  | Removable     |
| 1878656-6          | QC157               | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration</li> </ul>                  | Vinyl        | FOR REFERENCE ONLY NOT FOR DATA COLLECTION                 | White/Red Lettering    | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .500 in[12.70 mm]  | Calibration                  | -40 - 176 °F[-40 - 80 °C]  | Removable     |
| 1878658-1          | QC170               | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration</li> </ul>                  | Vinyl        | CALIBRATION EXTENDED BY/DATE/DUE/ID#                       | White/Orange Lettering | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .500 in[12.70 mm]  | Calibration                  | -40 - 176 °F[-40 - 80 °C]  | Removable     |
| 1878658-3          | QC172               | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration</li> </ul>                  | Vinyl        | CALIBRATION NOT REQUIRED DO NOT USE FOR PRODUCT ACCEPTANCE | White/Red Lettering    | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .500 in[12.70 mm]  | Calibration                  | -40 - 176 °F[-40 - 80 °C]  | Removable     |
| 1878658-4          | QC200AC             | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Clear Protective Cover</li> </ul>       | Polyethylene | Blank                                                      | Clear                  | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .6259 in[15.90 mm] | Clear Protective Cover       | -40 - 302 °F[-40 - 150 °C] | Removable     |
| 1878658-5          | QC210AC             | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Clear Protective Cover</li> </ul>       | Vinyl        | Blank                                                      | Clear                  | Die-Cut (on Sheets) | 2.252 in[57.20 mm] | .874 in[22.20 mm]  | Clear Protective Cover       | -40 - 302 °F[-40 - 150 °C] | Removable     |
| 1878660-5          | QCC227              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Circular Calibration Control</li> </ul> | Vinyl        | OUT OF CALIBRATION DO NOT USE                              | Red/White Lettering    | Die-Cut (on Sheets) | .500 in[12.70 mm]  | .500 in[12.70 mm]  | Circular Calibration Control | -40 - 176 °F[-40 - 80 °C]  | Permanent     |

| TE Internal Number | Product Description | Product Highlights                                                                                                                                                  | Material | Legend                      | Color                       | Label Type          | Label Width        | Label Height       | Label Description            | Operating Temperature     | Adhesive Type |
|--------------------|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------------------|-----------------------------|---------------------|--------------------|--------------------|------------------------------|---------------------------|---------------|
| 1878660-7          | QCC306BK            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration with Clear Cover</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Black Lettering       | Die-Cut (on Sheets) | 1.750 in[44.50 mm] | .6259 in[15.90 mm] | Calibration with Clear Cover | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878660-8          | QCC306BR            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration with Clear Cover</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Brown Lettering       | Die-Cut (on Sheets) | 1.750 in[44.50 mm] | .6259 in[15.90 mm] | Calibration with Clear Cover | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878660-9          | QCC306BU            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration with Clear Cover</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Blue Lettering        | Die-Cut (on Sheets) | 1.750 in[44.50 mm] | .6259 in[15.90 mm] | Calibration with Clear Cover | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878661-1          | QCC306GR            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration with Clear Cover</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Green Lettering       | Die-Cut (on Sheets) | 1.750 in[44.50 mm] | .6259 in[15.90 mm] | Calibration with Clear Cover | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878661-2          | QCC306GY            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration with Clear Cover</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Gray Lettering        | Die-Cut (on Sheets) | 1.750 in[44.50 mm] | .6259 in[15.90 mm] | Calibration with Clear Cover | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878661-3          | QCC306LB            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration with Clear Cover</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Light Blue Lettering  | Die-Cut (on Sheets) | 1.750 in[44.50 mm] | .6259 in[15.90 mm] | Calibration with Clear Cover | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878661-4          | QCC306LG            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration with Clear Cover</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Light Green Lettering | Die-Cut (on Sheets) | 1.750 in[44.50 mm] | .6259 in[15.90 mm] | Calibration with Clear Cover | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878661-5          | QCC306MG            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration with Clear Cover</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Magenta Lettering     | Die-Cut (on Sheets) | 1.750 in[44.50 mm] | .6259 in[15.90 mm] | Calibration with Clear Cover | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878661-6          | QCC306OR            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration with Clear Cover</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Orange Lettering      | Die-Cut (on Sheets) | 1.750 in[44.50 mm] | .6259 in[15.90 mm] | Calibration with Clear Cover | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878661-7          | QCC306PK            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration with Clear Cover</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Pink Lettering        | Die-Cut (on Sheets) | 1.750 in[44.50 mm] | .6259 in[15.90 mm] | Calibration with Clear Cover | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878661-8          | QCC306RD            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration with Clear Cover</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Red Lettering         | Die-Cut (on Sheets) | 1.750 in[44.50 mm] | .6259 in[15.90 mm] | Calibration with Clear Cover | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878661-9          | QCC306VT            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration with Clear Cover</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Violet Lettering      | Die-Cut (on Sheets) | 1.750 in[44.50 mm] | .6259 in[15.90 mm] | Calibration with Clear Cover | -40 - 176 °F[-40 - 80 °C] | Permanent     |

| TE Internal Number | Product Description | Product Highlights                                                                                                                                                  | Material | Legend                      | Color                       | Label Type          | Label Width        | Label Height       | Label Description            | Operating Temperature     | Adhesive Type |
|--------------------|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------------------|-----------------------------|---------------------|--------------------|--------------------|------------------------------|---------------------------|---------------|
| 1878662-1          | QCC306X             | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration with Clear Cover</li> </ul> | Vinyl    | Blank                       | White                       | Die-Cut (on Sheets) | 1.750 in[44.50 mm] | .6259 in[15.90 mm] | Calibration with Clear Cover | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878662-3          | QCC306ZC            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration with Clear Cover</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | Multicolor packs            | Die-Cut (on Sheets) | 1.750 in[44.50 mm] | .6259 in[15.90 mm] | Calibration with Clear Cover | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878662-4          | QCC311BK            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration with Clear Cover</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Black Lettering       | Die-Cut (on Sheets) | 1.000 in[25.40 mm] | .6259 in[15.90 mm] | Calibration with Clear Cover | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878662-5          | QCC311BR            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration with Clear Cover</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Brown Lettering       | Die-Cut (on Sheets) | 1.000 in[25.40 mm] | .6259 in[15.90 mm] | Calibration with Clear Cover | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878662-6          | QCC311BU            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration with Clear Cover</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Blue Lettering        | Die-Cut (on Sheets) | 1.000 in[25.40 mm] | .6259 in[15.90 mm] | Calibration with Clear Cover | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878662-7          | QCC311GR            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration with Clear Cover</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Green Lettering       | Die-Cut (on Sheets) | 1.000 in[25.40 mm] | .6259 in[15.90 mm] | Calibration with Clear Cover | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878662-8          | QCC311GY            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration with Clear Cover</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Gray Lettering        | Die-Cut (on Sheets) | 1.000 in[25.40 mm] | .6259 in[15.90 mm] | Calibration with Clear Cover | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878662-9          | QCC311LB            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration with Clear Cover</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Light Blue Lettering  | Die-Cut (on Sheets) | 1.000 in[25.40 mm] | .6259 in[15.90 mm] | Calibration with Clear Cover | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878663-1          | QCC311LG            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration with Clear Cover</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Light Green Lettering | Die-Cut (on Sheets) | 1.000 in[25.40 mm] | .6259 in[15.90 mm] | Calibration with Clear Cover | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878663-2          | QCC311MG            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration with Clear Cover</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Magenta Lettering     | Die-Cut (on Sheets) | 1.000 in[25.40 mm] | .6259 in[15.90 mm] | Calibration with Clear Cover | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878663-3          | QCC311OR            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration with Clear Cover</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Orange Lettering      | Die-Cut (on Sheets) | 1.000 in[25.40 mm] | .6259 in[15.90 mm] | Calibration with Clear Cover | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878663-4          | QCC311PK            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration with Clear Cover</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Pink Lettering        | Die-Cut (on Sheets) | 1.000 in[25.40 mm] | .6259 in[15.90 mm] | Calibration with Clear Cover | -40 - 176 °F[-40 - 80 °C] | Permanent     |

| TE Internal Number | Product Description | Product Highlights                                                                                                                                                           | Material | Legend                                                    | Color                       | Label Type          | Label Width        | Label Height       | Label Description                     | Operating Temperature     | Adhesive Type |
|--------------------|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------------------------------------------------|-----------------------------|---------------------|--------------------|--------------------|---------------------------------------|---------------------------|---------------|
| 1878663-5          | QCC311RD            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration with Clear Cover</li> </ul>          | Vinyl    | CALIBRATION ID#/BY/DATE/DUE                               | White/Red Lettering         | Die-Cut (on Sheets) | 1.000 in[25.40 mm] | .6259 in[15.90 mm] | Calibration with Clear Cover          | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878663-6          | QCC311VT            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration with Clear Cover</li> </ul>          | Vinyl    | CALIBRATION ID#/BY/DATE/DUE                               | White/Violet Lettering      | Die-Cut (on Sheets) | 1.000 in[25.40 mm] | .6259 in[15.90 mm] | Calibration with Clear Cover          | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878663-7          | QCC311YL            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration with Clear Cover</li> </ul>          | Vinyl    | CALIBRATION ID#/BY/DATE/DUE                               | White/Yellow Lettering      | Die-Cut (on Sheets) | 1.000 in[25.40 mm] | .6259 in[15.90 mm] | Calibration with Clear Cover          | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878663-8          | QCC311ZC            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration with Clear Cover</li> </ul>          | Vinyl    | CALIBRATION ID#/BY/DATE/DUE                               | Multicolor packs            | Die-Cut (on Sheets) | 1.000 in[25.40 mm] | .6259 in[15.90 mm] | Calibration with Clear Cover          | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878663-9          | QCC330              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration with Clear Cover</li> </ul>          | Vinyl    | CALIBRATION ID#/DATEDUE THIS ITEM LAST CALIBRATED DATE/BY | White/Green Lettering       | Die-Cut (on Sheets) | 3.000 in[76.20 mm] | 1.000 in[25.40 mm] | Calibration with Clear Cover          | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878664-1          | QCC351BK            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Circular Calibration with Clear Cover</li> </ul> | Vinyl    | CAL BY/DATE/DUE                                           | White/Black Lettering       | Die-Cut (on Sheets) | .500 in[12.70 mm]  | .500 in[12.70 mm]  | Circular Calibration with Clear Cover | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878664-2          | QCC351LB            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Circular Calibration with Clear Cover</li> </ul> | Vinyl    | CAL BY/DATE/DUE                                           | White/Light Blue Lettering  | Die-Cut (on Sheets) | .500 in[12.70 mm]  | .500 in[12.70 mm]  | Circular Calibration with Clear Cover | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878664-3          | QCC351LG            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Circular Calibration with Clear Cover</li> </ul> | Vinyl    | CAL BY/DATE/DUE                                           | White/Light Green Lettering | Die-Cut (on Sheets) | .500 in[12.70 mm]  | .500 in[12.70 mm]  | Circular Calibration with Clear Cover | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878664-4          | QCC351OR            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Circular Calibration with Clear Cover</li> </ul> | Vinyl    | CAL BY/DATE/DUE                                           | White/Orange Lettering      | Die-Cut (on Sheets) | .500 in[12.70 mm]  | .500 in[12.70 mm]  | Circular Calibration with Clear Cover | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878664-6          | QCC351YL            | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Circular Calibration with Clear Cover</li> </ul> | Vinyl    | CAL BY/DATE/DUE                                           | White/Yellow Lettering      | Die-Cut (on Sheets) | .500 in[12.70 mm]  | .500 in[12.70 mm]  | Circular Calibration with Clear Cover | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878664-7          | QCC359              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Circular Calibration with Clear Cover</li> </ul> | Vinyl    | CAL ID#/DATE/DUE/BY                                       | White/Black Lettering       | Die-Cut (on Sheets) | .6259 in[15.90 mm] | .6259 in[15.90 mm] | Circular Calibration with Clear Cover | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878664-8          | QCC500              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Circular Calibration</li> </ul>                  | Vinyl    | CAL BY/DATE/DUE                                           | White/Black Lettering       | Die-Cut (on Sheets) | .500 in[12.70 mm]  | .500 in[12.70 mm]  | Circular Calibration                  | -40 - 176 °F[-40 - 80 °C] | Permanent     |



| TE Internal Number | Product Description | Product Highlights                                                                                                                                                  | Material | Legend                                                | Color                   | Label Type          | Label Width        | Label Height       | Label Description            | Operating Temperature     | Adhesive Type |
|--------------------|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------------------------------------------|-------------------------|---------------------|--------------------|--------------------|------------------------------|---------------------------|---------------|
| 1878664-9          | QCC558              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Circular Calibration</li> </ul>         | Vinyl    | CAL ID#/DATE/DUE/BY                                   | White/Black Lettering   | Die-Cut (on Sheets) | .6259 in[15.90 mm] | .6259 in[15.90 mm] | Circular Calibration         | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878665-1          | QCC564              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Circular Blank</li> </ul>               | Vinyl    | Blank                                                 | White                   | Die-Cut (on Sheets) | .6259 in[15.90 mm] | .6259 in[15.90 mm] | Circular Blank               | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878983-5          | QCC614              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Recall</li> </ul>                       | Vinyl    | YEAR/MONTHS                                           | Magenta/White Lettering | Die-Cut (on Sheets) | .500 in[12.70 mm]  | .500 in[12.70 mm]  | Recall                       | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 2-1878614-6        | QCC615              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Recall</li> </ul>                       | Vinyl    | YEAR/MONTHS                                           | Black/White Lettering   | Die-Cut (on Sheets) | .500 in[12.70 mm]  | .500 in[12.70 mm]  | Recall                       | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1-1878826-3        | QCCLIM              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Calibration with Clear Cover</li> </ul> | Vinyl    | LIMITED CALIBRATION/TESTED RAGNAGE/TO/BY/DATE/ID#/DUE | White/Orange Lettering  | Die-Cut (on Sheets) | 1.750 in[44.50 mm] | .6259 in[15.90 mm] | Calibration with Clear Cover | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878666-4          | QCE10               | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=CE Mark</li> </ul>                      | Vinyl    | CE                                                    | White/Black Lettering   | Die-Cut (on Sheets) | .5118 in[13.00 mm] | .350 in[9.00 mm]   | CE Mark                      | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878674-6          | QLL401              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Inspection and Control</li> </ul>       | Paper    | ACCEPTED BY/DATE                                      | White/Green Lettering   | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .750 in[19.10 mm]  | Inspection and Control       | -                         | Permanent     |
| 1878674-7          | QLL402              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Inspection and Control</li> </ul>       | Paper    | INSPECTED OK BY/DATE                                  | White/Green Lettering   | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .750 in[19.10 mm]  | Inspection and Control       | -                         | Permanent     |
| 1878674-9          | QLL405              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Inspection and Control</li> </ul>       | Paper    | TESTED BY/DATE                                        | White/Green Lettering   | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .750 in[19.10 mm]  | Inspection and Control       | -                         | Permanent     |
| 1878675-1          | QLL406              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Inspection and Control</li> </ul>       | Paper    | CALIBRATION BY/DATE/DUE/#                             | White/Green Lettering   | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .750 in[19.10 mm]  | Inspection and Control       | -                         | Permanent     |
| 1878675-5          | QLL412              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Inspection and Control</li> </ul>       | Paper    | REJECT BY/DATE                                        | White/Red Lettering     | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .750 in[19.10 mm]  | Inspection and Control       | -                         | Permanent     |
| 1878675-9          | QLL420              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Inspection and Control</li> </ul>       | Paper    | FIRST PIECE CHECKED BY/DATE                           | White/Green Lettering   | Die-Cut (on Sheets) | 2.000 in[50.80 mm] | .750 in[19.10 mm]  | Inspection and Control       | -                         | Permanent     |
| 1878676-6          | QLLD750GR           | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Inspection Dots</li> </ul>              | Paper    | Blank Dot                                             | Green                   | Die-Cut (on Sheets) | .750 in[19.10 mm]  | .750 in[19.10 mm]  | Inspection Dots              | -40 - 176 °F[-40 - 80 °C] | Permanent     |

| TE Internal Number | Product Description | Product Highlights                                                                                                                                                                     | Material    | Legend                                         | Color                            | Label Type          | Label Width         | Label Height       | Label Description          | Operating Temperature     | Adhesive Type |
|--------------------|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------------------------------------|----------------------------------|---------------------|---------------------|--------------------|----------------------------|---------------------------|---------------|
| 1878677-1          | QMT101              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Paperboard Inspection Tags ACCEPTED</li> </ul>             | Paper Board | ACCEPTED<br>REMARKS/SIGNED BY/DATE             | White/Green Lettering            | Die-Cut (on Sheets) | 5.751 in[146.10 mm] | 2.874 in[73.00 mm] | Paperboard Inspection Tags | -                         | N/A           |
| 1878677-5          | QMT106              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Paperboard Inspection Tags INSPECTED</li> </ul>            | Paper Board | INSPECTED<br>REMARKS/SIGNED BY/DATE            | White/Green Lettering            | Die-Cut (on Sheets) | 5.751 in[146.10 mm] | 2.874 in[73.00 mm] | Paperboard Inspection Tags | -                         | N/A           |
| 1878677-8          | QMT121              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Paperboard Inspection Tags REJECTED</li> </ul>             | Paper Board | REJECTED<br>REMARKS/SIGNED BY/DATE             | White/Red Lettering              | Die-Cut (on Sheets) | 5.751 in[146.10 mm] | 2.874 in[73.00 mm] | Paperboard Inspection Tags | -                         | N/A           |
| 1878677-9          | QMT123              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Paperboard Inspection Tags DO NOT USE</li> </ul>           | Paper Board | DO NOT USE<br>REMARKS/SIGNED BY/DATE           | White/Red Lettering              | Die-Cut (on Sheets) | 5.751 in[146.10 mm] | 2.874 in[73.00 mm] | Paperboard Inspection Tags | -                         | N/A           |
| 1878678-1          | QMT211              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Paperboard Inspection Tags HOLD</li> </ul>                 | Paper Board | HOLD<br>REMARKS/SIGNED BY/DATE                 | Yellow/Black Lettering           | Die-Cut (on Sheets) | 5.751 in[146.10 mm] | 2.874 in[73.00 mm] | Paperboard Inspection Tags | -                         | N/A           |
| 1878678-2          | QMT212              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Paperboard Inspection Tags</li> </ul>                      | Paper Board | RE-WORK<br>REMARKS/SIGNED BY/DATE              | Yellow/Black Lettering           | Die-Cut (on Sheets) | 5.751 in[146.10 mm] | 2.874 in[73.00 mm] | Paperboard Inspection Tags | -                         | N/A           |
| 1878678-3          | QMT213              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Paperboard Inspection Tags REPAIR</li> </ul>               | Paper Board | REPAIR<br>REMARKS/SIGNED BY/DATE               | Yellow/Black Lettering           | Die-Cut (on Sheets) | 5.751 in[146.10 mm] | 2.874 in[73.00 mm] | Paperboard Inspection Tags | -                         | N/A           |
| 1878678-4          | QMT214              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Paperboard Inspection Tags SPECIAL INSTRUCTIONS</li> </ul> | Paper Board | SPECIAL INSTRUCTIONS<br>REMARKS/SIGNED BY/DATE | Yellow/Black Lettering           | Die-Cut (on Sheets) | 5.751 in[146.10 mm] | 2.874 in[73.00 mm] | Paperboard Inspection Tags | -                         | N/A           |
| 1878678-8          | QMT222              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Paperboard Inspection Tags SCRAP</li> </ul>                | Paper Board | SCRAP<br>REMARKS/SIGNED BY/DATE                | Yellow/Red Lettering             | Die-Cut (on Sheets) | 5.751 in[146.10 mm] | 2.874 in[73.00 mm] | Paperboard Inspection Tags | -                         | N/A           |
| 1878679-6          | QUP12-136           | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Wrap-Around Calibration FOR REFERENCE ONLY</li> </ul>      | Vinyl       | FOR REFERENCE ONLY                             | White/Red Lettering Clear Tail   | Die-Cut (on Sheets) | 6.000 in[152.40 mm] | .2519 in[6.40 mm]  | Wrap-Around Calibration    | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878679-7          | QUP12BK             | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Wrap-Around Calibration</li> </ul>                         | Vinyl       | CAL ID#/BY/DATE/DUE                            | White/Black Lettering Clear Tail | Die-Cut (on Sheets) | 6.000 in[152.40 mm] | .2519 in[6.40 mm]  | Wrap-Around Calibration    | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878679-9          | QUP12BU             | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Wrap-Around Calibration</li> </ul>                         | Vinyl       | CAL ID#/BY/DATE/DUE                            | White/Blue Lettering Clear Tail  | Die-Cut (on Sheets) | 6.000 in[152.40 mm] | .2519 in[6.40 mm]  | Wrap-Around Calibration    | -40 - 176 °F[-40 - 80 °C] | Permanent     |

| TE Internal Number | Product Description | Product Highlights                                                                                                                                             | Material | Legend                      | Color                                  | Label Type          | Label Width         | Label Height       | Label Description       | Operating Temperature     | Adhesive Type |
|--------------------|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------------------|----------------------------------------|---------------------|---------------------|--------------------|-------------------------|---------------------------|---------------|
| 1878680-1          | QUP12GR             | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Wrap-Around Calibration</li> </ul> | Vinyl    | CAL ID#/BY/DATE/DUE         | White/Green Lettering Clear Tail       | Die-Cut (on Sheets) | 6.000 in[152.40 mm] | .2519 in[6.40 mm]  | Wrap-Around Calibration | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878680-2          | QUP12GY             | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Wrap-Around Calibration</li> </ul> | Vinyl    | CAL ID#/BY/DATE/DUE         | White/Gray Lettering Clear Tail        | Die-Cut (on Sheets) | 6.000 in[152.40 mm] | .2519 in[6.40 mm]  | Wrap-Around Calibration | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878680-3          | QUP12LB             | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Wrap-Around Calibration</li> </ul> | Vinyl    | CAL ID#/BY/DATE/DUE         | White/Light Blue Lettering Clear Tail  | Die-Cut (on Sheets) | 6.000 in[152.40 mm] | .2519 in[6.40 mm]  | Wrap-Around Calibration | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878680-4          | QUP12LG             | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Wrap-Around Calibration</li> </ul> | Vinyl    | CAL ID#/BY/DATE/DUE         | White/Light Green Lettering Clear Tail | Die-Cut (on Sheets) | 6.000 in[152.40 mm] | .2519 in[6.40 mm]  | Wrap-Around Calibration | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878680-5          | QUP12MG             | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Wrap-Around Calibration</li> </ul> | Vinyl    | CAL ID#/BY/DATE/DUE         | White/Magenta Lettering Clear Tail     | Die-Cut (on Sheets) | 6.000 in[152.40 mm] | .2519 in[6.40 mm]  | Wrap-Around Calibration | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878680-6          | QUP12OR             | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Wrap-Around Calibration</li> </ul> | Vinyl    | CAL ID#/BY/DATE/DUE         | White/Orange Lettering Clear Tail      | Die-Cut (on Sheets) | 6.000 in[152.40 mm] | .2519 in[6.40 mm]  | Wrap-Around Calibration | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878680-8          | QUP12RD             | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Wrap-Around Calibration</li> </ul> | Vinyl    | CAL ID#/BY/DATE/DUE         | White/Red Lettering Clear Tail         | Die-Cut (on Sheets) | 6.000 in[152.40 mm] | .2519 in[6.40 mm]  | Wrap-Around Calibration | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878680-9          | QUP12VT             | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Wrap-Around Calibration</li> </ul> | Vinyl    | CAL ID#/BY/DATE/DUE         | White/Violet Lettering Clear Tail      | Die-Cut (on Sheets) | 6.000 in[152.40 mm] | .2519 in[6.40 mm]  | Wrap-Around Calibration | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878681-2          | QUP12YL             | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Wrap-Around Calibration</li> </ul> | Vinyl    | CAL ID#/BY/DATE/DUE         | White/Yellow Lettering Clear Tail      | Die-Cut (on Sheets) | 6.000 in[152.40 mm] | .2519 in[6.40 mm]  | Wrap-Around Calibration | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878681-5          | QUP3BR              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Wrap-Around Calibration</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Brown Lettering Clear Tail       | Die-Cut (on Sheets) | 6.000 in[152.40 mm] | 1.000 in[25.40 mm] | Wrap-Around Calibration | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878681-7          | QUP3GR              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Wrap-Around Calibration</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Green Lettering Clear Tail       | Die-Cut (on Sheets) | 6.000 in[152.40 mm] | 1.000 in[25.40 mm] | Wrap-Around Calibration | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878681-8          | QUP3GY              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Wrap-Around Calibration</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Gray Lettering Clear Tail        | Die-Cut (on Sheets) | 6.000 in[152.40 mm] | 1.000 in[25.40 mm] | Wrap-Around Calibration | -40 - 176 °F[-40 - 80 °C] | Permanent     |

| TE Internal Number | Product Description | Product Highlights                                                                                                                                             | Material | Legend                      | Color                                  | Label Type          | Label Width         | Label Height       | Label Description                                 | Operating Temperature     | Adhesive Type |
|--------------------|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------------------|----------------------------------------|---------------------|---------------------|--------------------|---------------------------------------------------|---------------------------|---------------|
| 1878682-1          | QUP3LG              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Wrap-Around Calibration</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Light Green Lettering Clear Tail | Die-Cut (on Sheets) | 6.000 in[152.40 mm] | 1.000 in[25.40 mm] | Wrap-Around Calibration                           | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878682-2          | QUP3MG              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Wrap-Around Calibration</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Magenta Lettering Clear Tail     | Die-Cut (on Sheets) | 6.000 in[152.40 mm] | 1.000 in[25.40 mm] | Wrap-Around Calibration                           | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878682-5          | QUP3RD              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Wrap-Around Calibration</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Red Lettering Clear Tail         | Die-Cut (on Sheets) | 6.000 in[152.40 mm] | 1.000 in[25.40 mm] | Wrap-Around Calibration                           | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878682-6          | QUP3VT              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Wrap-Around Calibration</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Violet Lettering Clear Tail      | Die-Cut (on Sheets) | 6.000 in[152.40 mm] | 1.000 in[25.40 mm] | Wrap-Around Calibration                           | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878682-8          | QUP3YL              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Wrap-Around Calibration</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Yellow Lettering Clear Tail      | Die-Cut (on Sheets) | 6.000 in[152.40 mm] | 1.000 in[25.40 mm] | Wrap-Around Calibration                           | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878683-1          | QUP6BK              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Wrap-Around Calibration</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Black Lettering Clear Tail       | Die-Cut (on Sheets) | 3.000 in[76.20 mm]  | 1.000 in[25.40 mm] | Wrap-Around Calibration                           | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878683-3          | QUP6BU              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Wrap-Around Calibration</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Blue Lettering Clear Tail        | Die-Cut (on Sheets) | 3.000 in[76.20 mm]  | 1.000 in[25.40 mm] | Wrap-Around Calibration                           | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878683-4          | QUP6GR              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Wrap-Around Calibration</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Green Lettering Clear Tail       | Die-Cut (on Sheets) | 3.000 in[76.20 mm]  | 1.000 in[25.40 mm] | Wrap-Around Calibration                           | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878683-7          | QUP6LG              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Wrap-Around Calibration</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Light Green Lettering Clear Tail | Die-Cut (on Sheets) | 3.000 in[76.20 mm]  | 1.000 in[25.40 mm] | Wrap-Around Calibration                           | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878684-2          | QUP6RD              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Wrap-Around Calibration</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Red Lettering Clear Tail         | Die-Cut (on Sheets) | 3.000 in[76.20 mm]  | 1.000 in[25.40 mm] | Wrap-Around Calibration                           | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878684-3          | QUP6VT              | <ul style="list-style-type: none"> <li>◆ Q-CEE Label</li> <li>◆ Label Type=Die-Cut (on Sheets)</li> <li>◆ Label Description=Wrap-Around Calibration</li> </ul> | Vinyl    | CALIBRATION ID#/BY/DATE/DUE | White/Violet Lettering Clear Tail      | Die-Cut (on Sheets) | 3.000 in[76.20 mm]  | 1.000 in[25.40 mm] | Wrap-Around Calibration                           | -40 - 176 °F[-40 - 80 °C] | Permanent     |
| 1878679-3          | QTIDY               | <ul style="list-style-type: none"> <li>◆ Q-CEE Pen</li> <li>◆ Adhesive Removal Pen Style</li> </ul>                                                            | N/A      | N/A                         | N/A                                    | N/A                 | N/A                 | N/A                | Cleans and Removes Adhesives and Glues. Pen Style | N/A                       | N/A           |
| 1878671-2          | QCP650              | <ul style="list-style-type: none"> <li>◆ Q-CEE Pen</li> <li>◆ Ultra fine point sharpie</li> </ul>                                                              | N/A      | N/A                         | N/A                                    | N/A                 | N/A                 | N/A                | Black - Ultra Fine Point Permanent Marker         | N/A                       | N/A           |

| TE<br>Internal<br>Number | Product<br>Description | Product Highlights | Material | Legend | Color | Label Type | Label<br>Width | Label Height | Label<br>Descriptio<br>n | Operating<br>Temperature | Adhesive<br>Type |
|--------------------------|------------------------|--------------------|----------|--------|-------|------------|----------------|--------------|--------------------------|--------------------------|------------------|
|--------------------------|------------------------|--------------------|----------|--------|-------|------------|----------------|--------------|--------------------------|--------------------------|------------------|

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9