







Copyright FCI.

PRODUCT NUMBER

SEE SHEET 2




spec ref				dr	Rainbow Zhan	2015/02/08	projection	MM	size	A3	scale	3:2	
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Vickling Liu	2015/11/01			ecn no	ELX-DG-22326-1			
				chr	Fancy Zhang	2015/11/02							
				appr	Pei-Ming Zheng	2015/11/02							product family
ASME Y14.5													
surface	linear	0.X	±0.50		title 4HDP + 36S RA PF HEADER				dwg no	10106133-4009101		rev	
		0.XX	±0.25										
		0.XXX	±0.10										
	ASME Y14.5	angular	0°										±2°



Copyright FCI.

PRODUCT NO.	ROWS	HIGH POWER					SIGNAL									E2
		E1	P1	P2	P3	P4	1	2	3	4	5	6	7	8	9	
10106133-4009101LF	D C B A		HE	HE	HE	HE	FD	FD	FD	FD	FD	FD	FD	FD	FD	
			FC	FC	FC	FC	FC	FC	FC	FC	FC	FC	FC	FC	FC	
			FB	FB	FB	FB	FB	FB	FB	FB	FB	FB	FB	FB	FB	
			FA	FA	FA	FA	FA	FA	FA	FA	FA	FA	FA	FA	FA	



CODE	DESCRIPTION
FA	FMLB SIGNAL CONTACT, ROW A (3.05)
FB	FMLB SIGNAL CONTACT, ROW B (3.05)
FC	FMLB SIGNAL CONTACT, ROW C (3.05)
FD	FMLB SIGNAL CONTACT, ROW D (3.05)
HA	METAL HOLD DOWN
HE	STD HIGH POWER CONTACT (3.05)

dr	Rainbow Zhan	2015/02/08	projection	MM	size	A3	scale	3:2				
eng	Vicking Liu	2015/11/01			ecn no	ELX-DG-22326-1						
chr	Fancy Zhang	2015/11/02			rel level			Released				
appr	Pei-Ming Zheng	2015/11/02			product family			PwrBlade+				
			title			4HDP + 36S			dwg no	10106133-4009101	rev	C
RA PF HEADER												
www.fci.com			cat. no.			Product - Customer Drw			sheet 2 of 3			

A

B

C

D

A

B

C

D

- NOTES:
- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION: 10124315
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS ARE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ±0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ±0.07MM HOLE.
- 8) PRODUCT SPECIFICATION: GS-12-658.
APPLICATION SPECIFICATION: GS-20-141.
PRODUCT PACKAGED IN TRAYS: GS-14-1502.



Copyright FCI.

dr	Rainbow Zhan	2015/02/08	projection	MM	size	scale
eng	Vicking Liu	2015/11/01			A3	3:2
chr	Fancy Zhang	2015/11/02			ecn no	ELX-DG-22326-1
appr	Pei-Ming Zheng	2015/11/02			rel level	Released
			product family	PwrBlade+		
www.fci.com			4HDP + 36S RA PF HEADER		dwg no	rev
					10106133-4009101	C
			cat. no.	Product - Customer Drw		sheet 3 of 3

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9