

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT - By -

ALL RIGHTS RESERVED.

LOC

DIST

AD00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	AL2	REVISED PER ECO-11-004820	11MAR11	RK	HMR

DATE CODE

AMP XXXX
3-435802-8
OFF

PIN 1 IDENT DOT

.38±.02

.022±.002 TYP

.100 TYP

A±.02

DATE CODE

AMP XXXX
435802-1
OFF

PIN 1 IDENT DOT

.38±.02

.022±.002 TYP

.100 TYP

A±.02

CLOSE
OPEN

.14±.02 TYP

.012 TYP

.19±.01

.315±.010

.02^{+.01}_{-.00}
STANDOFF, 4 PLC

.29±.02 TYP

MOUNTING SURFACE

FIG 1

CLOSE
OPEN

.14±.02 TYP

.012 TYP

.19±.01

.315±.010

.02^{+.01}_{-.00}
STANDOFF, 4 PLC

.29±.02 TYP

MOUNTING SURFACE

FIG 2

CONTACT ARRANGEMENT

7

NO POSITION MARKING.

8

NO PART NO. MARKING.

9

STRIPPABLE TAPE SEAL, SEE FIGURE 8.

10

OBSOLETE PARTS: OBSOLETE CIS
STREAMLINING PER D.RENAUD/D.SINISI

1

FOR ADDITIONAL SPECIFICATIONS SEE AMP PRODUCT SPEC 108-7519.

2

SWITCH SHOWN IN OPEN POSITION.

3

ALL CHARACTERS AND ROCKERS ARE WHITE, HOUSING IS BLACK.

4

STAMPING WILL VARY ON 2 AND 3 POSITION TOPS DUE TO SPACE RESTRICTIONS.

5

STRIPPABLE TRANSPARENT SEAL, SEE FIG 6.

6

.315 DIMENSION APPLIES AT TERMINAL TIPS.
TERMINALS ARE .300^{+.010}_{-.000} AT MOUNTING SURFACE.

	FIG 2	FIG 3A& 7		1.08	10	6-435802-3
	FIG 1	FIG 3B	9	.88	8	3-435802-8
	FIG 2	7 8	5	.58	5	3-435802-1
	FIG 2	7 8	5	.88	8	3-435802-0
10	SUPSD BY 2-5435802-9	7 8	5	.48	4	2-435802-9
	SUPSD BY 1-435802-0	7		.28	2	2-435802-8
	OBSOLETE	7	5	.28	2	2-435802-7
	OBSOLETE	7	5	1.08	10	2-435802-6
	OBSOLETE	FIG 4		.88	8	2-435802-5
	OBSOLETE	7	5	.88	8	2-435802-4
	OBSOLETE	FIG 3A& 5		.48	4	2-435802-3
	FIG 2			1.28	12	2-435802-2
	FIG 2			1.18	11	2-435802-1
	FIG 2			1.08	10	2-435802-0
	FIG 2	FIG 3A	5	.98	9	1-435802-9
	FIG 2			.78	7	1-435802-8
	FIG 2			.68	6	1-435802-7
	FIG 2			.58	5	1-435802-6
	FIG 2			.48	4	1-435802-5
	SUPSD BY 435802-2	FIG 3B	5	.38	3	1-435802-4
	SUPSD BY 3-1437590-2			.28	2	1-435802-3
	10	OBSOLETE		1.28	12	1-435802-2
	FIG 1	FIG 3B	5	.28	2	1-435802-0
	FIG 2			.88	8	435802-9
	FIG 2			1.08	10	435802-8
10	SUPSD BY 5435802-7	FIG 3A		.98	9	435802-7
	FIG 2			.78	7	435802-6
	FIG 2			.68	6	435802-5
	FIG 2			.58	5	435802-4
	FIG 2			.48	4	435802-3
	FIG 2	FIG 3A		.38	3	435802-2
	FIG 2	FIG 3A		.88	8	435802-1
	HOUSING	MARKING	PROTECTIVE SEAL	A	NO OF POSN	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
INCHES

MATERIAL
HOUSING & ROCKERS:
POLYESTER
CONTACTS: BERYLLIUM COPPER

FINISH
CONTACTS: PLATED .000030
MIN GOLD IN CONTACT AREA
OVER .000050 MIN NICKEL

DWN
R. TALLEY
9-19-89

CHK
R. MILLER
9-19-89

APVD
H. LEITER
9-19-89

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

9-19-89

9-19-89

9-19-89

TE Connectivity

SWITCH ASSY, DIP, TYPE C,
7000 SERIES, SPST, SIDE ACTUATED

SIZE
A2

CAGE CODE
00779

DRAWING NO
C=435802

RESTRICTED TO

SCALE
4:1

SHEET
1 of 2

REV
AL2

1471-9 (3/11)




FIG 3A




FIG 3B




FIG 4





FIG 5



PROTECTIVE SEAL

FIG 6






FIG 7



PROTECTIVE SEAL

FIG 8

 $.010 \pm .010$ $.005^{+.010}_{-.005}$
TYP

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. TALLEY 9-19-89	 TE Connectivity			
DIMENSIONS: INCHES		CHK R. MILLER 9-19-89				
		APVD H. LEITER 9-19-89	NAME SWITCH ASSY, DIP, TYPE C, 7000 SERIES, SPST, SIDE ACTUATED			
		PRODUCT SPEC				
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC	SIZE A2			
0 PLC ± -		—				
1 PLC ± -		—	CAGE CODE 00779			
2 PLC ± -		—				
3 PLC ± .005		—	DRAWING NO C-435802			
4 PLC ± -		—				
ANGLES ± -		—	RESTRICTED TO —			
FINISH		—				
MATERIAL SEE SHEET 1		WEIGHT —	SCALE 4:1			
SEE SHEET 1		—				
CUSTOMER DRAWING			SHEET 2 OF 2			
			REV AL2			

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9