









DETAIL D
SCALE 10:1

- NOTES:




- ① 0,2 μm MIN. GOLD OVER 1,3 μm MIN. NICKEL IN CONTACT AREA.
- ② 0,8 μm MIN. GOLD OVER 1,3 μm MIN. NICKEL IN CONTACT AREA.
- ③ 0-338966-9 SUITABLE FOR PCB THICKNESS 0,9 +/- 0,1 mm.
1-338966-2 SUITABLE FOR PCB THICKNESS 1,2 +/- 0,1 mm.
- 4 APPLICABLE PERFORMANCE REQUIREMENTS:
SEE AMP PRODUCT-SPECIFICATION 108-19184
- 5 APPLICATION REQUIREMENTS:
SEE AMP APPLICATION-SPECIFICATION 114-19060.
- 6 PRODUCTS ARE PACKAGED AS FOLLOWS:
250 PCS. IN A PLASTIC BAG. (BULK)
1 PLASTIC BAG IN AN INTERNAL BOX.
10 INTERNAL BOXES IN A SHIPPING BOX.
(OUTSIDE DIMENSIONS: 356 X 305 X 152 mm).

ORDER NUMBER X-338966-X $\triangle_3$

2	IN-PHONE CONTACT	COPPER ALLOY	GOLD PLATED
1	SYSTEM CONN. HOUSING	LCP, 30% GF, UL 94 V-0	BLACK
ITEM NO.	DESCRIPTION	MATERIAL	FINISH

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS NEDERLAND B.V. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN J.V.D.HEIJDEN, 10 APR 99		AMP TYCO ELECTRONICS NEDERLAND B.V. 's-HERTOGENBOSCH, THE NETHERLANDS					
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK CvTILBURG, 10 APR 99		NAME			
	0 PLC ± 0,2		APVD		I/O CONNECTOR 12 POSITION WITH KEYING.				
	1 PLC ± 0,15		PRODUCT SPEC						
	2 PLC ± 0,10		-		SIZE A2				
	3 PLC ± -		APPLICATION SPEC					CAGE CODE 00779	
4 PLC ± -		-		DRAWING NO C=338966					
MATERIALS ± 1°		-					RESTR TO -		
MATERIAL	FINISH	WEIGHT		CUSTOMER DRAWING					
-	-	-					SHEET 1 OF 2		
				REV C					

LOC	DIST	LTR	REVISION RECORD	DATE	APVD
H	-	-	SEE SHEET 1	-	-
		-	-	-	-
		-	-	-	-



- NOTES:
- 1 PLATING OF CONTACT AREA:
MIN. 0,2µm GOLD OVER MIN. 1,3 µm NICKEL.
 - 2 NO SOLDERMASK PERMITTED IN MOUNTING AREA OF
CONNECTOR. (BOTH SIDES OF THE BOARD)

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS NEDERLAND B.V. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN J.V.D.HEIJDEN, 10 MRT 99	AMP TYCO ELECTRONICS NEDERLAND B.V. 's-HERTOGENBOSCH, THE NETHERLANDS		
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	CHK C.V.TILBURG.			
	0 PLC ± 0,2	APVD -	NAME I/O CONNECTOR 12 POSITION WITH KEYING		
	1 PLC ± 0,15	PRODUCT SPEC -			
	2 PLC ± 0,10	APPLICATION SPEC -	SIZE A2	CAGE CODE 00779	DRAWING NO C-338966
MATERIAL -	FINISH -	WEIGHT -	CUSTOMER DRAWING		
			SCALE 5:1	SHEET 2 OF 2	REV C

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9