

MRJ Series *PC Mountable Rotary/0.4VA/Gold Contacts Standard*

MATERIAL SPECIFICATIONS:

Contacts Gold plate over nickel plate
 Case Material Zinc die cast
 Actuator Material Brass
 Terminals/Fixed Contacts Gold plated
 Terminal Seal Molded-in epoxy base
 Process Seal MRJB and MRJE

ENVIRONMENTAL SPECIFICATIONS:

Operating Temperature -4°F to +158°F (-20°C to +70°C)
 Storage Temperature -4°F to +158°F (-20°C to +70°C)
 Solder Heat Resistance 285°C ±3C for 15 seconds


TYPICAL PERFORMANCE CHARACTERISTICS:

Contact Rating 0.4VA max. @ 20 VDC or peak AC
 Initial Contact Resistance 30 Milliohms max.
 Contact Timing Non-shorting
 Insulation Resistance 10,000 Megohms min.
 Dielectric Strength 1,000 Volts RMS @ sea level
 Actuation Force 14 Inch oz. max.
 Plunger/Actuator Travel 30°
 Life Expectancy 10,000 Cycles @ full contact rating
 30,000 Cycles @ 0.1 mA, 12 VDC

30° ANGLE OF THROW



MRJ26




Application Note: Set stop positions by presetting external pin plate provided.

SPLASHPROOF

30° ANGLE OF THROW



MRJE26




SPLASHPROOF



30° ANGLE OF THROW




MRJB26




30° ANGLE OF THROW




MRJ26




MRJ43




MRJ34



MRJ26



MRJ112




Model	No. Poles	Positions	Description
*MRJ112	1 Pole	2 to 12, Adjustable	
MRJ26	2 Poles	2 to 6, Adjustable	3/4" long, 1/8: Diameter shaft.
MRJ34	3 Poles	2 to 4, Adjustable	
MRJ43	4 Poles	2 to 3, Adjustable	

* Also usable as continuous rotation.


Application Note: Set stop positions by presetting external pin plate provided.

SPLASHPROOF


30° ANGLE OF THROW




MRJE26




MRJE43




MRJE34



MRJE26



MRJE112



Model	No. Poles	Positions	Description
MRJE112	1 Pole	12 Continuous Rotation	
MRJE26	2 Poles	6 Fixed	Waterproof Seal on
MRJE34	3 Poles	4 Fixed	Shaft, Bushing & Base
MRJE43	4 Poles	3 Fixed	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9