

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	ECR-14-001601	03FEB2014	GK	HMR


REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2151441-2

FOR REPLACEMENT PARTS FOR APPLICATOR 1852722
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1852722

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GOPALAKRISHNA HV		 TE Connectivity			
DIMENSIONS:		CHK RAGHAVENDRA					
		APVD RAGHAVENDRA		NAME SIDE FEED HDM APPLICATOR			
		PRODUCT SPEC					
		APPLICATION SPEC					
MATERIAL		WEIGHT		SIZE A3	CAGE CODE	DRAWING NO C- 1852722	RESTRICTED TO
FINISH		CUSTOMER DRAWING		SCALE		SHEET 1 OF 2	REV A1

THIS DRAWING IS UNPUBLISHED.			RELEASED FOR PUBLICATION		
© COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL INTERNATIONAL RIGHTS RESERVED.					
PART NUMBER	REV	FIRST USED			
1852722-1	A	122500-1			
1852722-2	A	565435-5			
1852722-3	A	354500-1			





TERMINAL NAME: BOX		AMP TERM PN		MFR TERM PN		JAE TERMINAL		TE CRIMP SPECS	
1949075		FI-C3-A1-15000				PAD LTR		CRIMP HEIGHT	
						A		0.475mm ± 0.025mm	
						B		0.455mm ± 0.025mm	
						C		0.425mm ± 0.025mm	
						D		NOT USED	
						CRIMP		SIZE	
						WIRE		.032 [0.81mm]	
						INSUL		.033 [0.84mm]	
								F	
								28-32	
								Ø036 MAX	
WIRE STRIP LENGTH		TERM APPL SPEC		FEED		APPL INSTRUCTION		SET UP GAGE	
.040-.060		NONE		.176		408-8040		458637-1	
								L2647	

LOC		DIST		REV		DATE		DWN		APVD	
A		66									

-1		LEADMAKER		AIRFEED	
-2		BENCH MODEL K		AIRFEED	
-3		BENCH MODEL G		AIRFEED	

1	1	1	-	854769-4	HOLDER, INS.	70
1	1	1	-	5-547505-2	SPRING, COMPRESSION	69
1	1	1	-	21028-2	PIN, SLOT, SPRING	68
						67
						66
1	1	1	-	1633030-1	AIR FEED ASSEMBLY	65
2	2	2	-	3-21000-7	SCR,SHC(10-32x.75)AIR ASSY	64
1	1	1	-	980285-2	ELBOW, SWIVEL 1/8 NPT - 1/4 T	63
1	-	1	-	23238-1	QUICK DISCONNECT	62
24.00	24.00	24.00	IN	27319-4	TUBING, POLY-FLO Ø.25	61
						60
1	1	1	-	454220-8	CAP, RAM	59
1	1	1	-	2-21008-1	SCR, SET SELF LOCKING 1/4-20 X .250	58
1	1	1	-	454485-7	HOUSING	57
1	1	1	-	4-694433-8	PAWL, FEED	56
						55
						54
1	1	1	-	461062-2	FEED FINGER ASSY	53
						52
						51
1	-	1	-	23054-1	FLOW CONTROL	50
1	-	1	-	22306-3	ELBOW, STREET 90°	49
						48
1	-	1	-	22304-1	NIPPLE, HEX 1/8 NPT	47
						46
1	1	1	-	690191-1	PLUG, NYLON	45
1	1	1	-	455673-1	RAM	44
1	1	1	-	690125-1	WASHER, LAMINATED	43
1	1	1	-	690124-4	WASHER, RAM	42
1	1	1	-	7-21002-9	BOLT, CRIMPER(5/16x1.00)	41
1	1	1	-	23241-6	BALL, STEEL	40
1	1	1	-	690170-1	SPRING, COMPRESSION	39
1	1	1	-	690142-6	DISC, INSULATION	38
1	1	1	-	354777-1	WIRE DISC, PLASTIC	37
1	1	1	-	22480-5	WASHER, SPRING	36
1	1	1	-	690212-1	POST, RAM	35
1	1	1	-	1633663-2	SUPPORT, TERMINAL	34
1	1	1	-	1633017-1	PLATE, BASE	33
1	1	1	-	1633031-1	SCREW, ADJUSTMENT	32
						31
1	1	1	-	1633014-1	BLOCK, STRIP GUIDE ADJ	30
1	1	1	-	1633016-1	PLATE, STRIP GUIDE	29
1	1	1	-	1-455888-0	SPACER, FRONT SHEAR DEP	28
2	2	2	-	22281-8	SPRING, DRAG	27
1	1	1	-	240793-1	LEVER, DRAG RELEASE	26
1	1	1	-	679754-2	DRAG, TERMINAL	25
1	1	1	-	1633013-4	GUIDE, STRIP (REAR)	24
1	1	1	-	690438-1	GUIDE, STRIP (FRONT)	23
						22
						21
2	2	2	-	21024-4	WASHER, LOCK	20
1	1	1	-	2-1338987-8	STRIPPER	19
1	1	1	-	9-1338389-1	HOLD DOWN, TERMINAL	18
1	1	1	-	455052-1	CARRIER, HOLD DOWN	17
2	2	2	-	22278-9	SPRING, COMPRESSION	16
				4-21028-0	PIN SLOTTED SPRING .094 X .750	15
1	1	1	-	455053-1	PLATE, RETAINING	14
						13
1	1	1	-	3-22280-3	SPRING, SHEAR	12
1	1	1	-	690461-1	STOP, SHEAR	11
1	1	1	-	690459-1	HOLDER, SHEAR (FRONT)	10
1	1	1	-	1-462006-7	SHEAR, FLOAT (FRONT)	9
1	1	1	-	1633023-6	ANVIL	8
						7
1	1	1	-	1-455888-4	SPACER, CRIMPER	6
1	1	1	-	854772-1	DEPRESSOR, SHEAR (FRONT)	5
1	1	1	-	2-238011-8	SPACER, BLOCK CRIMPER	4
1	1	1	-	2-1633511-7	CRIMPER, INSULATION	3
1	1	1	-	455888-4	SPACER, CRIMPER	2
1	1	1	-	1633021-7	CRIMPER, WIRE	1



- 1 RECOMMENDED SPARE PARTS.
- 2 GREASE LIGHTLY.
- 3 GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN A BENCH MACHINE.
- 4 SEE DRAWING FOR COMPONENTS

2	2	2	-	3-354779-8	PIN, WIRE DISC (.3180)C	129
2	2	2	-	3-354779-5	PIN, WIRE DISC (.3165)B	128
2	2	2	-	3-354779-2	PIN, WIRE DISC (.3150)A	126
1	1	1	-	986950-1	WASHER, FLAT PRECISION	125
1	1	1	-	217238-1	GENERAL INSTRUCTION PACKAGE	124
1	1	1	-	4088040	SF APPL INST 408-8040	123
						122
1	1	1	-	4-21028-0	PIN,SLT SPR(Ø.093x.75)ST GDE PL	121
-	1	-	-	24042-2	VALVE, SLEEVE, 3 WAY	120
-	1	-	-	455350-4	AIR BLAST ASSEMBLY	119
-	1	-	-	692655-6	AIR FEED VALVE ASSEMBLY	118
3	3	3	-	21024-5	WASHER, LOCK(#10)ADJ BLOCK	117
						116
						115
2	2	2	-	21024-2	WASHER,LOCK(#4)FRONT STP GUIDE	114
						113
						112
2	2	2	-	21024-4	WASHER,LOCK(#8)STRIPPER	111
						110
						109
						108
-	1	-	-	692655-5	AIR FEED VALVE ASSEMBLY	107
1	-	1	-	692655-7	AIR FEED ASSEMBLY	106
1	1	1	-	22353-8	SCR, SHLD (Ø187x.25) DRAG LEVER	105
						104
1	1	1	-	21009-2	SCR,SKT SET(1/4-20x.25 LW)RAM	103
2	2	2	-	21017-2	SCR,DRIVE(#2x.19)ID PLATE	102
						101
1	1	1	-	461264-1	PLATE, IDENTIFICATION	100
2	2	2	-	5-21006-6	SCR,SKT SET(10-32x.75)DRAG	99
1	1	1	-	22733-8	SCR,BHC(8-32x.38 LW)ANVIL	98
4	4	4	-	2-21002-9	SCR,BHC(10-32x.75)CAP	97
3	3	3	-	2-22733-8	SCR,BHC(1/4-20x.62)HSG	96
1	1	1	-	2-21002-7	SCR,BHC(10-32x.50)SG ADJ BLK	95
8	8	8	-	2-21002-2	SCR,BHC(8-32x.50)TERM H DWN	94
2	2	2	-	2-21002-1	SCR,BHC(8-32x.50)R STP GDE	93
						92
						91
						90
1	1	1	-	318563-1	GUARD, FRONT CHIP	89
						88
2	2	2	-	3-21000-0	SCR SET HD CAP 8-32 X .875	87
1	1	1	-	2-22603-1	SCR,HEX HD(8-32x.38)FEED FINGER	86
2	2	2	-	1-21000-3	SCR,SHC(4-40x.25)FR ST GUIDE	85
1	1	1	-	2-21000-7	SCR,SHC(8-32x.50)STRIPPER	84
						83
						82
1	1	1	-	3-21000-4	SCR,SHC(10-32x.38)SG ADJ BL	81
						80
-	1	-	-	462992-7	GUARD ASSY	79
REF	-	-	-	679532-1	INSERT, GUARD	78
						77
						76
1	1	1	-	2-21008-9	SCR, SKT SET (6-32x.25)	75
1	1	1	-	690603-1	SPRING, ASSIST	74
2	2	2	-	23030-1	SCR,SHC(6-32x.25 SL)INS DISC	73
1	1	1	-	690191-5	PLUG, NYLON	72
1	1	1	-	1633020-1	FINE ADJUST SCREW BLOCK	71
-3	-2	-1	U/M	PART NO	DESCRIPTION	ITEM NO
QTY REQD PER ASSY		PARTS LIST				

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		25AUG08		Tyco Electronics Corporation	
		G.BAILEY		25AUG08		Harrisburg, PA 17105-3608	
		T.ELBIN		25AUG08			

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9