








PART NUMBER SEE SHEET 2




spec ref *		dr		Zhan Rainbow	2017/02/20	projection 	MM 	size	A3	scale	3:2	
tolerance std ISO 406 ISO 1101	TOLERANCES UNLESS OTHERWISE SPECIFIED		eng	Zhan Rainbow	2017/03/29			ecn no -				
			chr	Fancy Zhang	2017/03/29			rel level Released				
		appr		Pei-Ming Zheng	2017/03/29	product family		PwrBlade+				
surface  ISO 1101	linear	0.X	±0.5	Amphenol FCi	title 3ACP + 12S + 3ACP VERTICAL STB PLUG			dwg no	10106266-6003501			rev A
		0.XX	±0.25									
		0.XXX	±0.10									
	angular	0°	±2°	www.fci.com	cat. no.		Product - Customer Drw			sheet 1 of 3		

PRODUCT NO.	ROWS		HIGH POWER				SIGNAL			HIGH POWER			
		E1	P1	P2	P3	1	2	3	P4	P5	P6	E2	
10106266-600350ILF	DCBA												

CODE	DESCRIPTION
E	MFBL SIGNAL CONTACT
HI	STD HIGH POWER CONTACT



spec ref		*		dr		Zhan Rainbow	2017/02/20			size		A3	scale		3:2							
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		Zhan Rainbow	2017/03/29			ecn no												
ISO 406				chr		Fancy Zhang	2017/03/29															
ISO 1101				appr		Pei-Ming Zheng	2017/03/29			product family				PwrBlade+	rel level		Released					
 ISO 1101		linear		0.X		±0.5		Amphenol FCI				title		3ACP + 12S + 3ACP		dwg no		10106266-6003501		rev		A
				0.XX		±0.25																
				0.XXX		±0.10																
		angular		0°		±2°		www.fci.com		cat. no.				Product - Customer Drw				sheet 2 of 3				

NOTES:

- 1) PRODUCT MARK:
PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE .
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING : HIGH TEMP THERMOPLASTIC WITH GLASS FIBER, FOR REFLOW PROCESS. UL94V-0, BLACK.
-POWER CONTACT : HIGH CONDUCTIVITY COPPER ALLOY.
-SIGNAL CONTACT : COPPER ALLOY.
- 3) PLATING SPECIFICATION : 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS ARE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15+/-0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN SN
OVER 0.0254-0.0762MM CU PLATING TO ACHIEVE A 1.02+/-0.07MM HOLE.
- 8) THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY
REGULATIONS AS DESCRIBED IN GS-47-0004.
- 9) THE VOID CORING IN BETWEEN POWER MODULES, SIGNAL MODULES AND
END MODULES ARE OPTIONAL AND THE SHAPE MAY BE DIFFERENT FOR
OPTIMIZE THE MOLDING PROCESS. THE VOID CORING WILL NOT EFFECT
TO PRODUCT FUNCTION.
- 10) PRODUCT SPECIFICATION : GS-12-658.
APPLICATION SPECIFICATION : GS-20-141.
PRODUCT PACKAGE SPECIFICATION: GS-14-1502.

spec ref *				dr Zhan Rainbow		2017/02/20		projection		MM		size A3		scale 3:2					
tolerance std				eng Zhan Rainbow		2017/03/29						ecn no -							
ISO 406				chr Fancy Zhang		2017/03/29						rel level Released							
ISO 1101				appr Pei-Ming Zheng		2017/03/29		product family PwrBlade+											
surface		linear		0.X		±0.5		Amphenol FCI		title 3ACP + 12S + 3ACP				dwg no 10106266-6003501				rev A	
				0.XX		±0.25													
				0.XXX		±0.10													
ISO 1101		angular		0°		±2°		www.fci.com		cat. no.				Product - Customer Drw				sheet 3 of 3	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9