PART NUMBER	SEE SHEET 2









spec ref	*			dr	Zhan Rainbow	2017/02/20	projection	MM	size A3 / scale 3:2
tolerance std ISO 406 ISO 1101	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Zhan Rainbow	2017/03/29			
				chr	Fancy Zhang	2017/03/29			ecn no -
				appr	Pei-Ming Zheng	2017/03/29	product family	PwrBlade+	rel level Released
surface ISO 1101	linear	0.X	±0.5	Amphenol FCi	title	3ACP + 12S + 3ACP VERTICAL STB PLUG		dwg no 10106266-6003501	rev A
		0.XX	±0.25						
		0.XXX	±0.10						
	angular	0°	±2°	www.fci.com	cat. no.		Product - Customer Drw		sheet 1 of 3

© 2016 AFCI

PRODUCT NO.	ROWS	HIGH POWER			SIGNAL			HIGH POWER			
		E1	P1	P2	P3	1	2	3	P4	P5	P6	E2
10106266-6003501LF	D C B A		HI	HI	HI	E E E E E E E E E E E E			HI	HI	HI	

CODE	DESCRIPTION
E	MFBL SIGNAL CONTACT
HI	STD HIGH POWER CONTACT



© 2016 AFCI

spec ref	*			dr	Zhan Rainbow	2017/02/20	projection: MM; size: A3; scale: 3:2
tolerance std: ISO 406 ISO 1101	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Zhan Rainbow	2017/03/29	ecn no: -
				chr	Fancy Zhang	2017/03/29	product family: PwrBlade+; rel level: Released
surface: ISO 1101	linear	0.X	±0.5	appr	Pei-Ming Zheng	2017/03/29	
		0.XX	±0.25				
		0.XXX	±0.10				
	angular	0°	±2°				

Amphenol FCi	title: 3ACP + 12S + 3ACP VERTICAL STB PLUG	dwg no: 10106266-6003501	rev: A	
www.fci.com	cat. no.	Product - Customer Drw	sheet 2 of 3	

NOTES:
1) PRODUCT MARK:
   PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE .
   THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
2) MATERIALS:
   -HOUSING : HIGH TEMP THERMOPLASTIC WITH GLASS FIBER, FOR REFLLOW PROCESS. UL94V-0, BLACK.
   -POWER CONTACT : HIGH CONDUCTIVITY COPPER ALLOY.
   -SIGNAL CONTACT : COPPER ALLOY.
3) PLATING SPECIFICATION : 10116351
4) DENOTES CONNECTOR KEEP OUT ZONE.
5) DATUM AND BASIC DIMENIONS ARE ESTABLISHED BY CUSTOMER.
6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
7) 1.15+/-0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN SN
   OVER 0.0254-0.0762MM CU PLATING TO ACHIEVE A 1.02+/-0.07MM HOLE.
8) THIS PRODUCT MEETS EUROPEN UNION DIRECTIVES AND OTHER COUNTRY
   REGULATIONS AS DESCRIBED IN GS-47-0004.
9) THE VOID CORING IN BETWEEN POWER MODULES, SIGNAL MODULES AND
   END MODULES ARE OPTIONAL AND THE SHAPE MAY BE DIFFERENT FOR
   OPTIMIZE THE MOLDING PROCESS. THE VOID CORING WILL NOT EFFECT
   TO PRODUCT FUNCTION.
10) PRODUCT SPECIFICATION : GS-12-658.
    APPLICATION SPECIFICATION : GS-20-141.
    PRODUCT PACKAGE SPECIFICATION: GS-14-1502.

© 2016 AFCI

spec ref	*		
tolerance std	ISO 406 ISO 1101	TOLERANCES UNLESS OTHERWISE SPECIFIED	
surface	ISO 1101	linear	0.X ±0.5
			0.XX ±0.25
			0.XXX ±0.10
		angular	0° ±2°

dr	Zhan Rainbow	2017/02/20
eng	Zhan Rainbow	2017/03/29
chr	Fancy Zhang	2017/03/29
appr	Pei-Ming Zheng	2017/03/29

projection | MM | size A3 | scale 3:2
ecn no -
product family PwrBlade+ | rel level **Released**

Amphenol FCi | www.fci.com

title: 3ACP + 12S + 3ACP
VERTICAL STB PLUG

dwg no 10106266-6003501 | rev **A**

cat. no. | Product - Customer Drw | sheet 3 of 3

Creo File - REV E - 2016-02-12

PDS: Rev :A | STATUS:Released | Printed: Mar 29, 2017

Общество с ограниченной ответственностью «МосЧип» ИНН 7719860671 / КПП 771901001
Адрес: 105318, г.Москва, ул.Щербаковская д.3, офис 1107

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

http://moschip.ru/get-element

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:
moschip.ru
moschip.ru_4
moschip.ru_6
moschip.ru_9