




LOC	DIST	REVISIONS						
		P	LTR	DESCRIPTION	DATE	DWN	APVD	
GP	00		A2	REVISED PER ECO-11-004835	11MAR2011	RK	HMR	
			B	REVISED PER ECO-12-014113	02AUG2012	JY	AC	
			C	REVISED PER ECO-12-019905	04DEC2012	CJV	DLG	




1888321-1
SCALE 5:1




2-1888321-2
NO GASKET
SCALE 5:1



1888321-3
SCALE 5:1





1888321-2
SCALE 5:1





1888321-4
SCALE 5:1

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN J. POLIGNONE	01AUG07	TE Connectivity	
		CHK D. GORENC	01AUG07		
DIMENSIONS: mm		APVD D. GORENC	01AUG07	NAME EVERCLEAR Mini-SAS EXTERNAL RECEPTACLE SHELL ASSEMBLY	
		PRODUCT SPEC		SIZE A1	
		APPLICATION SPEC		CAGE CODE 100779	
MATERIAL SEE NOTES		WEIGHT -		DRAWING NO 1888321	
		Customer Drawing		SCALE 5:1	SHEET 1 OF 4
				REV C	


LOC		DIST		REVISIONS				
GP		00		P	LTR	DESCRIPTION		DATE
				-		SEE SHEET 1		-
								-
								-
								-



RECOMMENDED SINGLE PORT LAYOUT
SAME AS 1888321-1 EXCEPT AS SHOWN
SCALE 5:1




RECOMMENDED MULTI-PORT LAYOUT,
SAME AS 1888321-1, EXCEPT AS SHOWN
SCALE 5:1



SECTION A-A
SCALE 10:1


THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009.			DWN J. POLIGNONE DTAUG07 CHK D. GORENC DTAUG07 APVD D. GORENC DTAUG07		 TE Connectivity	
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:			NAME	
mm					EVERCLEAR Mini-SAS EXTERNAL RECEPTACLE SHELL ASSEMBLY	
		0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ±			PRODUCT SPEC	
ANGLES		±			APPLICATION SPEC	
FINISH					SIZE	
MATERIAL SEE NOTES		SEE NOTES			CAGE CODE	
					DRAWING NO	
					RESTRICTED TO	
					A100779C=1888321	
					SCALE	
					5:1	
					SHEET	
					2 OF 4	
					REV C	



LOC		DIST		REVISIONS					
GP		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER: ASME Y14.5M-2009				DWN: J. POLIGNONE 01AUG07	TE Connectivity			
DIMENSIONS: mm				CHK: D. GORENC 01AUG07	NAME: EVERCLEAR Mini-SAS EXTERNAL RECEPTACLE SHELL ASSEMBLY			
TOLERANCES UNLESS OTHERWISE SPECIFIED:				APVD: D. GORENC 01AUG07	SIZE: CAGE CODE: DRAWING NO: A100779C=1888321			
0 PLC ±				PRODUCT SPEC	RESTRICTED TO			
1 PLC ±				APPLICATION SPEC	SCALE: 3:1 SHEET 3 OF 4 REV C			
2 PLC ±				WEIGHT				
3 PLC ±				Customer Drawing				
4 PLC ±								
ANGLES FINISH								
MATERIAL SEE NOTES								

LOC		DIST		REVISIONS				
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-		SEE SHEET 1	-	-	-	



POSSIBLE KEYING POSITION LOCATIONS
SCALE 10:1

- 1. LOCATIONS OF DATUMS TO BE DETERMINED BY THE CUSTOMER.
- 2. ZINC DIE CAST PER ASTM B 86.
- 3. PASSIVATE PER ASTM B 102 OVER 2.54µm MINIMUM NICKEL PLATE PER QQ-N-290 OVER 5.08µm MINIMUM COPPER PLATE PER AMS 2418
- 4. OMNI DIRECTIONAL CONDUCTIVE FOAM
- 5. SHELLS AFFIXED TO PCB VIA CUSTOMER SUPPLIED M2 x 0.4mm THREADED SCREWS.
- 6. PRODUCT USED IN CONJUNCTION WITH SURFACE MOUNT CONNECTOR 1761987-1.
- 7. RAISED SOLDER MASK KEEP OUT AREA, APPLIES TO AREA INSIDE BOX.
- 8. PRELIMINARY NOT RELEASED FOR PRODUCTION.
- 9. DATE CODE APPLIED IN GENERAL AREA AS INDICATED.

	I	38.75	4	I	I	35.125	34.625	42	39.25	38.25	38.25	4	4	-	-	2	2-1888321-2
	I	38.75	4	I	I	35.125	34.625	42	39.25	38.25	38.25	2-4	2-4	-	-	2	1-1888321-3
	I	38.75	4	I	I	35.125	34.625	42	39.25	38.25	35.25	4-6	2-4	-	-	2	1-1888321-2
	I	38.75	4	I	I	35.125	34.625	42	39.25	38.25	38.25	2	6	-	-	2	1-1888321-1
	I	38.75	4	I	I	35.125	34.625	42	39.25	38.25	38.25	2	2	-	-	2	1-1888321-0
	N/A	19.75	2	N/A	N/A	16.125	15.625	23	20.25	19.25	19.25	4-6	-	-	-	1	1888321-9
	N/A	19.75	2	N/A	N/A	16.125	15.625	23	20.25	19.25	19.25	2-4	-	-	-	1	1888321-8
	N/A	19.75	2	N/A	N/A	16.125	15.625	23	20.25	19.25	19.25	6	-	-	-	1	1888321-7
	N/A	19.75	2	N/A	N/A	16.125	15.625	23	20.25	19.25	19.25	2	-	-	-	1	1888321-6
OBSOLETE	3	76.75	8	3	3	73.125	72.625	80	77.25	76.25	76.25	4	4	4	4	4	8 1888321-4
OBSOLETE	2	57.75	6	2	2	54.125	53.625	61	58.25	57.25	57.25	4	4	4		3	8 1888321-3
	I	38.75	4	I	I	35.125	34.625	42	39.25	38.25	38.25	4	4	-	-	2	1888321-2
	N/A	19.75	2	N/A	N/A	16.125	15.625	23	20.25	19.25	19.25	4	-	-	-	1	1888321-1
	L	K	J	H	G	F	E	D	C	B	A	PORT 1 (SINGLE PORT)	PORT 2	PORT 3	PORT 4	# OF PORTS	PART NUMBER
												KEYING POSITION					

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009

DIMENSIONS: mm

MATERIAL SEE NOTES

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±
FINISH SEE NOTES

DWN J. POLIGNONE DT AUG 07
CHK D. GORENC DT AUG 07
APVD D. GORENC DT AUG 07

PRODUCT SPEC
APPLICATION SPEC
WEIGHT -

Customer Drawing

TE Connectivity

EVERCLEAR Mini-SAS EXTERNAL RECEPTACLE SHELL ASSEMBLY

SIZE A1 CAGE CODE 00779 DRAWING NO 1888321

RESTRICTED TO -

SCALE 3:1

SHEET 4 OF 4

REV C

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9