

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

1300870097

Status:

Active

Overview:

Reels - Woodhead

Description:

Woodhead Super-Safeway Heavy Duty Hand Wind Reel with 3 Conductor Slip Ring, 12/3 SOW, 30.48m (100.0') Cord Length

Documents:

RoHS Certificate of Compliance (PDF)

|                               |                                                                                                                                                      |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| Agency Certification          |                                                                                                                                                      |
| UL                            | E19795                                                                                                                                               |
| General                       |                                                                                                                                                      |
| Product Family                | Electric Reels                                                                                                                                       |
| Series                        | 130087                                                                                                                                               |
| Cable Length                  | N/A                                                                                                                                                  |
| Comments                      | Hand Wind Reels are design for heavy duty industrial storage applications, Hand Wind Reels are design for heavy duty industrial storage applications |
| Depth                         | 0.34m (13.25")                                                                                                                                       |
| Duty                          | Industrial                                                                                                                                           |
| Enclosure Rating              | NEMA 1                                                                                                                                               |
| Height                        | 0.45m (17.6")                                                                                                                                        |
| NEMA Configuration            | NEMA 5-15                                                                                                                                            |
| Overview                      | Reels - Woodhead                                                                                                                                     |
| Product Name                  | Super-Safeway                                                                                                                                        |
| Type                          | Hand Wind Reel                                                                                                                                       |
| UPC                           | 78678800876                                                                                                                                          |
| Width                         | 241.30mm (9.500")                                                                                                                                    |
| Physical                      |                                                                                                                                                      |
| Cable Movement                | Manual                                                                                                                                               |
| Cord Length                   | 30.48m (100.0')                                                                                                                                      |
| Drum Lock                     | None                                                                                                                                                 |
| Material - Coating            | Powder Coating                                                                                                                                       |
| Material - Housing            | Steel                                                                                                                                                |
| Mounting Style                | N/A                                                                                                                                                  |
| Number of Conductors          | 3                                                                                                                                                    |
| Number of Receptacles         | 1                                                                                                                                                    |
| Packaging Type                | Carton                                                                                                                                               |
| Primary Cord/Cable Entry      | N/A                                                                                                                                                  |
| Retraction Weight             | N/A                                                                                                                                                  |
| Wire Size AWG                 | 12                                                                                                                                                   |
| Electrical                    |                                                                                                                                                      |
| Bulb Included                 | N/A                                                                                                                                                  |
| Cord Type                     | 12/3 SOW                                                                                                                                             |
| Current - Maximum per Contact | 15.0A                                                                                                                                                |
| GFCI                          | No                                                                                                                                                   |
| Lamp Type                     | N/A                                                                                                                                                  |
| Lamp Wattage - Maximum        | N/A                                                                                                                                                  |
| On/Off Switch                 | N/A                                                                                                                                                  |
| Voltage - Maximum             | 120V                                                                                                                                                 |
| Material Info                 |                                                                                                                                                      |
| Engineering Number            | 932D123                                                                                                                                              |



Series image - Reference only

|                                                               |              |
|---------------------------------------------------------------|--------------|
| EU ELV                                                        |              |
| Not Reviewed                                                  |              |
| EU RoHS                                                       | China RoHS   |
| Not Reviewed                                                  |              |
| REACH SVHC                                                    |              |
| Not Reviewed                                                  |              |
| Halogen-Free                                                  |              |
| Status                                                        |              |
| Not Reviewed                                                  |              |
| For more information, please visit <a href="#">Contact US</a> |              |
| China ROHS                                                    | Not Reviewed |
| ELV                                                           | Not Reviewed |
| RoHS Phthalates                                               | Not Reviewed |

Search Parts in this Series

130087 Series

This document was generated on 02/18/2020

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9